Docking Station

Triple 4K Display
Universal Docking Station – DX3
- WITH 100W LAPTOP CHARGING

Triple Display	**4K** Ultra HD
Apple & Windows Compatible	**100W** Power Delivery
Power Adapter Included	

Part no	Colour
DUPRMX3-WW	● Space grey and black

Immersive Triple 4K

The MX3 dock can support up to three stunning external displays *. The dock supports extension or mirroring across the three external displays when used with a Windows Laptop.

* The quantity and resolution of video outputs supported is dependent on the capabilities of the computer used with the docking station. Mac laptop users who use the MX3 can only mirror their laptop screen. This is a good solution for Mac laptop users who want to run a single monitor display that's much larger than the laptop screen they are mirroring.

Refer to the resolution support table for details on the output capabilities of computers based on their specifications.

KEEP YOUR LAPTOP CHARGED

Up to 100W Charging Power

2h 30m
Fully charges your
MacBook Pro 16"

1h 50m
Fully charges your
Surface Pro 7

Ports for Versatile Work Stations

When you have a lot going on, so does the MX3. It fast-charges laptops with up to 100W of power, supports up to three displays, and delivers connectivity for standard peripherals including Ethernet, audio/microphone jack and USB accessories. All at the same time.

## SIMPLIFIED CONNECTIVITY

DP Alt Mode Technology

The MX3 makes multi-display set ups simple. Featuring DP Alt Mode technology, it connects directly with up to three displays and multiple other accessories. No need to install drivers or software. Plug in and go.

"PLUG & PLAY"

SINGLE 5K DISPLAY WITH MAC

The MX3 delivers Mac users a picture-perfect single display for their desk set up.

TRIPLE 4K DISPLAY WITH WINDOWS

Windows users can plug into the MX3 to run up to three ultra-polished external displays.

USB-C Captive Cable

Lock Slot

VESA Mount

www.alogic.co

11 High-Performance Ports

A	LED Power Button	**5**	3.5mm TRRS Audio/Microphone Jack supports quality recording and playback
B	USB-C to Laptop Input Port. DP Alt Mode with 100W Power Delivery	**6**	RJ45 Ethernet 1 Gbps for stable Internet connection
C	Power Port. Connects to a 135W External Power Adapter (supplied)	**7**	DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays
1	USB-A 3.1 Gen 1 (5G) BC 1.2 & Apple Charging Support connects with older laptops and charges Apple devices	**8**	DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays
2	USB-C 3.1 Gen 2 (10G) BC 1.2 & Apple Charging Support connects with modern laptops and charges Apple devices	**9**	DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays
3	Micro SD Card Reader (SD 4.0) for speedier transfer of bulk images, video and audio between devices	**10**	USB-A 3.1 Gen1 (5G) works with older laptops
4	SD Card Reader (SD 4.0) for speedier transfer of bulk images, video and audio between devices	**11**	USB-A 3.1 Gen1 (5G) works with older laptops

Display Resolution Table

DisplayPort Alternate Mode Support	Single Display	Dual Display MST Host (Independent/Extended)	Triple Display MST Host (Independent/Extended)
DP1.4 (HBR3) with DSC	5120x2880 60Hz	2x 3840x2160 60Hz	3x 3840x2160 30Hz
DP1.4 (HBR3) without DSC	3840x2160 60Hz	2x 3840x2160 30Hz	1x 3840x2160 30Hz+ 2x 1920x1080P 60Hz
DP1.2 (HBR2)	3840x2160 30Hz	2x 1920x1080P 60Hz	3x 1920x1080P 30Hz

www.alogic.co

User Interface

Input	USB-C		
Output	3 x DisplayPort (DP1.4/DP++)	2 x USB-A 3.1 Gen1 (5G)	1 x SD Card Reader (SD 4.0)
	1 x USB-C 3.1 Gen 2 (10G) BC 1.2 and Apple Charging Support	1 x 3.5mm TRRS Audio / Microphone Jack	1 x Micro SD Card Reader (SD 4.0)
	1 x USB-A 3.1 Gen 1 (5G) BC 1.2 and Apple Charging Support	1 x RJ45 Ethernet 1Gbps	

Power

135W External Power Adapter (supplied)

Dock can provide up to 100W power to computer

Device Compatibility

Windows, MacOS Computers

Physical Characteristics

Product Dimensions	190 x 90 x 6.5mm (W x D x H)
Colour	Space Grey and Black
Weight	535g
Materials	ABS

Video Resolution

Up to 2 x 4K UHD 60Hz or 3 x 4K UHD 30Hz with DP 1.4 HBR3 DSC enabled host*

*See resolution support tables above for maximum outputs

Audio Support

Analogue audio line/microphone in/out

Package Includes

1 x Dock

1 x USB-C Cable with USB-A adapter for connection to computer

1 x 135W AC Power Adapter

1 x US; 1 x UK; 1 x EU; 1 x AU Power Cord

1 x User Manual

Warranty

2 Year