



AOC G2 Q27G2E/BK computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black, Red

Brand : AOC

Product family: G2

Product code: Q27G2E/BK

Product name : Q27G2E/BK



Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 155 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 2.0 x 2, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync

AOC G2 Q27G2E/BK computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black, Red:

27" QHD VA display with Adaptive Sync, 155 Hz refresh rate and low input lag

The AOC Q27G2E/BK offers a 27" VA panel with QHD resolution, ShadowControl and super contrast ratio of 3000:1. Enjoy the most responsive gameplay and fastest battles with its stutter-free Adaptive Sync, 155 Hz refresh rate, 1ms MPRT and low input lag to decrease motion blur and input-output delay. Gaming has never been so fun and intense.

AOC G2 Q27G2E/BK. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black, Red



| Display | | Ergonomics | |
|------------------------------|-----------------------|---|--|
| Display diagonal * | 68.6 cm (27") | VESA mounting * | ✓ |
| Display resolution * | 2560 x 1440 pixels | Panel mounting interface | 100 x 100 mm |
| HD type * | Quad HD | Cable lock slot * | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot type | Kensington |
| Panel type * | VA | Tilt adjustment | ✓ |
| Backlight type | W-LED | Tilt angle range | -5 - 23° |
| Touchscreen * | ✗ | On Screen Display (OSD) | ✓ |
| Display brightness (typical) | 250 cd/m ² | On Screen Display (OSD) languages | Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Swedish, Turkish, Ukrainian |
| Response time * | 1 ms | | |
| Anti-glare screen | ✓ | | |
| Screen shape * | Flat | | |
| Contrast ratio (typical) * | 3000:1 | | |
| Contrast ratio (dynamic) | 80000000:1 | | |
| Maximum refresh rate * | 155 Hz | | |
| Viewing angle, horizontal | 178° | | |
| Viewing angle, vertical | 178° | | |
| Display number of colours * | 16.7 million colours | | |
| Pixel density | 109 ppi | | |
| Display diagonal (metric) | 68.6 cm | | |
| Colour gamut standard | DCI-P3 | | |
| Colour gamut | 90% | | |
| sRGB coverage (typical) | 99% | | |
| DCI-P3 coverage | 90% | | |
| Performance | | Power | |
| NVIDIA G-SYNC * | ✗ | Energy efficiency class (SDR) * | F |
| AMD FreeSync * | ✓ | Energy efficiency class (HDR) * | F |
| AMD FreeSync type | FreeSync Premium | Energy consumption (SDR) per 1000 hours * | 26 kWh |
| VESA Adaptive Sync support | ✓ | Energy consumption (HDR) per 1000 hours * | 26 kWh |
| Low Blue Light technology | ✓ | Power consumption (typical) * | 34 W |
| | | Power consumption (standby) * | 0.3 W |
| | | Power consumption (off) | 0.3 W |
| | | Energy efficiency scale | A to G |
| | | European Product Registry for Energy Labelling (EPREL) code | 1331473 |
| | | Weight & dimensions | |
| | | Width (with stand) | 612.5 mm |
| | | Weight (with stand) | 4.63 kg |
| | | Depth (without stand) | 46.6 mm |

| Performance | | Packaging data | |
|------------------------|------------|-----------------------------|--------------|
| Game mode | ✓ | Package width | 730 mm |
| Design | | Package depth | 187 mm |
| Market positioning * | Gaming | Package height | 520 mm |
| Product colour * | Black, Red | Package weight | 6.96 kg |
| Front bezel colour | Black/Red | Packaging content | |
| Detachable stand | ✓ | Cables included | AC |
| Ports & interfaces | | DisplayPort cable length | 1.8 m |
| HDMI * | ✓ | HDMI cable length | 1.8 m |
| HDMI ports quantity | 2 | Other features | |
| HDMI version | 2.0 | Brand specific technologies | Crosshair |
| DisplayPorts quantity | 1 | Shadow control | ✓ |
| DisplayPort version | 1.2 | Motion blur reduction | ✓ |
| Headphone out * | ✓ | Exterior finish type | Matt |
| Headphone connectivity | 3.5 mm | Certification | ISO 9241-307 |



4038986180825

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date