



APC Smart-UPS SMT1000IC - 8x C13, USB, SmartConnect, 1000VA

Brand : APC

Product code: SMT1000IC

Product name : APC Smart-UPS SMT1000IC - 8x C13, USB, SmartConnect, 1000VA

APC Smart-UPS SMT1000IC - 8x C13, USB, SmartConnect, 1000VA

APC Smart-UPS SMT1000IC - 8x C13, USB, SmartConnect, 1000VA. UPS topology: Line-Interactive, Output power capacity: 1 kVA, Output power: 700 W. AC outlet types: C13 coupler, IEC Jumpers, Power plug: C14 coupler, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery life (max): 5 year(s), Battery recharge time: 3 h. Form factor: Mini Tower, Product colour: Black, Display type: LCD. Width: 171 mm, Depth: 439 mm, Height: 219 mm




Features		Battery	
UPS topology *	Line-Interactive	Battery life (max)	5 year(s)
Output power capacity *	1 kVA	Battery recharge time	3 h
Output power *	700 W	Hot-swap battery	✓
Waveform *	Sine	Automatic battery test	✓
Input operation voltage (min) *	151 V	Cold start	✓
Input operation voltage (max) *	302 V	Replacement battery cartridge	RBC6
Input frequency *	50/60 Hz		
Output operation voltage (min)	220 V	Design	
Output operation voltage (max)	240 V	Form factor *	Mini Tower
Output frequency	50/60 Hz	Product colour *	Black
Automatic Voltage Regulation (AVR)	✓	Display type	LCD
Surge energy rating	459 J	LED indicators	✓
Response time	10 ms	Certification	CE, CSA, EAC, EN/IEC 62040-1, EN/IEC 62040-2, RCM, UL 1778, VDE, REACH
Output voltage Total Harmonic Distortion (THD)	5%		
Noise level	41 dB	Operational conditions	
Surge protection	✓	Operating temperature (T-T)	0 - 40 °C
Audible alarm(s)	✓	Storage temperature (T-T)	-15 - 45 °C
Audible alarm modes	Alarm when on battery, Low battery alarm, Overload alarm	Operating relative humidity (H-H)	0 - 95%
Auto-restart	✓	Storage relative humidity (H-H)	0 - 95%
Temperature voltage compensation	✓	Operating altitude	0 - 3000 m
		Non-operating altitude	0 - 15000 m
Ports & interfaces		Technical details	
AC outlet types	C13 coupler, IEC Jumpers	Sustainability certificates	Green Premium
Power plug	C14 coupler	Compliance certificates	RoHS
AC outlets quantity	8 AC outlet(s)		
USB port	✓	Weight & dimensions	
		Width	171 mm

Ports & interfaces		Weight & dimensions	
USB 2.0 ports quantity	1	Depth	439 mm
USB port type	USB Type-A	Height	219 mm
Serial interface	✓	Weight	18.9 kg
Serial ports quantity	1	Package width	328 mm
Ethernet LAN (RJ-45) ports	1	Package depth	595 mm
SmartSlot	✓	Package height	376 mm
Battery		Package weight	22.8 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
		Cables included	RJ-45, USB cable
		Quick installation guide	✓
		Logistics data	
		Products per pallet	12 pc(s)
		Harmonized System (HS) code	85078000



0731304332978



731304332978

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date