



## TP-Link TL-WR841N wireless router Fast Ethernet Single-band (2.4 GHz) White

**Brand :** TP-Link

**Product code:** TL-WR841N

**Product name :** TL-WR841N

TP-Link TL-WR841N. WAN connection type: RJ-45. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Security algorithms: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Firewall security: SPI. Supported network protocols: IPv4, IPv6



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM card slot *	✗	Universal Plug and Play (UPnP)	✓
3G/4G USB modem compatibility *	✗	Supported network protocols	IPv4, IPv6
WAN connection type	RJ-45	<b>Design</b>	
Wireless LAN features		Product colour	White
Wi-Fi band *	Single-band (2.4 GHz)	Product type *	Tabletop router
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	Certificates	
WLAN data transfer rate (max) *	300 Mbit/s	Compliance certificates	Federal Communications Commission (FCC)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Packaging content	
Network		Cables included	LAN (RJ-45)
Ethernet LAN *	✓	AC adapter included	✓
Ethernet LAN interface type *	Fast Ethernet	Quick installation guide	✓
Ethernet LAN data rates	10,100 Mbit/s	Sustainability	
Cabling technology	10/100Base-T(X)	Sustainability compliance	✓
Port forwarding	✓	Antenna	
Port triggering	✓	Antenna design *	External
Dynamic DNS (DDNS)	✓	Antennas quantity	2
Number of guest networks (2.4 GHz)	1	Transmit power	30 dBmW
Ports & interfaces		Features	
Ethernet LAN (RJ-45) ports *	4	Built-in processor	✓
USB port *	✗	Processor cores	1
Management features		Power	
Quality of Service (QoS) support	✓	Power source type *	DC
Reset button	✓	Output voltage	9 V
Security		Output current	0.6 A
Security algorithms	WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	Weight & dimensions	
Firewall	✓	Width	173 mm
Firewall security	SPI		

Security		Weight & dimensions	
Filtering	✓	Depth	118 mm
URL filtering	✓	Height	33 mm
DMZ support	✓	<b>Packaging data</b>	
		Package width	288 mm
		Package depth	202 mm
		Package height	86 mm
		Package weight	620 g



6935364051242

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date