



HP E-Series E14 G4 Portable Monitor

Brand : HP

Product family: E-Series

Product code: 1B065AA

Product name : E14 G4 Portable Monitor



- Get a clear view—inside or out—with an ultra-bright, anti-glare, 400-nit screen that delivers equally sharp, visuals in dark rooms or direct sunlight.
- Expand your laptop's visual workspace and boost your productivity with a slim, lightweight Full HD monitor that weighs just 620 g and is less than 4.75 mm thick.
- Work without interruption with a monitor that has a 65W power pass-through so you can power your monitor from your laptop's USB-C™ and charge it from its power brick at the same time.

E14 G4 Portable Monitor

[HP E-Series E14 G4 Portable Monitor:](#)

The on-the-go monitor that's ready to work in any light
Double down on your productivity with the HP E14 G4 Portable Monitor. Remove from the soft sleeve, stand up on the kickstand, and connect with the simplicity of just one USB-C™ cable.^[1] Enjoy a great view indoors or outdoors from an extra-bright screen.



Display		Power	
Display diagonal *	35.6 cm (14")	Energy efficiency class (HDR) *	B
Display resolution *	1920 x 1080 pixels	Energy consumption (SDR) per 1000 hours *	5 kWh
HD type *	Full HD	Power consumption (typical) *	3.5 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.3 W
Display technology *	LED	Power supply type	External
Panel type *	IPS	European Product Registry for Energy Labelling (EPREL) code	296893
Touchscreen *	✗	Operational conditions	
Display brightness (typical)	400 cd/m ²	Operating temperature (T-T)	5 - 35 °C
Response time *	5 ms	Operating relative humidity (H-H)	5 - 95%
Screen shape *	Flat	Storage relative humidity (H-H)	20 - 80%
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Weight & dimensions	
Contrast ratio (typical) *	800:1	Width (with stand)	321.4 mm
Maximum refresh rate *	60 Hz	Depth (with stand)	15.2 mm
Viewing angle, horizontal	178°	Height (with stand)	210 mm
Viewing angle, vertical	178°	Width (without stand)	321.4 mm
Pixel pitch	0.161 x 0.161 mm	Depth (without stand)	15.2 mm
Pixel density	157 ppi	Height (without stand)	210 mm
Horizontal scan range	30 - 80 kHz	Weight (without stand)	640 g
Vertical scan range	59 - 60 Hz	Packaging data	
Viewable size, horizontal	30.9 cm	Package width	405 mm
Viewable size, vertical	17.4 cm	Package depth	61 mm
Display diagonal (metric)	35.6 cm	Package height	284 mm
Surface hardness	3H	Package weight	1.54 kg
Colour depth	8 bit	Package type	Box
Colour gamut standard	NTSC	Packaging content	
Colour gamut	72%	Cables included	USB Type-C
Performance		Sustainability	
Flicker-free technology	✓	Sustainability compliance	✓
HP segment	Business	Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights


Multimedia		Carbon footprint	
Built-in speaker(s) *	✗	Total carbon footprint (kg of CO2e)	190
Built-in camera *	✗	Carbon emissions, manufacturing (kg of CO2e)	103
Design		Carbon emissions, logistics (kg of CO2e)	2
Market positioning *	Business	Carbon emissions, end-of-life (kg of CO2e)	2
Product colour *	White	Total carbon emissions, w/o use phase (kg of CO2e)	78
Ports & interfaces		Other features	
Built-in USB hub *	✓	UNSPSC-code	43211902
USB upstream port type	USB Type-C	Weight	640 g
DVI port	✗	BIS; BSMI; CB; CCC; CE; cTUVus; EAC; ENERGY STAR®; FCC; ICES; ISE for Cambodia; ISO 9241-307; KC/KCC; NOM; SEPA; Taiwan Green Mark; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC; WW application; UAE	
HDMI *	✗	Certification	
Audio input	✗	Brand-specific features	
Headphone out *	✗	HP GTIN (EAN/UPC)	195122635008
Ergonomics			
VESA mounting *	✗		
Height adjustment *	✗		
Pivot	✗		
Swivelling	✗		
Tilt adjustment	✓		
Tilt angle range	0 - 78°		
Power			
Energy efficiency class (SDR) *	B		



0195122771492



195122771492



0195122417208



195122417208




0194850710292



194850710292



0195122540678



195122540678



0194850687792



194850687792



0195122417192



195122417192



0194850333804




194850333804



0194850687785



194850687785



0195122417215




195122417215



0194850687808



194850687808



5704174817253



4580511767969

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.