



Viewsonic VX Series VX2718-2KPC-MHD LED display 68.6 cm (27") 2560 x 1440 pixels Quad HD Black

Brand : Viewsonic

Product family: VX Series

Product code: VX2718-2KPC-MHD

Product name : VX2718-2KPC-MHD

Curved, 27", 165Hz, QHD, 2560 x 1440, 250 cd/m², 1500R, 1ms, Blue Light Filter, Flicker-Free, 2 x HDMI, Display Port, 3.5mm Audio Out, 611 x 363 x 75mm, 3.3kg

Viewsonic VX Series VX2718-2KPC-MHD. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ergonomics		
Display diagonal *	68.6 cm (27")	VESA mounting *	✓	
Display resolution *	2560 x 1440 pixels	Panel mounting interface	75 x 75 mm	
HD type *	Quad HD	Cable lock slot *	✓	
Native aspect ratio *	16:9	Cable lock slot type	Kensington	
Display technology *	LED	Height adjustment *	✗	
Panel type *	VA	Tilt adjustment	✓	
Backlight type	LED	Tilt angle range	-5 - 20°	
Touchscreen *	✗	On Screen Display (OSD)	✓	
Display brightness (typical)	250 cd/m ²	Power		
Response time *	1 ms	Energy efficiency class (SDR) *	G	
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	29 kWh	
Screen shape *	Curved	Power consumption (typical) *	26 W	
Screen curvature rating	1500R	Power consumption (standby) *	0.5 W	
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 832 x 624, 848 x 480, 1024 x 600, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1152 x 870, 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440	AC input voltage	100 - 240 V	
	Contrast ratio (typical) *	4000:1	AC input frequency	50 - 60 Hz
	Contrast ratio (dynamic)	80000000:1	European Product Registry for Energy Labelling (EPREL) code	403916
	Maximum refresh rate *	165 Hz	Operational conditions	
	Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
	Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
	Display number of colours *	16.7 million colours	Operating relative humidity (H-H)	20 - 90%
			Storage relative humidity (H-H)	5 - 90%
			Operating altitude	0 - 5000 m
			Non-operating altitude	0 - 12100 m
		Weight & dimensions		
		Width (with stand)	611 mm	
		Depth (with stand)	225 mm	

Display		Weight & dimensions	
Pixel pitch	0.233 x 0.233 mm	Height (with stand)	475 mm
Horizontal scan range	30 - 243 kHz	Weight (with stand)	3.9 kg
Vertical scan range	48 - 165 Hz	Width (without stand)	611 mm
Viewable size, horizontal	59.8 cm	Depth (without stand)	75 mm
Viewable size, vertical	33.6 cm	Height (without stand)	363 mm
Display diagonal (metric)	68.6 cm	Weight (without stand)	3.3 kg
Colour depth	8 bit	Packaging data	
sRGB coverage (typical)	102%	Package width	687 mm
NTSC coverage (typical)	72%	Package depth	156 mm
Performance		Package height	443 mm
NVIDIA G-SYNC *	✗	Package weight	5.5 kg
AMD FreeSync *	✗	Packaging content	
Flicker-free technology	✓	Stand included	✓
Low Blue Light technology	✓	Cables included	AC, DisplayPort
Multimedia		Power adapter included	✓
Number of speakers	2	Quick start guide	✓
RMS rated power	4 W	Sustainability	
Built-in speaker(s) *	✓	Sustainability certificates	ErP
Built-in camera *	✗	Other features	
Design		Compliance certificates	REACH, RoHS
Market positioning *	Gaming	Certification	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, BSMI, RCM, KC, e-Standby
Product colour *	Black	Logistics data	
Feet colour	Black	Harmonized System (HS) code	85285210
Ports & interfaces			
Built-in USB hub *	✗		
DVI port	✗		
HDMI *	✓		
HDMI ports quantity	2		
HDMI version	2.0		
DisplayPorts quantity	1		
DisplayPort version	1.4		
Audio input	✗		
Audio output	✓		
Headphone out *	✓		
Headphone outputs	1		
Headphone connectivity	3.5 mm		



0766907009637



766907009637

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date