



## DELL P Series P2222H LED display 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black, Silver

**Brand :** DELL

**Product family:** P Series

**Product code:** P2222H

**Product name :** P2222H

- 54.61cm (21.5") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1
- USB, VGA, HDMI, DisplayPort
- 54.61cm (21.5") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 1000:1

DELL P Series P2222H LED display 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black, Silver:

Stay productive no matter where you work. Reduce harmful blue light with this sleek 21.5-inch FHD monitor featuring ComfortView Plus technology. DELL P Series P2222H. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Tilt adjustment	✓
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 21°
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio *	16:9	Plug and Play	✓
Display technology *	LCD	LED indicators	Power
Panel type *	IPS	<b>Power</b>	
Backlight type	LED	Energy efficiency class (SDR) *	D
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	12 kWh
Display brightness (typical)	250 cd/m <sup>2</sup>	Power consumption (standby) *	0.3 W
Response time *	8 ms	Power consumption (max)	46 W
Anti-glare screen	✓	Power consumption (off)	0.2 W
Screen shape *	Flat	AC input voltage	100 - 240 V
Supported graphics resolutions	1920 x 1080 (HD 1080)	AC input frequency	50 - 60 Hz
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency scale	A to G
Aspect ratio	16:9	European Product Registry for Energy Labelling (EPREL) code	549695
Contrast ratio (typical) *	1000:1	<b>Operational conditions</b>	
Maximum refresh rate *	60 Hz	Operating temperature (T-T)	0 - 40 °C
Viewing angle, horizontal	178°	Storage temperature (T-T)	-20 - 60 °C
Viewing angle, vertical	178°	Operating relative humidity (H-H)	10 - 80%
Display number of colours *	16.7 million colours	Storage relative humidity (H-H)	5 - 90%
Response time (fast)	5 ms	Operating altitude	0 - 5000 m
Pixel pitch	0.248 x 0.248 mm	Non-operating altitude	0 - 12192 m
Pixel density	102 ppi	<b>Weight &amp; dimensions</b>	
Horizontal scan range	30 - 83 kHz	Width (with stand)	487.3 mm
Vertical scan range	56 - 76 Hz	Depth (with stand)	179.6 mm
Viewable size, horizontal	47.6 cm	Height (with stand)	482 mm
Viewable size, vertical	26.8 cm		
Viewable size diagonal	54.6 cm		
Display diagonal (metric)	54.61 cm		

<b>Display</b>		<b>Weight &amp; dimensions</b>	
sRGB coverage (typical)	99%	Weight (with stand)	4.57 kg
<b>Performance</b>		Width (without stand)	487.3 mm
Flicker-free technology	✓	Depth (without stand)	52.1 mm
Low Blue Light technology	✓	Height (without stand)	290 mm
<b>Multimedia</b>		Weight (without stand)	2.82 kg
Built-in speaker(s) *	✗	Bezel width (side)	5.6 mm
Built-in camera *	✗	Bezel width (top)	5.6 mm
<b>Design</b>		Bezel width (bottom)	1.66 cm
Market positioning *	Home	<b>Packaging data</b>	
Product colour *	Black, Silver	Package weight	6.37 kg
Front bezel colour	Black	<b>Packaging content</b>	
Detachable stand	✓	Stand included	✓
Feet colour	Silver	Cables included	AC, DisplayPort, HDMI, USB, VGA
<b>Ports &amp; interfaces</b>		Quick start guide	✓
Built-in USB hub *	✓	<b>Sustainability</b>	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	ENERGY STAR, EPEAT Gold
USB upstream port type	USB Type-B	Doesn't contain	PVC/BFR
Number of upstream ports	1	<b>Carbon footprint</b>	
USB Type-A downstream ports quantity	4	Total carbon footprint (kg of CO2e)	481
VGA (D-Sub) ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	105
HDMI *	✓	Carbon emissions, manufacturing (kg of CO2e)	332
HDMI ports quantity	1	Carbon emissions, logistics (kg of CO2e)	33
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	114
DisplayPorts quantity	1	Carbon emissions, end-of-life (kg of CO2e)	2
DisplayPort version	1.2	Total carbon emissions, w/o use phase (kg of CO2e)	366
Headphone out *	✗	PAIA version	1.2.15, 2021
HDCP	✓	<b>Other features</b>	
AC (power) in	✓	Heavy metals free	Hg (mercury)
<b>Ergonomics</b>		Compliance certificates	RoHS
VESA mounting *	✓	<b>Logistics data</b>	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		



0884116398004



884116398004

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date