



## DELL 27 Monitor - P2722H

Brand : DELL

Product code: P2722H

Product name : 27 Monitor - P2722H

DELL 27 Monitor - P2722H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Swivelling	✓
Display resolution *	1920 x 1080 pixels	Swivel angle range	-45 - 45°
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 21°
Display technology *	LCD	Plug and Play	✓
Panel type *	IPS	LED indicators	Power
Backlight type	LED	<b>Power</b>	
Touchscreen *	✗	Energy efficiency class (SDR) *	D
Display brightness (typical)	300 cd/m <sup>2</sup>	Energy consumption (SDR) per 1000 hours *	15 kWh
Anti-glare screen	✓	Power consumption (typical) *	42.75 W
Screen shape *	Flat	Power consumption (standby) *	0.2 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (max)	55 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power consumption (off)	0.2 W
Aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Maximum refresh rate *	60 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for Energy Labelling (EPREL) code	545529
Viewing angle, vertical	178°	<b>Operational conditions</b>	
Display number of colours *	16.7 million colours	Operating temperature (T-T)	0 - 40 °C
Response time (fast)	5 ms	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.2745 x 0.2745 mm	Operating relative humidity (H-H)	10 - 80%
Pixel density	102 ppi	Storage relative humidity (H-H)	5 - 90%
Horizontal scan range	30 - 83 kHz	Operating altitude	0 - 5000 m
Vertical scan range	50 - 76 Hz	Non-operating altitude	0 - 12192 m
Viewable size, horizontal	59.8 cm	<b>Weight &amp; dimensions</b>	
Viewable size, vertical	33.6 cm	Width (with stand)	609.9 mm
Viewable size diagonal	68.6 cm		
Display diagonal (metric)	68.6 cm		
Colour depth	6 bit		

<b>Display</b>		<b>Weight &amp; dimensions</b>	
sRGB coverage (typical)	99%	Depth (with stand)	190.1 mm
<b>Performance</b>		Height (with stand)	384.1 mm
Flicker-free technology	✓	Weight (with stand)	6.77 kg
Low Blue Light technology	✓	Width (without stand)	609.9 mm
<b>Multimedia</b>		Depth (without stand)	52.1 mm
Built-in speaker(s) *	✗	Height (without stand)	359.6 mm
Built-in camera *	✗	Weight (without stand)	4.38 kg
<b>Design</b>		Bezel width (side)	6.01 mm
Market positioning *	Home	Bezel width (top)	5.99 mm
Product colour *	Black	Bezel width (bottom)	1.73 cm
Front bezel colour	Black	<b>Packaging content</b>	
Detachable stand	✓	Stand included	✓
Feet colour	Silver	Cables included	AC, DisplayPort, USB
<b>Ports &amp; interfaces</b>		Quick start guide	✓
Built-in USB hub *	✓	<b>Sustainability</b>	
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	ENERGY STAR, EPEAT Gold
USB upstream port type	USB Type-B	Doesn't contain	PVC/BFR
Number of upstream ports	1	<b>Carbon footprint</b>	
USB Type-A downstream ports quantity	4	Total carbon footprint (kg of CO2e)	517
VGA (D-Sub) ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	99
HDMI *	✓	Carbon emissions, manufacturing (kg of CO2e)	339
HDMI ports quantity	1	Carbon emissions, logistics (kg of CO2e)	47
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	129
DisplayPorts quantity	1	Carbon emissions, end-of-life (kg of CO2e)	3
DisplayPort version	1.2	Total carbon emissions, w/o use phase (kg of CO2e)	388
Headphone out *	✗	<b>Other features</b>	
HDCP	✓	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
<b>Ergonomics</b>		<b>Logistics data</b>	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		



0884116398097



884116398097

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date