

# Rhino™ 5200



## Portable Labeling Tool that Saves You Time and Money

- Meets all ANSI, TIA/EIA-606-B labeling standards
- Exclusive, one-touch “Hot Keys” automatically size, space and format label text for electrical and patch panels, terminal and 110 blocks, wire and cable flags, horizontal and vertical wraps, vertical and fixed-length applications
- Prints Code 39 and Code 128 bar codes on 19 mm wide labels
- Labels up to 77% faster than the competition\*
- Last-label memory; storage for up to 100 of the labels you use most
- Symbol library includes more than 100 pre-programmed industry symbols
- Integrated rubber bumpers for slip-resistant grip, protection against damage from falls



\*Based on independent testing of Rhino 5200 vs. Panduit LS8, Brady BMP21, Brother PT1650 measured in number of key strokes when making patch panel labels and all associated wire and faceplate labels

### Single Unit Includes:

- Rhino 5200 Label Printer
- 19 mm White Vinyl Label Cartridge
- User Manual CD-ROM
- Quick Reference Guide



### Kit Includes everything in single unit, plus:

- 9 mm White Vinyl Label Cartridge
- AC Adapter
- Carry Case
- Rechargeable Lithium-ion Battery



### Quick Specs

|                             |                                     |
|-----------------------------|-------------------------------------|
| Unit Dimensions (H x W x L) | 234 x 124 x 64 mm                   |
| Weight (excluding battery)  | 0.8 Kg                              |
| Mac®/PC Compatible          | No                                  |
| Accepts Label Sizes         | 6mm, 9mm, 12mm, 19mm                |
| Tape Platform               | IND Rhino™                          |
| Resolution                  | 180 dpi                             |
| Printing System             | Thermal Transfer                    |
| Print Speed                 | 10mm/sec                            |
| Barcodes                    | Yes, Code 39 & Code 128             |
| Cutter Type                 | Manual                              |
| Batteries                   | 6 AA or Rechargeable (not included) |
| AC Adapter                  | Yes (included in kit only)          |
| Country of Origin           | China                               |

| Item Number        | Description                 |        | Length (cm) | Width (cm) | Height (cm) | Weight (kg) | QTY | EAN            | Customer Price |  |
|--------------------|-----------------------------|--------|-------------|------------|-------------|-------------|-----|----------------|----------------|--|
| S0841460           | RHINO 5200 ABC ENG/NL/FR/DE | Unit   | 8.8         | 15.6       | 28.5        | 1.0         | 1   | 3501170841464  |                |  |
|                    |                             | Shelf  | -           | -          | -           | -           | -   | -              | -              |  |
|                    |                             | Case   | 27.5        | 19.4       | 34.5        | 4.4         | 4   | 13501170841461 |                |  |
|                    |                             | Pallet | 120.0       | 80.0       | 118.5       | 236.7       | 192 | -              |                |  |
| S0841390           | RHINO 5200 ABC KIT UK       | Unit   | 12.0        | 37.5       | 33.0        | 2.4         | 1   | 3501170841396  |                |  |
|                    |                             | Shelf  | -           | -          | -           | -           | -   | -              | -              |  |
|                    |                             | Case   | 38.6        | 37.2       | 34.7        | 7.5         | 3   | 13501170841393 |                |  |
|                    |                             | Pallet | 120.0       | 80.0       | 119.1       | 160.9       | 54  | -              |                |  |
| <b>Accessories</b> |                             |        |             |            |             |             |     |                |                |  |
| S0902390           | RHINO 5200 Case             | Unit   | 12.0        | 37.5       | 33.0        | 1.4         | 1   | 3501170902394  |                |  |
| S0721430           | RHINO AC Adapter            | Unit   | 11.5        | 5.9        | 8.9         | 0.2         | 1   | 5411313400756  |                |  |
| S0895840           | Rechargeable battery        | Unit   | 8.5         | 3.2        | 8.9         | 0.1         | 1   | 3501170895849  |                |  |



## IND Vinyl

Ideal for both indoor and outdoor applications. Available in the widest range of colors that meet OSHA, ANSI and ISO color standards.

- UL recognized component to UL 969
- RoHS compliant
- Temperature rating: -40°C to 80°C

## IND Flexible Nylon

Specifically designed for curved surfaces and wire and cable marking.

- UL recognized component to UL 969
- RoHS compliant
- Temperature rating: -10°C to 80°C

## IND Permanent Polyester

Professional, polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more.

- UL recognized component to UL 969
- RoHS compliant
- For flat surfaces only
- Temperature rating: -40°C to 150°C

## IND Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables.

- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)
- UL recognized as a component to UL 224
- RoHS compliant
- Temperature rating: -55°C to 135°C

| IND Compatible Labels   |        |         |         |       |       |         |         |         |         |         |         |         |
|-------------------------|--------|---------|---------|-------|-------|---------|---------|---------|---------|---------|---------|---------|
| Width                   | Length | A       | A       | A     | A     | A       | A       | A       | A       | A       | A       | A       |
| IND VINYL               |        |         |         |       |       |         |         |         |         |         |         |         |
| 9mm                     | 5.5m   | 18443   | -       | -     | -     | -       | -       | 1805437 | -       | -       | -       | -       |
| 12mm                    | 5.5m   | 18444   | -       | 18432 | 18435 | 1805413 | 1805416 | 1805435 | 1805414 | 1805243 | 1805415 | 1805412 |
| 19mm                    | 5.5m   | 18445   | -       | 18433 | 18436 | 1805419 | 1805422 | 1805436 | 1805420 | 1805417 | 1805421 | 1805418 |
| IND PERMANENT POLYESTER |        |         |         |       |       |         |         |         |         |         |         |         |
| 6mm                     | 5.5m   | 1805442 | 1805440 | -     | -     | 1805441 | -       | -       | -       | -       | -       | -       |
| 9mm                     |        | 18482   | 18508   | -     | -     | 18485   | -       | -       | -       | -       | -       | -       |
| 12mm                    |        | 18483   | 622289  | -     | -     | 18486   | -       | -       | -       | -       | -       | -       |
| 19mm                    |        | 18484   | 622290  | -     | -     | 18487   | -       | -       | -       | -       | -       | -       |
| IND FLEXIBLE NYLON      |        |         |         |       |       |         |         |         |         |         |         |         |
| 12mm                    | 3.5m   | 18488   | -       | 18490 | -     | -       | -       | -       | -       | -       | -       | -       |
| 19mm                    | 3.5m   | 18489   | -       | 18491 | -     | -       | -       | -       | -       | -       | -       | -       |
| IND HEAT-SHRINK TUBE    |        |         |         |       |       |         |         |         |         |         |         |         |
| 6mm                     | 1.5m   | 18051   | -       | 18052 | -     | -       | -       | -       | -       | -       | -       | -       |
| 9mm                     |        | 18053   | -       | 18054 | -     | -       | -       | -       | -       | -       | -       | -       |
| 12mm                    |        | 18055   | -       | 18056 | -     | -       | -       | -       | -       | -       | -       | -       |
| 19mm                    |        | 18057   | -       | 18058 | -     | -       | -       | -       | -       | -       | -       | -       |

Country of Origin: Belgium

**DISTRIBUTED BY:**  
Newell Europe Sàrl  
Chemin de Blandonnet 10  
1214 Vernier – Switzerland  
WWW.DYMO.COM

13-0103

INTERNAL USE ONLY. NOT FOR DISTRIBUTION.

This information is being provided for general information purposes and the compliance standards and certifications referenced herein are based on current standards which are subject to change.



A **Newell Rubbermaid** Brand

©2014 Newell Europe LLC

A NewellRubbermaid Company™

**SCHAWK!**

RMZ Millennia Business Park  
Campus - 2, 5th Floor  
No. 143, Dr.M. G. R. Road  
Kandanchavadi | Chennai 600 096 India  
T : +91 44 4213 7777 | www.schawk.com



Cyan Magenta Yellow Black

Use the PANTONE MATCHING SYSTEM for accurate color reproduction

VERSION

JOB DESCRIPTION : NRM\_EU\_Writing\_Dymo\_1362812\_EMEA Product Handbooks\_UK Masters  
FILE NAME : DY\_1362812\_2014\_EMEA\_RH5200\_TechSheet\_v5.indd

BRAND : WRITING-DYMO

5

Date: 10-10-2014  
Operator : HL

SCHAWK JOB # : 310253P  
NRM JOB # : 1362812  
SAP / FG # : N/A  
COMPONENT # : N/A  
NO OF PAGES : 2

DIELINE : XXXXX  
UPC : XXXXX  
VENDOR : XXXXX

Note :