

USB Mono Headset with Mic and Volume Control

Part Number: K80100WW | UPC Code: 085896801009

A universally compatible plug-and-play solution.

The USB Mono Headset with Mic and Volume Control is a comfortable, durable and universally compatible USB-A plug-andplay solution. Features include a 27mm driver, 94dB limit for safe listening, an adjustable headband that fits heads of all sizes, a plush and replaceable sealed earpad for all-day comfort, a strong 1.8m USB-A cable to withstand heavy use, Windows, Mac and Chromebook compatibility, an omnidirectional noise-cancelling microphone with inline volume control for easy one-handed operation, together with a one-year warranty.

Features include:

- Universal comfort
- · Robust design
- Windows, Mac, and Chromebook compatible
- Omnidirectional noise-cancelling mic with inline volume control
- One-year warranty





Kensington

USB Mono Headset with Mic and Volume Control

Part Number: K80100WW | UPC Code: 085896801009



27mm Driver Enables deep bass and a wide dynamic range.



Safe Listening Limit
Sets the maximum
output to 94db to
protect ears from
hearing loss associated
with extended periods
of excessively loud
sound.



Universal Comfort
The adjustable
headband fits heads of
all sizes, with a plush,
replaceable, sealed
earpad for all-day
comfort.



Robust Design
Sturdy plastic headband and a strong 1.8m
USB-A cable to withstand heavy use and allow for flexible placement.







Omnidirectional
Noise-Cancelling
Microphone with Inline
Volume Control
Provides easy, one-

handed operation.



One-Year Warranty
Rest assured knowing
you're covered by
Kensington.

Kensington

USB Mono Headset with Mic and Volume Control

Part Number: K80100WW | UPC Code: 085896801009

۸ ۱۰	_	1.01	
Audio	Snar	itica.	rinns
Addio		, III I Ca	uons

	Driver Unit	27mm Mylar speaker
	Speaker Impedance	32 ± 15 %
	Rated Input Power	10mW
	Maximum Input Power	20mW
	Headphone Sensitivity	98± 4dB (Input Power = 1mW at 1kHz)
	Headset Frequency Response	20Hz - 20kHz
	Microphone Sensitivity	-45 ± 3dB at 1kHz (0dB = 1V/Pa)
	Mic Frequency	100Hz - 10kHz
	Mic Dimension	Ø 6.0×5.0mm
Product Dimensions		
	Unit Dimensions	Width: 50mm (1.97") Length: 150mm (5.9") Height: 150mm (5.9")
	Inline control unit	Volume adjustment, mute/unmute
	Rotatable Microphone	240°
	Unit Weight	65g (0.14lbs)
	USB Cable Length	1.8m (6')
	Colour and Material	Black / Plastic (ABS/PP/TPE) housing; TPE cable
Packaging Dimensions		
	Packaging Style	Bulk pack
	Packaging(Unit)	Width: 235mm (9.25") Length: 335mm (13.19") Height: 55mm (2.17")
	Packaging Weight(Unit)	90g (0.2lbs)
	Master Carton	40 pcs
	Package Content	1 x headset, 1 x warranty card, 1 x compliance sheet
Power & Environmental		
	Storage Temperature	-10 to 55°C (14 to 131°F)
	Working Temperature	-10 to 50°C (14 to 122°F)
	Relative Humidity	Up to 80% non-condensing
Country of Origin, Regulatory,	& Warranty	
	Country of Origin	China
	Certifications and Compliance	FCC, IC, CE, UKCA, RCM, VCCI, EN 50332-2, EU REACH ROHS/WEEE, CA Prop 65, ACCO RSL.
	Warranty	1-year Limited



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT35213EN

