

## POLY Studio X70 All-In-One Video Bar with TC8 Controller Kit

## Brand : POLY

Product code: 83Z52AA

Product name : Studio X70 All-In-One Video Bar with TC8 Controller Kit

Ready for your close-up? This all-in-one video bar transitions seamlessly between wide and narrow-angle cameras, showing everyone in your large meeting spaces in sharp detail.
Keep your eye on the action with Poly DirectorAl intelligent camera framing and NoiseBlockAl technology — all powered by machine learning. Get advanced vocal pickup from our next gen microphones. Easily share content over wired or wireless connections.
Studio X70 All-In-One Video Bar with TC8 Controller Kit

## POLY Studio X70 All-In-One Video Bar with TC8 Controller Kit:

## Enable meeting equality

The Poly Studio X70, all-in-one video bar, offers quality audio and video performance in large meeting spaces. Enjoy pinpoint-accurate automatic framing and tracking modes, distraction-free audio technology, and lifelike 4K UltraHD video.

Performance		Ports & interfaces	
Number of cameras Bluetooth Bluetooth version	2 ✓ 5.0	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity Ethernet LAN (RJ-45) ports	1 2
Product colour *	Black, Grey	Network	
Product type *	Video collaboration bar	Ethernet LAN *	<
Video		Wi-Fi	<
HD type * Maximum video resolution *	4K Ultra HD 3840 x 2160 pixels	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Supported video modes	2160p	Camera	
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1400 x 1050 (SXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3840 x 2160	Megapixel (approx.) * Camera type Zoom capability Digital zoom	20 MP Dual camera ✓ 7.3x
Maximum frame rate	30 fps	Microphone	
Video formats supported	AVC, H.264, H.265	Number of microphones	2
Audio		Operational conditions	
Built-in speaker(s) RMS rated power	✓ 55 W	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 15 - 80%
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
HDMI output ports quantity	2	Storage relative humidity (H-H)	5 - 95%
HDMI input ports quantity	1	Packaging content	
HDMI version	1.4	Cables included	HDMI, LAN (RJ-45), Power
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Wall mounting kit AC adapter included	<ul> <li>✓</li> <li>✓</li> </ul>




























































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.