



APC Smart-UPS, Line Interactive, 2200VA, Rackmount 2U, 230V, 8x IEC C13+2x IEC C19 outlets, Network Card, AVR, LCD



Brand : APC

Product code: SMT2200RMI2UNC

Product name : Smart-UPS, Line Interactive, 2200VA, Rackmount 2U, 230V, 8x IEC C13+2x IEC C19 outlets, Network Card, AVR, LCD

Smart-UPS, Line Interactive, 2200VA, Rackmount 2U, 230V, 8x IEC C13+2x IEC C19 outlets, Network Card, AVR, LCD



APC Smart-UPS, Line Interactive, 2200VA, Rackmount 2U, 230V, 8x IEC C13+2x IEC C19 outlets, Network Card, AVR, LCD. UPS topology: Line-Interactive, Output power capacity: 2.2 kVA, Output power: 1980 W. AC outlet types: C20 coupler, Power plug: C20 coupler, AC outlets quantity: 9 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 509 Ah, Battery recharge time: 5 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Width: 480 mm, Depth: 683 mm, Height: 86 mm

Features

UPS topology *	Line-Interactive
Output power capacity *	2.2 kVA
Output power *	1980 W
Waveform *	Sine
Input operation voltage (min) *	151 V
Input operation voltage (max) *	302 V
Input frequency *	50/60 Hz
Output operation voltage (min)	220 V
Output operation voltage (max)	240 V
Output frequency	50/60 Hz
Surge energy rating	375 J
Response time	4 ms
Emergency Power Off (EPO)	0
Noise level	55 dB
Surge protection	✓
Audible alarm(s)	✓
Web-based management	✓
Audible alarm modes	Battery replacement
Auto-restart	✓

Ports & interfaces

AC outlet types	C20 coupler
Power plug	C20 coupler
AC outlets quantity	9 AC outlet(s)
USB 2.0 ports quantity	1
Ethernet LAN (RJ-45) ports	1

Battery

Battery technology	Sealed Lead Acid (VRLA)
Battery capacity	509 Ah
Battery recharge time	5 h
Hot-swap battery	✓
Automatic battery test	✓
Cold start	✓

Design

Form factor *	Rackmount
Rack capacity	2U
Product colour *	Black
Display type	LCD
LED indicators	✓
Certification	CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-15 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Non-operating altitude	0 - 15000 m

Technical details

Sustainability certificates	Green Premium
Compliance certificates	RoHS

Weight & dimensions

Width	480 mm
Depth	683 mm
Height	86 mm
Weight	42.2 kg
Package width	600 mm
Package depth	980 mm
Package height	254 mm
Package weight	49.6 kg

Packaging data

Rack mount kit	✓
Cables included	Input power cable, USB cable
Quick installation guide	✓
Resource CD	✓

Logistics data

Products per pallet	8 pc(s)
Harmonized System (HS) code	85078000

Other features

Output voltage	230 V
----------------	-------



0731304327691



731304327691

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-NOV-2024. Prints or copies of Information are only valid on the printed Publication date