

## Epson Singlepack Cyan T1292 DURABrite Ultra Ink

## Brand : Epson

Product code: C13T12924012

Product name : Singlepack Cyan T1292 DURABrite Ultra Ink

Singlepack Cyan T1292 DURABrite Ultra Ink

Epson Singlepack Cyan T1292 DURABrite Ultra Ink:

## Save money with individual inks

Epson's individual inks give you further savings as you only need to replace the colour used.

## Epson inks are optimised for Epson printers

Epson inks and papers have been developed to work hand-in-hand with Epson printers to produce the best results time and time again.

Epson Singlepack Cyan T1292 DURABrite Ultra Ink. Colour ink page yield: 474 pages, Colour ink volume: 7 ml, Printing colours: Cyan, Quantity per pack: 1 pc(s)





| Features  |   | Packaging data                     |               |
|---|---|------------------------------------|---------------|
| Compatibility * WorkForce WF-7525 - Epson<br>WorkForce WF-7515 - Epson<br>WorkForce WF-7515 - Epson<br>WorkForce WF-3540DTWF - Ep<br>WorkForce WF-3530DTWF - Ep<br>WorkForce WF-3010DW - Epson<br>Stylus SX620FW - Epson Stylus<br>SX525WD - Epson Stylus SX440<br>Epson Stylus SX440W - Epson<br>SX435W - Epson Stylus SX420<br>Epson Stylus SX235W - Epson Stylus<br>Office BX935FWD - Epson Stylu<br>Office BX635FWD - Epson Stylu<br>Office BX635FWD - Epson Stylu<br>Office BX635FWD - Epson Stylu<br>Office BX635FWD - Epson Stylu<br>Office BX535WD - Epson Stylu<br>Office BX535WD - Epson Stylu<br>Office BX535WD - Epson Stylu<br>Office BX525WD - Epson Stylu<br>Office BX535WD - Epson Stylu<br>Office BX305FW - Epson Stylu<br>Office BX305FW Plus - Epson Stylu | Inkjet printing   | Package depth                      | 26 mm         |
|   | WorkForce WF-7515 - Epson<br>WorkForce WF-7015 - Epson<br>WorkForce WF-3540DTWF - Epson<br>WorkForce WF-3530DTWF - Epson<br>Stylus SX620FW - Epson Stylus<br>SX525WD - Epson Stylus SX445W -<br>Epson Stylus SX440W - Epson Stylus<br>SX435W - Epson Stylus SX420W -<br>Epson Stylus SX235W - Epson Stylus<br>Office BX935FWD - Epson Stylus<br>Office BX925FWD - Epson Stylus<br>Office BX635FWD - Epson Stylus<br>Office BX535WD - Epson Stylus<br>Office BX525WD - Epson Stylus<br>Office BX525WD - Epson Stylus<br>Office BX525WD - Epson Stylus<br>Office BX305FW - Epson Stylus | Package height                     | 145 mm        |
|   |   | Package weight                     | 45 g          |
|   |   | Package type                       | Blister       |
|   |   | Other features                     |               |
|   |   | Certification                      | CE            |
|   |   | Logistics data                     |               |
|   |   | Pallet gross width                 | 80 cm         |
|   |   | Pallet gross length                | 120 cm        |
|   |   | Pallet gross height                | 15 cm         |
|   |   | Products per pallet                | 3400 pc(s)    |
|   |   | Pallet gross weight                | 0 g           |
|   |   | Master (outer) case width          | 102 mm        |
|   |   | Master (outer) case length         | 260 mm        |
|   |   | Master (outer) case height         | 146 mm        |
|   |   | Products per master (outer) case   | 10 pc(s)      |
|   |   | Master (outer) case gross weight   | 0 g           |
|   |   | Master (outer) case GTIN (EAN/UPC) | 8715946627687 |
| Quantity per pack *   | 1 pc(s)   | Harmonized System (HS) code        | 84439990      |
| Colour ink cartridges quantity  | 1   | Pallet weight (UK)                 | 0 g           |
| Colour ink volume   | 7 ml  | Products per pallet (UK)           | 3400 pc(s)    |
| Colour ink page yield *   | 474 pages   | Products per pallet layer          | 340 pc(s)     |
| Туре *  | Original  | Products per pallet layer (UK)     | 340 pc(s)     |
| Printing colours *  | Cyan  | Minimum order quantity             | 10 pc(s)      |
| Brand compatibility *   | Epson   |                                    |               |
| OEM code  | C13T12924012  |                                    |               |
| Country of origin   | United Kingdom  |                                    |               |

| Operational conditions    |             |  |  |  |
|---------------------------|-------------|--|--|--|
| Storage temperature (T-T) | -20 - 40 °C |  |  |  |
| Packaging data            |             |  |  |  |
| Package width             | 102 mm      |  |  |  |









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.