

ZYXEL

## Zyxel LTE3301-PLUS wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) 4G Black

**Brand :** Zyxel

**Product code:** LTE3301-PLUS-EUZNN1F

**Product name :** LTE3301-PLUS

Nebula LTE3301-PLUS, LTE Indoor Router , NebulaFlex, with 1 year Pro Pack, CAT6, 4x Gbe LAN, AC1200 WiFi

Zyxel LTE3301-PLUS. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Mobile network generation: 4G, 3G standards: HSPA+, HSUPA, WCDMA, 4G standard: LTE-A. Product type: Tabletop router, Product colour: Black



WAN connection		Design	
Ethernet WAN *	✓	Indication light	✓
SIM card slot *	✓	On/off switch	✓
WAN connection type	RJ-45	Product type *	Tabletop router
Wireless LAN features		Packaging content	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Cables included	LAN (RJ-45)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	AC adapter included	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Warranty card	✓
		Quick start guide	✓
Network		Antenna	
Ethernet LAN *	✓	Antenna design *	External
Ethernet LAN interface type *	Gigabit Ethernet	Antenna gain level (max)	5 dBi
Ethernet LAN data rates	1000 Mbit/s	Antennas quantity	2
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Power	
Port forwarding	✓	Power source type *	DC
Dynamic DNS (DDNS)	✓	AC input voltage	110 - 240 V
		Power consumption (typical)	18 W
Mobile network		Operational conditions	
Mobile network generation	4G	Operating temperature (T-T)	0 - 40 °C
3G	✓	Storage temperature (T-T)	-30 - 70 °C
4G	✓	Operating relative humidity (H-H)	10 - 90%
3G standards	HSPA+, HSUPA, WCDMA	Storage relative humidity (H-H)	5 - 95%
4G standard	LTE-A	Weight & dimensions	
Ports & interfaces		Width	210 mm
Ethernet LAN (RJ-45) ports *	4	Depth	115 mm
USB port *	✓	Height	33 mm
USB 2.0 ports quantity	1	Weight	500 g
DC-in jack	✓	Logistics data	
Management features		Harmonized System (HS) code	85176990
Reset button	✓	Country of origin	China
WPS push button	✓	Master (outer) case width	363 mm

Security		Logistics data	
Firewall	✓	Master (outer) case length	597 mm
DMZ support	✓	Master (outer) case height	273 mm
Network address translation (NAT)	✓	Master (outer) case gross weight	13 kg
Protocols		Products per master (outer) case	12 pc(s)
DHCP client	✓		
DHCP server	✓		
Design			
Product colour	Black		



4718937624850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-NOV-2024. Prints or copies of Information are only valid on the printed Publication date