Brother HL-L5000D laser printer 1200 x 1200 DPI A4

Brand : Brother

Product name : HL-L5000D

Product code: HL-L5000D

1200 x 1200 DPI, A4/A5/A6, 60-120 g/m², 800 MHz (CPU), 256MB (RAM), LCD, 1 x IEEE 1284, 1 x USB 2.0, 10.7 kg
Brother HL-L5000D. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 50000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Duplex printing. Display: LCD, Product colour: Graphite

Printing

Duplex printing mode	Auto
Colour *	✘
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm
Warm-up time	4.8 s
Time to first page (black, normal)	7.2 s
N-up printing	2, 4, 9, 16, 25
Economical printing	✔

Features

Maximum duty cycle *	50000 pages per month
Recommended duty cycle	0 - 3500 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	Epson FX, IBM ProPrinter, Microsoft XPS, PCL 6, PDF 1.7, PostScript 3

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	150 sheets
Paper input type	Cassette, Paper tray
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	50 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Plain paper, Recycled paper, Thick paper, Thin paper
Multi-purpose tray media types	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6

Ports & interfaces

USB 2.0 ports quantity	1

Network

Network ready	✘
Wi-Fi *	✘
Ethernet LAN *	✘
Mobile printing technologies	Not supported

Performance

Built-in processor	✔
Processor family	ARM Cortex
Processor frequency	800 MHz
Sound pressure level (printing)	52 dB
Sound pressure level (quiet mode)	50 dB
Sound power level (standby)	34 dB

Design

Product colour *	Graphite
Built-in display *	✔
Display	LCD
Display number of lines	1 lines

Power

Power consumption (printing) *	640 W
Power consumption (standby)	32 W
Power consumption (PowerSave)	390 W
Power consumption (off)	0.04 W
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	10 - 32 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	35 - 85%

Weight & dimensions

Width	373 mm

Paper handling

Non-ISO print media sizes	Executive, Folio, Letter, Legal
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 120 g/m²
Multi-Purpose Tray media weight	60 - 200 g/m²
Duplex media weight	60 - 120 g/m²

Ports & interfaces

Standard interfaces	Parallel, USB 2.0
USB port *	✔

Weight & dimensions

Depth	388 mm
Height	255 mm
Weight	10.7 kg

Packaging content

Drivers included	✔
Quick start guide	✔

Logistics data

Harmonized System (HS) code	84433210

0012502641742

012502641742

4977766753289

5715063339008