

peerless-AV<sup>®</sup>























# Universal Display Mounting Solutions Product Reference Guide




























# Universal Mounts

DISPLAY MOUNTS




















Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting		
Flat Mounts	SMARTMOUNT	10"-29"	SF630(P)		80lb (36kg)	VESA® 75 and 100mm	0.96" (24mm)	N/A	ACC215	Single	
		22"-43"	SF632(P)		115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.02" (26mm)	N/A	ACC215	Single	
		32"-50"	SF640(P)		150lb (68kg)	450 x 405mm (17.72" x 15.95")	1.20" (30mm)	N/A	ACC415	Single / Double	
		39"-75"	SF650(P)		175lb (79kg)	742 x 405mm (29.21" x 15.95")	1.20" (30mm)	N/A	ACC415	Double	
		39"-80"	SF660(P)		200lb (91kg)	824 x 405mm (32.44" x 15.95")	1.20" (30mm)	N/A	ACC415	Double	
		46"-90"	SF670(P)		250lb (113kg)	895 x 450mm (35.25" x 17.72")	1.73" (44mm)	N/A	ACC615	Double / Triple	
		60"-98"	SF680(P)		350lb (158kg)	1100 x 650mm (43.29" x 25.59")	1.73" (44mm)	N/A	ACC615	Triple	
		46"-90"	SFP680		350lb (158kg)	494 x 650mm (19.45" x 25.59")	1.70" (43mm)	N/A	ACC615	Triple	
		55"-98"	SF680-HUB		300lb (136.1kg)	1216 x 608mm (47.89" x 23.94")	2.13" (54mm)	N/A	ACC615	Double	
		55" Samsung Flip	RMI3-FLIP		70lb (31.8kg)	400 x 400mm (15.75" x 15.75")	3.43" (87mm)	-4.5°	ACC415	Double	
	PARAMOUNT	10"-29"	PF630		50lb (23kg)	VESA® 75 and 100mm	0.64" (16mm)	N/A	ACC215	Single	
		22"-43"	PF632		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	0.64" (16mm)	N/A	ACC215	Single	
		32"-46"	PF640		100lb (45kg)	450 x 305mm (17.72" x 12.01")	1.26" (32mm)	N/A	ACC415	Double	
		39"-75"	PF650		150lb (68kg)	742 x 405mm (29.23" x 15.95")	1.26" (32mm)	N/A	ACC415	Double	
		39"-90"	PF660		200lb (91kg)	825 x 405mm (32.48" x 15.95")	1.26" (32mm)	N/A	ACC415	Double	
		Designer Series	37"-50"	SUF640P		150lb (68kg)	450 x 402mm (17.73" x 15.82")	0.33" (8mm)	N/A	ACC215	Double
			37"-75"	SUF650P		150lb (68kg)	742 x 449mm (29.23" x 17.67")	0.33" (8mm)	N/A	ACC415	Double
			40"-80"	SUF660P		150lb (68kg)	825 x 449mm (32.48" x 17.67")	0.33" (8mm)	N/A	ACC415 / ACC615	Double / Triple
			24"-50"	SUF641		150lb (68kg)	75 to 425mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double
			37"-75"	SUF651		150lb (68kg)	150 to 400 & 550 to 700mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double
40"-80"	SUF661			150lb (68kg)	150 to 400 & 550 to 800mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double		
Flat Locking	40"-55"	HF642-003		100lb (45kg)	VESA® 400 x 400mm	0.75" (19mm) from wall	N/A	N/A	Double		

\* Designed for use with displays that are less than 3" (75mm) deep























Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting		
Tilt Mounts	SMARTMOUNT	10"-29"	ST630(P)		80lb (36kg)	VESA® 75 and 100mm	1.58"-2.23" (40-57mm)	+15°/-5°	ACC215	Single	
		22"-43"	ST632(P)		115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.65"-2.82" (42-72mm)	+15°/-5°	ACC215	Single	
		32"-50"	ST640(P)		150lb (68kg)	458 x 405mm (18.02" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Single / Double	
		39"-75"	ST650(P)		175lb (79kg)	742 x 405mm (29.21" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double	
		39"-80"	ST660(P)		200lb (91kg)	824 x 405mm (32.44" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double	
		46"-90"	ST670(P)		250lb (113kg)	895 x 450mm (35.25" x 17.72")	3.00"-6.63" (76-168mm)	+15°/-5°	ACC615	Double / Triple	
		60"-98"	ST680(P)		350lb (158kg)	1061 x 650mm (41.76" x 25.59")	3.38"-10.58" (86-269mm)	+15°/-5°	ACC615	Triple	
		46"-90"	STP680		350lb (158kg)	450 x 650mm (17.72" x 25.59")	3.04"-8.77" (77-223mm)	+15°/-5°	ACC615	Triple	
	PARAMOUNT	10"-29"	PT630		50lb (23kg)	VESA® 75 and 100mm	2.01"-2.98" (51-76mm)	+15°/-5°	ACC215	Single	
		22"-43"	PT632		80lb (36kg)	VESA® 100, 200 x 100, and 200 x 200mm	2.01"-3.78" (51-96mm)	+15°/-5°	ACC215	Single	
		32"-46"	PT640		100lb (45kg)	450 x 305mm (17.72" x 12.01")	2.63"-4.74" (67-120mm)	+15°/-5°	ACC415	Double	
		39"-75"	PT650		150lb (68kg)	750 x 405mm (29.52" x 15.95")	2.63"-5.50" (67-139mm)	+15°/-5°	ACC415	Double	
		39"-90"	PT660		200lb (91kg)	832 x 405mm (32.75" x 15.95")	2.63"-5.50" (67-139mm)	+15°/-5°	ACC415	Double	
		Designer Series	32"-50" for Ultra-thin displays only*	SUT646P		70lb (32kg)	485 x 307-411mm (19.10" x 12.08"-16.17")	1.00"-4.30" (25-109mm)	±10°	ACC415	Double
32"-80" for Ultra-thin displays only*	SUT670P			125lb (57kg)	685 x 307-411mm (26.97" x 12.08"-16.17")	1.00"-4.30" (25-109mm)	±10°	ACC415	Double		
Tilt Locking/ Security Mounts	32"-50"	HT642-002		75lb (34kg)	VESA® 200 x 100, 200 x 200 and 400 x 200mm	2.14" (54mm) from wall	+5°/-1°	N/A	Double		
	37"-55"	HT642-003		100lb (45kg)	VESA® 400 x 400mm	2.69" (68mm) from wall	+5°/-1°	N/A	Double		
	26"-32"	LT-320		80lb (36.3kg)	VESA® 200 x 100mm	2.53" (64mm) from wall	+10°/-2°	N/A	Single/Double		
Pivot Mounts	PARAMOUNT	SMARTMOUNT	10"-29"	SP730P		25lb (11kg)	VESA® 75 x 75, 100 x 100mm	2.77"-9.88" (70-251mm)	±35°	WSP700/701	Single
			22"-43"	SP740P		80lb (36kg)	VESA® 100 x 100, 100 x 200 and 200 x 200mm	3.03"-12.41" (77-315mm)	+15°/-5°	WSP700/701	Single
			32"-50"	SP746PU		80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.46"-12.84" (88-326mm)	+15°/-5°	WSP700/701	Single
			10"-29"	PP730		25lb (11kg)	VESA® 75 and 100mm	2.75"-7.40" (70-188mm)	±15°	WSP700/701	Single
			22"-43"	PP740		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.78"-7.43" (70-189mm)	+15°/-5°	WSP700/701	Single

# Universal Mounts

DISPLAY MOUNTS

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Pull-Out Pivot Mounts	32"-65"	HPF650		60lb (27kg)	400 x 400mm (15.75" x 15.75")	2.32"-11.29" (59-287mm)	N/A	N/A	Double
	32"-55"	SP840		60lb (27kg)	400 x 400mm (15.75" x 15.95")	2.64"-11.55" (67-293mm)	0°, 3.3°, 6.6° or 10°	N/A	Double
	32"-80"	SP850-UNL(P)		150lb (68kg)	600 x 400mm (23.62" x 15.75")	2.73"-11.18" (69-284mm)	0°, 5°, 10°	N/A	Double
Articulating Mounts	10"-29"	SA730P		25lb (11kg)	VESA® 75 x 75, 100 x 100mm	2.77"-16.99" (70-432mm)	±35°	WSP700/701	Single
	22"-43"	SA740P		80lb (36kg)	VESA® 100 x 100, 200 x 100 and 200 x 200mm	3.03"-21.80" (77-554mm)	+15°/-5°	WSP700/701	Single
	32"-50"	SA746PU		80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.46"-22.22" (88-564mm)	+15°/-5°	WSP700/701	Single
	43"-55"	HA746-STB		80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.97"-22.22" (100-564mm)	+15°/-5°	N/A	Single/Double
	37"-55"	SA752PU		90lb (42kg)	600 x 400mm (23.62" x 15.75")	2.97"-26.47" (75-672mm)	+15°/-5°	WSP756	Single
	39"-75"	SA761PU		125lb (57kg)	600 x 400mm (23.62" x 15.75")	3.10"-26.60" (79-676mm)	+15°/-5°	WSP756	Double
	46"-90"	SA771PU		150lb (68kg)	800 x 400mm (31.50" x 15.75")	3.10"-26.60" (79-676mm)	+15°/-5°	WSP756	Double
	10"-29"	PA730		25lb (11kg)	VESA® 75 and 100mm	2.73"-14.85" (69-377mm)	±15°	WSP700/701	Single
	22"-43"	PA740		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.80"-14.91" (71-379mm)	+15°/-5°	WSP700/701	Single
	32"-50"	PA746		80lb (36kg)	VESA® 100, 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 300 and 400 x 400mm	2.81"-15.08" (71-383mm)	+15°/-5°	WSP700/701	Single
	39"-75"	PA750		100lb (45kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.35" (76-542mm)	+15°/-5°	N/A	Double
	39"-90"	PA762		150lb (68kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.23" (76-539mm)	+15°/-5°	N/A	Double
	32"-43"	SUA740 for Ultra-thin displays only*		60lb (27kg)	VESA® 200 x 100 and 200 x 200mm	1.74"-24.74" (44-628mm)	+15°/-5°	WSP756	Single
	32"-50"	SUA747PU for Ultra-thin displays only*		60lb (27kg)	400 x 400mm (15.75" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Single
	37"-65"	SUA761PU for Ultra-thin displays only*		100lb (45kg)	600 x 400mm (23.62" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double
	42"-90"	SUA771PU for Ultra-thin displays only*		125lb (57kg)	800 x 400mm (31.50" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double
























\* Designed for use with displays that are less than 3" (75mm) deep

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall or Ceiling	Tilt Range	Metal Stud Accessory	Single/Double Stud Mounting
Media Storage, Multi-Display & Ceiling Mounts	26"-60"	DST360		150lb (68kg)	VESA® 100 x 100 up to 300 x 300mm	4.28" (109mm) from wall	+20°/-0°	N/A	Single/Double
	40"-70"	DST970X2		250lb (113kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-80"	DST980-3		495lb (225kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-75"	DST975-4		500lb (227kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-42"	DST942-6		480lb (218kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	40"-60"	DST660		125lb (57kg)	VESA® 200 x 100 up to 400 x 400mm	2.83" (72mm) from wall	+10°/-0°	N/A	Double
	40"-95"	DST995		225lb (102kg)	VESA® 200 x 200, 300 x 300, 400 x 200, 400 x 300, and 400 x 400mm	Varies depending on extension column used	0°-15°	N/A	N/A
	40"-65"	DST965		300lb (136kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	20° fixed	N/A	N/A
	32"-90"	PLCM-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	43.23" (1098mm) from ceiling	+20°/-5°	N/A	N/A
	32"-90"	PLCM-UNL-CP		150lb (68kg)	600 x 400mm (23.62" x 15.75")	44.23" (1123mm) from ceiling	+20°/-5°	N/A	N/A
32"-90"	PLCM-2-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	+20°/-5°	N/A	N/A	
Up to 90"	PLCK-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	25.82" (656mm) from ceiling	+20°/-5°	N/A	N/A	
Floor to Ceiling Cable	46"-65"	DSF265L		65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
	46"-65"	DSF265P		65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
Modular Mounts	Up to 75"	MOD-FPSKIT100(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	38.47" (977mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FPSKIT150(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	57.76" (1467mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FCSKIT300(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	120.11" (3051mm) floor-to-ceiling	+5°/-5°	N/A	N/A
	46"-90"	MOD-FPS2KIT150(B)		211lb (96kg)	600 x 400mm (23.62" x 15.75")	59" (1.5m) from ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FCS2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FW2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-wall	+20°/-5°	N/A	N/A
	46"-90"	MOD-FPP2KIT200(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	78" (2m) from floor	+20°/-5°	N/A	N/A
Truss mount	40"-90"	DSF290		175lb (79kg)	VESA® 100, 200, 300 and 400mm	N/A	N/A	N/A	N/A

SMARTMOUNT.

# Universal Mounts

## DISPLAY MOUNTS



Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall, Base or Floor	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting	
Carts	SMARTMOUNT.	42"-86"	SR598ML3		280lb (127kg) display	VESA® 200 x 200 up to 600 x 400mm	68.73" (1746mm) from floor	-5°, +1°	N/A	N/A
		55" Samsung Flip	SR560-FLIP		70lb (31.8kg) display	400 x 400mm (15.75" x 15.75")	64.23" (1632mm) from floor	-4.5°	N/A	N/A
		32"-75"	SR560M		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		32"-75"	SR575M		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		32"-75"	SR575K		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	46.12" (1172mm) from floor	0°, +90°	N/A	N/A
		55"-98"	SR598		300lb (136.1kg) display	VESA® 200 x 200 up to 900 x 600mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		55"-98"	SR598-HUB		300lb (136.1kg) display	VESA® 200 x 200 up to 1256 x 608mm	72.44" (1840mm) from floor	-5°, 0°	N/A	N/A
		40"-55"	SR555M		75lb (43.1kg) display	VESA® 200 x 200 up to 400 x 400mm	78.10" (1983mm) from floor	-5°, 0°	N/A	N/A
		40"-55"	SR555E		75lb (43.1kg) display	VESA® 200 x 200 up to 400 x 400mm	78.10" (1983mm) from floor	N/A	N/A	N/A
		32"-75"	SR575E		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	78.10" (1983mm) from floor	N/A	N/A	N/A
Stands	55"-80"	VCM580		335lb (152kg)	VESA® up to 600 x 400mm	18.39"-15.39" (67-391mm) from wall	N/A	N/A	N/A	
	32"-75"	SS575K		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	46.12" (1172mm) from floor	0°, +90°	N/A	N/A	
	up to 75"	FPZ-600		200lb (90.7kg) per display	VESA® 100, 200 x 100 and 200 x 200mm	72.33" (1837mm) from floor	N/A	N/A	N/A	
	up to 90"	FPZ-670		200lb (90.7kg) per display	VESA® 200 x 200mm	72.33" (1837mm) from floor	N/A	N/A	N/A	
Desktop & Tablet Mounts	26"-37"	HP432-002		80lb (36.4kg)	VESA® 100 x 100, 200 x 100 and 200 x 200mm	see drawings	N/A	N/A	N/A	
	32"-47"	HP447		75lb (34.1kg)	VESA® 200 x 100, 200 x 200mm	see drawings	N/A	N/A	N/A	
	49"-55"	HP455		75lb (34.1kg)	VESA® 200 x 200, 200 x 400, 300 x 300 and 400 x 400mm	see drawings	N/A	N/A	N/A	
	for Tablets less than 0.75" (19mm) deep	PTM200		5lb (2.3kg)	VESA® 75 x 75mm	N/A	N/A	N/A	N/A	
	for Tablets less than 0.75" (19mm) deep	PTM400		5lb (2.3kg)	N/A	N/A	±30°	N/A	N/A	
	up to 29" monitors	LCT100S		20lb (9kg)	VESA® 75 and 100mm	see drawings	±40°	N/A	N/A	
	up to 29" monitors	LCT620A(-G)		8.4-17.8lb (3.8-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A	
	up to 29" monitors	LCT620AD(-G)		8.4-17.8lb (3.8-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A	
up to 29" monitors	LCW620A		8.4-17.8lb (3.8-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	Single		



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit [peerless-av.com](http://peerless-av.com).

 [peerless-av.com](http://peerless-av.com)  
 800-865-2112