

# Product Sheet

## Pop Mini Silent

English Version




# Index

|     |                        |
|-----|------------------------|
| 3   | Overview               |
| 4   | Key features           |
| 5-6 | General specifications |
| 7   | Package contents       |
|     | Additional information |

# Pop Mini Silent

## Simply sleek

Fractal fuse flair with function in the new Pop series of cases that doesn't skimp on aesthetics or flexibility. The Pop Mini Silent offers a sound-damped build in excellent quality and with a modest footprint.



# Key features

- Accommodates mATX / Mini ITX Motherboards
- Excellent noise reduction thanks to a closed front, a closed top, bitumen side panels and sound-damping foam
- Easily mounted tempered glass side panel lets you showcase your components (Pop Mini Silent TG)
- Up to two HDDs and six SSDs (or one HDD and five SSDs with one optical bay in use)
- Comes with three of our 120 mm Aspect fans
- Two neatly concealed 5.25" bays with storage drawer and magnetic cover
- Easy cable management with multiple tie-down points, pre-mounted velcro straps and convenient extra-large pass-through holes
- Front I/O comes with two 3.0 USB 5 Gb/s ports, Mic and headphone jacks
- Optional USB-C upgrade kit (available separately) adds a full speed USB Type-C front port
- Comes with two ultra-versatile trays, each supporting a 3.5" and a 2.5" drive simultaneously



# General specifications

|                                | Pop Mini Silent TG                                     | Pop Mini Silent Solid                                  |
|--------------------------------|--|--|
| Dedicated 3.5" drive mounts    | • 0  | • 0  |
| Dedicated 2.5" drive mounts    | • 4 (2 included)                                       | • 4 (2 included)                                       |
| Combined 3.5/2.5" drive mounts | • 2 (2 Included)                                       | • 2 (2 included)                                       |
| 5.25" drive mounts             | • 2  | • 2  |
| Expansion slots                | • 4  | • 4  |
| Motherboard compatibility      | • mATX / Mini ITX                                      | • mATX / Mini ITX                                      |
| Power supply type              | • ATX  | • ATX  |
| Front interface                | • 2x USB 3.0*, Audio                                   | • 2x USB 3.0*, Audio                                   |
| Total fan mounts               | • 3x 120 mm or 1x 140 mm + 1x 120                      | • 3x 120 mm or 1x 140 mm + 1x 120                      |
| Front fan                      | • 2x 120/ 1x 140 mm<br>(2x Aspect 12 included)         | • 2x 120/ 1x 140 mm<br>(2x Aspect 12 included)         |
| Top fan                        | • N/A  | • N/A  |
| Rear fan                       | • 1x 120 mm<br>(1x Aspect 12 included)                 | • 1x 120 mm<br>(1x Aspect 12 included)                 |
| Bottom fan                     | • N/A  | • N/A  |
| Dust filters                   | • PSU (nylon),<br>Front side intake (perforated steel) | • PSU (nylon),<br>Front side intake (perforated steel) |
| Front radiator                 | • Up to 240 mm   | • Up to 240 mm   |
| Top radiator                   | • N/A  | • N/A  |
| Rear radiator                  | • 1 x 120 mm   | • 1 x 120 mm   |
| Bottom radiator                | • N/A  | • N/A  |

# General specifications

|                            | Pop Mini Silent TG                        | Pop Mini Silent Solid                     |
|----------------------------|---|---|
| PSU max length             | • 150 mm                                  | • 150 mm                                  |
| GPU max length             | • 340 mm with front fan mounted           | • 340 mm with front fan mounted           |
| CPU cooler max height      | • 170 mm                                  | • 170 mm                                  |
| Cable routing space        | • 19 mm                                   | • 19 mm                                   |
| Cable routing grommets     | • No                                      | • No                                      |
| Fixed velcro straps        | • Yes, 2 pcs                              | • Yes, 2 pcs                              |
| Tool-less push-to-lock     | • N/A                                     | • N/A                                     |
| Captive thumbscrews        | • HDD brackets, SSD brackets, Side panels | • HDD brackets, SSD brackets, Side panels |
| Left side panel            | • Tempered glass, Clear Tint, 3 mm        | • Industrial sound damped steel           |
| Right side panel           | • Industrial sound damped steel           | • Industrial sound damped steel           |
| Case dimensions (LxWxH)    | • 432 x 215 x 393 mm                      | • 432 x 215 x 393 mm                      |
| Net weight                 | • 6.23 kg                                 | • 6.18 kg                                 |
| Package dimensions (LxWxH) | • 517 x 293 x 480 mm                      | • 517 x 293 x 480 mm                      |
| Gross weight               | • 7.51 kg                                 | • 7.46 kg                                 |

\* USB 3.1 Gen 2 Type-C add-on available separately

# Package contents

## Pop Mini Silent

---

- Pop Mini Silent case
- Accessory bag
- User manual

# Additional information

| Product                             | SKU           | EAN           | UPC          | JAN           |
|-------------------------------------|---------------|---------------|--------------|---------------|
| Pop Mini Silent Black Solid         | FD-C-POS1M-01 | 7340172703259 | 843276103255 | 4537694286374 |
| Pop Mini Silent Black TG Clear Tint | FD-C-POS1M-02 | 7340172703266 | 843276103262 | 4537694286381 |