

**Philips 5000 series 34E1C5600HE/75 LED display 86.4 cm (34")
3440 x 1440 pixels Wide Quad HD LCD Black**

Brand : Philips

Product family: 5000 series

Product code:
34E1C5600HE/75


Product name :
34E1C5600HE/75

Monitor 34E1C5600HE LCD monitor with Windows Hello Webcam

Philips 5000 series 34E1C5600HE/75 LED display 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black:

This Philips monitor is designed for the remote work environment. The integrated 5 MP webcam delivers sharp images, and the noise-cancelling mic helps people hear you loud and clear. The Windows Hello Webcam allows for quick access and strong security.

Philips 5000 series 34E1C5600HE/75. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	Audio output	✓
Display resolution *	3440 x 1440 pixels	HDCP	✓
HD type *	Wide Quad HD	HDCP version	1.4/2.2
Native aspect ratio *	21:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	VA	Panel mounting interface	100 x 100 mm
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	300 cd/m ²	Height adjustment *	✓
Response time *	4 ms	Height adjustment	13 cm
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Curved	Tilt angle range	-5 - 20°
Screen curvature rating	1500R	Picture-in-Picture	✓
Contrast ratio (typical) *	3000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Dynamic contrast ratio marketing name	Mega Infinity DCR	Plug and Play	✓
Maximum refresh rate *	100 Hz	LED indicators	Operation, Stand-by
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	G
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	43 kWh
Response time (fast)	1 ms	Power consumption (typical) *	57 W
Pixel pitch	0.23175 x 0.23175 mm	Power consumption (standby) *	0.5 W
Pixel density	109.68 ppi	Power consumption (off)	0.3 W
Viewable size, horizontal	79.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	33.4 cm	AC input frequency	50 - 60 Hz
Digital horizontal frequency	30 - 160 kHz	Power supply type	Internal
Digital vertical frequency	48 - 100 Hz	Energy efficiency scale	A to G
Display diagonal (metric)	86.36 cm	European Product Registry for Energy Labelling (EPREL) code	1172087
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		
Colour gamut standard	sRGB		
sRGB coverage (typical)	123.24%		

Display		Operational conditions	
NTSC coverage (typical)	99.25%	Operating temperature (T-T)	0 - 40 °C
Display sRGB	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	20 - 80%
NVIDIA G-SYNC *	✗	Operating altitude	0 - 3658 m
AMD FreeSync *	✗	Non-operating altitude	3658 - 12192 m
Fast charging	✓	Weight & dimensions	
Fast charging technology	Power Delivery	Width (with stand)	808 mm
VESA Adaptive Sync support	✓	Depth (with stand)	281 mm
Component video sync	Separate sync	Height (with stand)	557 mm
Flicker-free technology	✓	Weight (with stand)	9.29 kg
Low Blue Light technology	✓	Width (without stand)	808 mm
Multimedia		Depth (without stand)	111 mm
Number of speakers	2	Height (without stand)	381 mm
RMS rated power	10 W	Weight (without stand)	7.16 kg
Built-in speaker(s) *	✓	Packaging data	
Megapixel (approx.)	5 MP	Package width	980 mm
Built-in microphone	✓	Package depth	226 mm
Built-in camera *	✓	Package height	519 mm
Design		Package weight	12.4 kg
Market positioning *	Home	Packaging content	
Product colour *	Black	Stand included	✓
Feet colour	Black	Cables included	HDMI, USB Type-C, AC
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	✓
USB upstream port type	USB Type-C	Doesn't contain	Mercury, PVC/BFR
Number of upstream ports	1	Other features	
USB Type-A downstream ports quantity	4	Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7
USB Type-C DisplayPort Alternate Mode	✓	Picture-by-Picture (PbP)	✓
USB Power Delivery	✓	Exterior finish type	Textured
USB Power Delivery up to	65 W	Picture enhancement	SmartImage game
HDMI *	✓	Recyclable packaging material	100%
HDMI ports quantity	1	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
HDMI version	2.0	EasyRead mode	✓
DisplayPorts quantity	1	LowBlue mode	✓
DisplayPort version	1.2	Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8712581800185

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-NOV-2024. Prints or copies of Information are only valid on the printed Publication date