

Brother TJ4005DN label printer Direct thermal 203 x 203 DPI 152 mm/sec Wired Ethernet LAN

Brand : Brother

Product code: TJ4005DNZU1

Product name : TJ4005DN

Direct thermal, 128 MB, USB, LAN, RS-232, 9.2 kg

Brother TJ4005DN label printer Direct thermal 203 x 203 DPI 152 mm/sec Wired Ethernet LAN:

The Brother TJ-4005DN industrial label printer offers performance you can rely on when keeping up with increasing demand.

The high-volume direct thermal label printer has been designed to ensure minimal downtime and maximum productivity through fast print speeds, large roll capacity and in-built durability.

With ZPL2 emulation compatibility and multiple connectivity options, the TJ-4005DN has been built with you in mind.

Brother TJ4005DN. Print technology: Direct thermal, Maximum resolution: 203 x 203 DPI, Print speed: 152 mm/sec. Connectivity technology: Wired. Product colour: Black





Printing		Design	
Print technology *	Direct thermal	Display *	×
Colour *	×	Control type	Buttons
Maximum resolution * Print speed * Maximum printing width *	203 x 203 DPI 152 mm/sec 10.7 cm	System requirements	
		Windows operating systems supported	Windows 10, Windows 8.1
Paper handling			Mac OS X 10.13 High Sierra, Mac OS
Maximum label width Maximum media length	12 cm 25.4 m		X 10.14 Mojave, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Ports & interfaces		Mac operating systems supported	
Connectivity technology * Ethernet LAN * Wi-Fi *	Wired ✓ 苯		
USB port * RS-232 ports	✓ 1	Server operating systems supported	Windows Server 2012 R2, Windows Server 2016
Performance			Android 10, Android 10.0, Android 11.0, Android 12.0, Android 12.0, Android 5.0,
Internal memory Flash memory Built-in barcodes	128 MB 128 MB CODABAR (NW-7), Code 11, Code 128 (A/B/C), Code 49, Code 93, Deutsche Post Identcode, Deutsche Post Leitcode, EAN128, EAN13,	Mobile operating systems supported	Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2,
	EAN14, EAN8, ITF-14, Interleaved 2/5, LOGMARS, MSI, POSTNET, TELEPEN, UPC-A, UPC-E	Linux operating systems supported	✓
		Weight & dimensions	
Design		Width	248 mm
Product colour *	Black	Depth Height Weight	436 mm 274 mm 9.2 kg
		5	J.2 NY
		Packaging content	
		Cables included	AC, USB



5023821215373

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.