

## StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible

**Brand :** StarTech.com

**Product code:** MST30C2HHPDU

**Product name :** Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible

StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible (MST30C2HHPDU)

StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 60 W. Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Product colour: Black, Silver, Data transfer rate: 5 Gbit/s, Maximum digital resolution: 4096 x 2160 pixels. Power source type: AC, AC input voltage: 100 - 240 V, Input current: 1.5 A. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10...



Dual Monitor USB-C Dock



Ports & interfaces		Power	
Connectivity technology *	Wired	Compatible power plug types	EU, UK
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Software	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1		
USB Power Delivery	✓		
USB Power Delivery revision	2.0		
USB Power Delivery up to	60 W		
HDMI ports quantity *	2		
Combo headphone/mic port	✓		
Headphone outputs *	1		
Headphone connectivity	3.5 mm		
Windows operating systems supported			
Network		Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	5 - 35 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-40 - 70 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating relative humidity (H-H)	5 - 95%
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Sustainability	
Auto MDI/MDI-X	✓	Sustainability compliance	✓
Full duplex	✓		
Performance			
Card reader integrated *	✗		
Data transfer rate	5 Gbit/s		
Maximum digital resolution	4096 x 2160 pixels		
Product colour *	Black, Silver		
Plug and Play	✓		
UASP support	✓		
Housing material	Plastic		

Power		Weight & dimensions	
Power source type	AC	Width	80 mm
AC input voltage	100 - 240 V	Depth	220 mm
Input current	1.5 A	Height	24 mm
Output voltage	20 V	Weight	259 g
Output current	4.5 A	<b>Packaging data</b>	
Power consumption (typical)	100 W	Package width	157 mm
Power plug type	Type N	Package depth	267 mm
		Package height	90 mm
		Package weight	1.5 kg
		<b>Packaging content</b>	
		Cables included	USB Type-C
		AC adapter included	✓
		Quick start guide	✓
		<b>Technical details</b>	
		Compliance certificates	CE, RoHS
		<b>Logistics data</b>	
		Products per master (outer) case	6 pc(s)
		Master (outer) case width	287 mm
		Master (outer) case length	337 mm
		Master (outer) case height	304 mm
		Harmonized System (HS) code	84733020
		<b>Other features</b>	
		Chipset	VIA/VLI - VL813, MegaChips - STDP4320, Realtek - RTL8153, C-Media - CM6533, Texas Instruments - TPS65983



0065030872690



065030872690

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.