

# Canon imageFORMULA DR-S150 ADF + Manual feed scanner 600 x 600 DPI A4 Black

Brand : Canon Product family: Product code: 4044C003

imageFORMULA

**Product name:** DR-S150

DR-S150, 600dpi, RGB LED, CMOS CIS 1 Line Sensor, USB, Wi-Fi, LAN, 45ppm / 90ipm, AC 100-240V, 291x247x242 mm

Canon imageFORMULA DR-S150 ADF + Manual feed scanner 600 x 600 DPI A4 Black:

## Intuitive, high-quality scanning with versatile connectivity

Discover fast, reliable and high-performance scanning, with easy operation via the large colour touch screen. LAN, WiFi or USB interface options allow flexible connectivity, for convenient use across all types of scanning applications and environments.

## Flexible connectivity

USB, LAN and Wi-Fi connection options for smooth integration.

### **High performance**

Consistently accurate colour image processing of up to 45ppm/90ipm.

## **Maximised productivity**

Simple operation with a large 4.3" LCD colour touch screen and one-touch configurations.

| Scanning                                                                                                |                                                         | Ports & interfaces                                                                                                  |                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Maximum scan size * 216 x 356 mm  Optical scanning resolution * 600 x 600 DPI  Colour scanning          | 600 x 600 DPI                                           | USB port * USB version Standard interfaces                                                                          | 3.2 Gen 2 (3.1 Gen 2)<br>Ethernet, USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN                                                  |
|                                                                                                         |                                                         | Network                                                                                                             |                                                                                                                             |
|                                                                                                         | 90 ipm                                                  | Wi-Fi<br>Wi-Fi standards<br>Ethernet LAN                                                                            | ✓<br>802.11b, 802.11g, Wi-Fi 4 (802.11n)<br>✓                                                                               |
| Design                                                                                                  |                                                         | Power                                                                                                               |                                                                                                                             |
| Scanner type * Product colour * Display Touchscreen Colour display Built-in display *                   | ADF + Manual feed scanner Black LCD                     | Power supply type * Power consumption (typical) Power consumption (off) AC input frequency Sleep mode Input voltage | AC<br>22.5 W<br>0.1 W<br>50 - 60 Hz<br>✓<br>100 - 240 V                                                                     |
| Performance                                                                                             |                                                         | Power consumption (sleep)                                                                                           | 3.4 W                                                                                                                       |
| Sensor type * Light source Daily duty cycle (max) * Scan drivers Barcode reader                         | CMOS CIS RGB LED 4000 pages ISIS, TWAIN                 | Weight & dimensions Width Depth Height Weight                                                                       | 291 mm<br>247 mm<br>242 mm<br>3.3 kg                                                                                        |
| Input capacity                                                                                          |                                                         | Packaging content                                                                                                   |                                                                                                                             |
| Auto document feeder (ADF) input capacity                                                               | 60 sheets                                               | Bundled software                                                                                                    | CaptureOnTouch Pro CaptureOnTouch JobTool Wireless Connection Setup Tool                                                    |
| Paper handling                                                                                          | Dunings Coul Blockin Coul                               | System requirements                                                                                                 |                                                                                                                             |
| Scanning media types supported Maximum ISO A-series paper size * Maximum scan width Maximum scan length | Business Card, Plastic Card<br>A4<br>21.6 cm<br>35.6 cm | Windows operating systems supported  Server operating systems supported                                             | Windows 10, Windows 7, Windows 8.1 Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |





| Other features              |            |
|-----------------------------|------------|
| Certification               | EPEAT Gold |
| Logistics data              |            |
| Harmonized System (HS) code | 84716070   |



4528472109206

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.