

## Viewsonic IFP8652-1A Signage Display Interactive flat panel 2.18 m (86") LCD 400 cd/m² 4K Ultra HD Black Touchscreen Built-in processor Android

**Brand :** Viewsonic **Product code:** IFP8652-1A

Product name: IFP8652-1A

- FRONT-FACING SOUNDBAR
- BUILT-IN BEAMFORMING MICROPHONE
- INTUITIVE AND ULTRA-RESPONSIVE TOUCHSCREEN

86", 3840 x 2160, 1200:1, LCD, 60 Hz, 16:9, 350 cd/m2, 8ms

Viewsonic IFP8652-1A. Product design: Interactive flat panel. Display diagonal: 2.18 m (86"), Display technology: LCD, Display resolution:  $3840 \times 2160$  pixels, Display brightness:  $400 \text{ cd/m}^2$ , HD type: 4K Ultra HD, Touchscreen. Operating system installed: Android. Product colour: Black











Display		Design	
Panel type LED backlight LED backlighting type Display diagonal * Display technology *	D backlight   D backlighting type   Splay diagonal *   D backlighting type   2.18 m (86")	Product design * Placement supported * Product colour * VESA mounting * Panel mounting interface	Interactive flat panel Indoor Black  ✓ 800 x 600 mm
Display resolution * Display brightness *	3840 x 2160 pixels 400 cd/m <sup>2</sup>	Performance	
HD type * Touchscreen * Touchscreen technology Multi-touch	4K Ultra HD  Ultra Fine Touch (UFT)	Purpose * Ambient light sensor HDCP HDCP version	Universal
Number of simultaneous	33	Power	
touchpoints (Windows)  Number of simultaneous touchpoints (Android)	20 16:9 8 ms 1200:1 5000:1	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy consumption (SDR) per 100 hours AC input voltage Energy efficiency scale	187.9 W 0.5 W G 261 kWh 100 - 240 V A to G
Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic)			
Viewing angle, horizontal	178° 178°	Computer system	
Viewing angle, vertical Display number of colours	1.07 billion colours	Built-in processor *  Processor architecture	✓ ARM Cortex-A73
Ports & interfaces		Processor frequency	1.8 GHz
HDMI ports quantity * HDMI version VGA (D-Sub) input ports DisplayPorts quantity * USB port * USB ports quantity	3 2.0 1 1 8	Internal memory Internal storage capacity Operating system installed Operating system version	4 GB 32 GB Android 11

Ports & interfaces		Weight & dimensions	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Display width	1966.4 mm
USB connector type	USB Type-A, USB Type-B, USB Type-C	Display depth Display height	118.4 mm 1204.4 mm
USB 2.0 Type-B ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Display weight	71 kg
		Packaging data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Package width Package depth	2140 mm 280 mm
USB Power Delivery	✓	Package height	1340 mm
USB Power Delivery up to	60 W ✓	Package weight	89.1 kg
USB Type-C DisplayPort Alternate Mode		Packaging content	J
Ethernet LAN *	✓	Cables included	AC, AV, HDMI, USB
Ethernet LAN (RJ-45) ports	1 10,100,1000 Mbit/s	Operational conditions	
Ethernet LAN data rates RS-232 interface OPS module slot		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
Audio	•	Technical details	
Built-in speaker(s) * Number of built-in speakers RMS rated power	<b>√</b> 2 30 W	Sustainability compliance Sustainability certificates Compliance certificates	✓ ENERGY STAR, EPEAT Silver, ErP CE, RoHS, WEEE
		Other features	
		Bluetooth Bluetooth version	<b>√</b> 4.0

