DELL E Series 22 Monitor - E2222H

Brand : DELL

Product family: E Series

Product code: DELL-E2222H

Product name : 22 Monitor - E2222H

- 54.48cm (21.45") Full HD 1920 x 1080 LED VA
- 10ms, 16:9, 250cd/m², 3000:1
- VGA, DisplayPort

54.48cm (21.45") Full HD 1920 x 1080 LED VA, 16:9, 250cd/m², 16.7M, 10ms, 178°/178°, 3000:1

DELL E Series 22 Monitor - E2222H:

Get a wide viewing angle while saving desk space. This 21.5-inch Full HD monitor has a compact stand, slim profile and eco-conscious design.
DELL E Series 22 Monitor - E2222H. Display diagonal: 54.5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 10 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	54.5 cm (21.4")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
Backlight type	LED
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	10 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.249 x 0.241 mm
Pixel density	103 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	50 - 75 Hz
Viewable size, horizontal	47.9 cm
Viewable size, vertical	26 cm
Display diagonal (metric)	54.48 cm
High Dynamic Range (HDR) supported	✘
Colour gamut standard	NTSC
Colour gamut	72%

Power

Energy consumption (HDR) per 1000 hours *	12 kWh
Power consumption (typical) *	12.1 W
Power consumption (standby) *	0.3 W
Power consumption (max)	19 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	605294

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	504.3 mm
Depth (with stand)	171 mm
Height (with stand)	384.2 mm
Weight (with stand)	2.59 kg
Width (without stand)	504.3 mm
Depth (without stand)	49.6 mm
Height (without stand)	295.4 mm
Weight (without stand)	2.26 kg
Bezel width (side)	1.28 cm

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Office
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✘
DisplayPorts quantity	1
DisplayPort version	1.2
AC (power) in	✔

Network

Wi-Fi	✘

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Height adjustment *	✘
Pivot	✘
Swivelling	✘
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	D
Energy consumption (SDR) per 1000 hours *	12 kWh

Weight & dimensions

Bezel width (top)	1.28 cm
Bezel width (bottom)	1.69 cm

Packaging data

Package weight	4.14 kg

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, VGA
Quick start guide	✔

Sustainability

Sustainability certificates	ENERGY STAR
Doesn't contain	PVC/BFR

Carbon footprint

Total carbon footprint (kg of CO2e)	485
Total carbon emissions, standard deviation (kg of CO2e)	115
Carbon emissions, manufacturing (kg of CO2e)	320
Carbon emissions, logistics (kg of CO2e)	35
Carbon emissions, energy usage (kg of CO2e)	129
Carbon emissions, end-of-life (kg of CO2e)	2
Total carbon emissions, w/o use phase (kg of CO2e)	356
PAIA version	1.3.0

Other features

Heavy metals free	Hg (mercury)
Compliance certificates	RoHS

Logistics data

Harmonized System (HS) code	85285210

5397184505342