## PHILIPS

## Philips 3000 series 32E1N3600LA/00 computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LCD Black

Product name :

32E1N3600LA/00

Monitor 32E1N3600LA USB-C monitor

Philips 3000 series 32E1N3600LA/00 computer monitor 80 cm (31.5")  $2560 \times 1440$  pixels Quad HD LCD Black:

This Philips USB-C multi-purpose monitor offers clutter-free setup. With a single cable you can view smooth high-resolution video, transfer data and charge your laptop. A true hub for mobile professionals. Philips 3000 series 32E1N3600LA/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black









Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Cable lock slot *	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot type	Kensington
HD type *	Quad HD	Height adjustment *	×
Native aspect ratio *	16:9	Tilt angle range	-5 - 20°
Display technology *	LCD	On Screen Display (OSD)	✓
Panel type *	VA		Simplified Chinese, Traditional
Backlight type	W-LED		Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Touchscreen *	×	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese,
Display brightness (typical)	300 cd/m <sup>2</sup>		Korean, Polish, Portuguese, Russian,
Response time *	4 ms		Swedish, Turkish, Ukrainian
Anti-glare screen	✓	Number of OSD languages	21
Screen shape *	Flat	Plug and Play	<b>√</b>
Aspect ratio	16:9	LED indicators	Operation, Stand-by
Contrast ratio (typical) *	3000:1	Power	
Dynamic contrast ratio marketing name	Mega Infinity DCR	Energy efficiency class (SDR) *	G
Maximum refresh rate *	75 Hz	Energy efficiency class (HDR) *	Not available
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	38 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	46.3 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Response time (fast)	1 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2724 x 0.2724 mm	AC input voltage	100 - 240 V
Pixel density	93.24 ppi	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 114 kHz	Power supply type	Internal
Vertical scan range	48 - 75 Hz	Energy efficiency scale	A to G
Viewable size, horizontal	69.7 cm	European Product Registry for	1122274
Viewable size, vertical	39.2 cm	Energy Labelling (EPREL) code	1122274
Display diagonal (metric)	80 cm	Operational conditions	
DDC/CI	✓	Operating temperature (T-T)	0 - 40 °C
Haze rate	25%	Operating temperature (1-1)	U - 40 C

Display		Operational conditions	
Surface hardness Colour gamut standard sRGB coverage (typical) NTSC coverage (typical) Display sRGB	3H sRGB 122% 97.4%	Storage temperature (T-T) Operating relative humidity (H-H) Operating altitude Non-operating altitude	-20 - 60 °C 20 - 80% 0 - 3658 m 3658 - 12192 m
	•	Weight & dimensions	
Performance  NVIDIA G-SYNC *  AMD FreeSync *  AMD FreeSync type  Fast charging  Fast charging technology  VESA Adaptive Sync support  Component video sync	X  ✓ FreeSync  ✓ Power Delivery ✓ Separate sync	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	715 mm 248 mm 514 mm 8.89 kg 715 mm 62 mm 420 mm 7.21 kg
Flicker-free technology	✓	Packaging data	
Low Blue Light technology  Multimedia  Number of speakers  RMS rated power	2 10 W	Package width Package depth Package height Package weight	930 mm 162 mm 517 mm 11.6 kg
Built-in speaker(s) *	✓	Packaging content	
Built-in camera *	X	Stand included	1
Design		Cables included	HDMI, USB Type-C to USB Type-C,
Market positioning * Product colour *	Home Black	Manual	AC ✓
Ports & interfaces		Sustainability	
roits & iliteriaces			
Built-in USB hub *	<b>✓</b>	Sustainability compliance	<b>✓</b>
Built-in USB hub * USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance Doesn't contain	✓ Mercury, PVC/BFR
Built-in USB hub * USB hub version USB upstream port type	3.2 Gen 1 (3.1 Gen 1) USB Type-C	Sustainability compliance	•
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance Doesn't contain	•
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured SmartImage game 100%
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured SmartImage game
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured  SmartImage game 100%  CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured  SmartImage game 100%  CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI *	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4    65 W	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old)	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured  SmartImage game 100%  CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART   G
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4     65 W   2	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured SmartImage game 100% CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART  G 7.21 kg
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured SmartImage game 100% CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART  G 7.21 kg 420 mm
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured SmartImage game 100% CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART  G 7.21 kg
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output HDCP	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured  SmartImage game 100%  CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART  ✓  G 7.21 kg 420 mm 715 mm
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output HDCP HDCP version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0  Textured  SmartImage game 100%  CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART   G  7.21 kg 420 mm 715 mm 62 mm
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0 Textured SmartImage game 100% CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART   G 7.21 kg 420 mm 715 mm 62 mm RoHS
Built-in USB hub * USB hub version USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output HDCP HDCP version  Ergonomics	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability compliance Doesn't contain  Other features  Compatible operating systems USB Power Delivery revision Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals  EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF)	Mercury, PVC/BFR  Mac OS X Windows 10 / 8.1 / 8 / 7 3.0 Textured SmartImage game 100% CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART   G 7.21 kg 420 mm 715 mm 62 mm RoHS 50000 h CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003,



8712581783440

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.