

peerless-AV<sup>®</sup>























# Universal Display Mounting Solutions Product Reference Guide




























# Universal Mounts

DISPLAY MOUNTS




















| Product Type | Display Size Range | Model(s)         | Picture   | Max Load  | Mounting Pattern (W x H)  | Distance From the Wall                   | Tilt Range                                     | Metal Stud Accessory | Single/ Double Stud Mounting |                 |                 |
|--------------|--------------------|------------------|---|---|---|--|--|----------------------|------------------------------|-----------------|-----------------|
| Flat Mounts  | SMARTMOUNT         | 10"-29"          | SF630(P)  |    | 80lb (36kg)   | VESA® 75 and 100mm                       | 0.96" (24mm)                                   | N/A                  | ACC215                       | Single          |                 |
|              |                    | 22"-43"          | SF632(P)  |    | 115lb (52kg)  | VESA® 75, 100, 200 x 100 and 200 x 200mm | 1.02" (26mm)                                   | N/A                  | ACC215                       | Single          |                 |
|              |                    | 32"-50"          | SF640(P)  |    | 150lb (68kg)  | 450 x 405mm (17.72" x 15.95")            | 1.20" (30mm)                                   | N/A                  | ACC415                       | Single / Double |                 |
|              |                    | 39"-75"          | SF650(P)  |    | 175lb (79kg)  | 742 x 405mm (29.21" x 15.95")            | 1.20" (30mm)                                   | N/A                  | ACC415                       | Double          |                 |
|              |                    | 39"-80"          | SF660(P)  |    | 200lb (91kg)  | 824 x 405mm (32.44" x 15.95")            | 1.20" (30mm)                                   | N/A                  | ACC415                       | Double          |                 |
|              |                    | 46"-90"          | SF670(P)  |    | 250lb (113kg)   | 895 x 450mm (35.25" x 17.72")            | 1.73" (44mm)                                   | N/A                  | ACC615                       | Double / Triple |                 |
|              |                    | 60"-98"          | SF680(P)  |    | 350lb (158kg)   | 1100 x 650mm (43.29" x 25.59")           | 1.73" (44mm)                                   | N/A                  | ACC615                       | Triple          |                 |
|              |                    | 46"-90"          | SFP680  |    | 350lb (158kg)   | 494 x 650mm (19.45" x 25.59")            | 1.70" (43mm)                                   | N/A                  | ACC615                       | Triple          |                 |
|              |                    | 55"-98"          | SF680-HUB   |    | 300lb (136.1kg)   | 1216 x 608mm (47.89" x 23.94")           | 2.13" (54mm)                                   | N/A                  | ACC615                       | Double          |                 |
|              |                    | 55" Samsung Flip | RMI3-FLIP   |    | 70lb (31.8kg)   | 400 x 400mm (15.75" x 15.75")            | 3.43" (87mm)                                   | -4.5°                | ACC415                       | Double          |                 |
|              | PARAMOUNT          | 10"-29"          | PF630   |  | 50lb (23kg)   | VESA® 75 and 100mm                       | 0.64" (16mm)                                   | N/A                  | ACC215                       | Single          |                 |
|              |                    | 22"-43"          | PF632   |  | 80lb (36kg)   | VESA® 100, 200 x 100 and 200 x 200mm     | 0.64" (16mm)                                   | N/A                  | ACC215                       | Single          |                 |
|              |                    | 32"-46"          | PF640   |  | 100lb (45kg)  | 450 x 305mm (17.72" x 12.01")            | 1.26" (32mm)                                   | N/A                  | ACC415                       | Double          |                 |
|              |                    | 39"-75"          | PF650   |  | 150lb (68kg)  | 742 x 405mm (29.23" x 15.95")            | 1.26" (32mm)                                   | N/A                  | ACC415                       | Double          |                 |
|              |                    | 39"-90"          | PF660   |  | 200lb (91kg)  | 825 x 405mm (32.48" x 15.95")            | 1.26" (32mm)                                   | N/A                  | ACC415                       | Double          |                 |
|              |                    | Designer Series  | 37"-50"   | SUF640P   |  | 150lb (68kg)                             | 450 x 402mm (17.73" x 15.82")                  | 0.33" (8mm)          | N/A                          | ACC215          | Double          |
|              |                    |                  | 37"-75"   | SUF650P   |  | 150lb (68kg)                             | 742 x 449mm (29.23" x 17.67")                  | 0.33" (8mm)          | N/A                          | ACC415          | Double          |
|              |                    |                  | 40"-80"   | SUF660P   |  | 150lb (68kg)                             | 825 x 449mm (32.48" x 17.67")                  | 0.33" (8mm)          | N/A                          | ACC415 / ACC615 | Double / Triple |
|              |                    |                  | 24"-50"   | SUF641  |  | 150lb (68kg)                             | 75 to 425mm (in 25mm increments)               | 0.19" (5mm)          | N/A                          | N/A             | Double          |
|              |                    |                  | 37"-75"   | SUF651  |  | 150lb (68kg)                             | 150 to 400 & 550 to 700mm (in 25mm increments) | 0.19" (5mm)          | N/A                          | N/A             | Double          |
| 40"-80"      | SUF661             |                  |  | 150lb (68kg)  | 150 to 400 & 550 to 800mm (in 25mm increments)                                      | 0.19" (5mm)                              | N/A  | N/A                  | Double                       |                 |                 |
| Flat Locking | 40"-55"            | HF642-003        |  | 100lb (45kg)  | VESA® 400 x 400mm   | 0.75" (19mm) from wall                   | N/A  | N/A                  | Double                       |                 |                 |

\* Designed for use with displays that are less than 3" (75mm) deep























| Product Type                             | Display Size Range | Model(s)        | Picture   | Max Load  | Mounting Pattern (W x H)  | Distance From the Wall                     | Tilt Range                               | Metal Stud Accessory   | Single/ Double Stud Mounting |                 |
|--|--------------------|-----------------|---|---|---|--|--|------------------------|------------------------------|-----------------|
| Tilt Mounts                              | SMARTMOUNT         | 10"-29"         | ST630(P)  |    | 80lb (36kg)   | VESA® 75 and 100mm                         | 1.58"-2.23" (40-57mm)                    | +15°/-5°               | ACC215                       | Single          |
|  |                    | 22"-43"         | ST632(P)  |    | 115lb (52kg)  | VESA® 75, 100, 200 x 100 and 200 x 200mm   | 1.65"-2.82" (42-72mm)                    | +15°/-5°               | ACC215                       | Single          |
|  |                    | 32"-50"         | ST640(P)  |    | 150lb (68kg)  | 458 x 405mm (18.02" x 15.95")              | 2.62"-5.40" (67-137mm)                   | +15°/-5°               | ACC415                       | Single / Double |
|  |                    | 39"-75"         | ST650(P)  |    | 175lb (79kg)  | 742 x 405mm (29.21" x 15.95")              | 2.62"-5.40" (67-137mm)                   | +15°/-5°               | ACC415                       | Double          |
|  |                    | 39"-80"         | ST660(P)  |    | 200lb (91kg)  | 824 x 405mm (32.44" x 15.95")              | 2.62"-5.40" (67-137mm)                   | +15°/-5°               | ACC415                       | Double          |
|  |                    | 46"-90"         | ST670(P)  |    | 250lb (113kg)   | 895 x 450mm (35.25" x 17.72")              | 3.00"-6.63" (76-168mm)                   | +15°/-5°               | ACC615                       | Double / Triple |
|  |                    | 60"-98"         | ST680(P)  |    | 350lb (158kg)   | 1061 x 650mm (41.76" x 25.59")             | 3.38"-10.58" (86-269mm)                  | +15°/-5°               | ACC615                       | Triple          |
|  |                    | 46"-90"         | STP680  |    | 350lb (158kg)   | 450 x 650mm (17.72" x 25.59")              | 3.04"-8.77" (77-223mm)                   | +15°/-5°               | ACC615                       | Triple          |
|  | PARAMOUNT          | 10"-29"         | PT630   |    | 50lb (23kg)   | VESA® 75 and 100mm                         | 2.01"-2.98" (51-76mm)                    | +15°/-5°               | ACC215                       | Single          |
|  |                    | 22"-43"         | PT632   |    | 80lb (36kg)   | VESA® 100, 200 x 100, and 200 x 200mm      | 2.01"-3.78" (51-96mm)                    | +15°/-5°               | ACC215                       | Single          |
|  |                    | 32"-46"         | PT640   |   | 100lb (45kg)  | 450 x 305mm (17.72" x 12.01")              | 2.63"-4.74" (67-120mm)                   | +15°/-5°               | ACC415                       | Double          |
|  |                    | 39"-75"         | PT650   |  | 150lb (68kg)  | 750 x 405mm (29.52" x 15.95")              | 2.63"-5.50" (67-139mm)                   | +15°/-5°               | ACC415                       | Double          |
|  |                    | 39"-90"         | PT660   |  | 200lb (91kg)  | 832 x 405mm (32.75" x 15.95")              | 2.63"-5.50" (67-139mm)                   | +15°/-5°               | ACC415                       | Double          |
|  |                    | Designer Series | 32"-50"<br>for Ultra-thin displays only*  | SUT646P   |  | 70lb (32kg)                                | 485 x 307-411mm (19.10" x 12.08"-16.17") | 1.00"-4.30" (25-109mm) | ±10°                         | ACC415          |
| 32"-80"<br>for Ultra-thin displays only* | SUT670P            |                 |  | 125lb (57kg)  | 685 x 307-411mm (26.97" x 12.08"-16.17")  | 1.00"-4.30" (25-109mm)                     | ±10°                                     | ACC415                 | Double                       |                 |
| Tilt Locking/ Security Mounts            | 32"-50"            | HT642-002       |  | 75lb (34kg)   | VESA® 200 x 100, 200 x 200 and 400 x 200mm  | 2.14" (54mm) from wall                     | +5°/-1°                                  | N/A                    | Double                       |                 |
|  | 37"-55"            | HT642-003       |  | 100lb (45kg)  | VESA® 400 x 400mm   | 2.69" (68mm) from wall                     | +5°/-1°                                  | N/A                    | Double                       |                 |
|  | 26"-32"            | LT-320          |  | 80lb (36.3kg)   | VESA® 200 x 100mm   | 2.53" (64mm) from wall                     | +10°/-2°                                 | N/A                    | Single/Double                |                 |
| Pivot Mounts                             | SMARTMOUNT         | 10"-29"         | SP730P  |  | 25lb (11kg)   | VESA® 75 x 75, 100 x 100mm                 | 2.77"-9.88" (70-251mm)                   | ±35°                   | WSP700/701                   | Single          |
|  |                    | 22"-43"         | SP740P  |  | 80lb (36kg)   | VESA® 100 x 100, 100 x 200 and 200 x 200mm | 3.03"-12.41" (77-315mm)                  | +15°/-5°               | WSP700/701                   | Single          |
|  |                    | 32"-50"         | SP746PU   |  | 80lb (36kg)   | 400 x 400mm (15.75" x 15.75")              | 3.46"-12.84" (88-326mm)                  | +15°/-5°               | WSP700/701                   | Single          |
|  |                    | 10"-29"         | PP730   |  | 25lb (11kg)   | VESA® 75 and 100mm                         | 2.75"-7.40" (70-188mm)                   | ±15°                   | WSP700/701                   | Single          |
|  |                    | 22"-43"         | PP740   |  | 80lb (36kg)   | VESA® 100, 200 x 100 and 200 x 200mm       | 2.78"-7.43" (70-189mm)                   | +15°/-5°               | WSP700/701                   | Single          |

# Universal Mounts

DISPLAY MOUNTS

| Product Type          | Display Size Range | Model(s)                                  | Picture   | Max Load        | Mounting Pattern (W x H)   | Distance From the Wall      | Tilt Range               | Metal Stud Accessory | Single/Double Stud Mounting |
|-----------------------|--------------------|---|---|-----------------|--|-----------------------------|--------------------------|----------------------|-----------------------------|
| Pull-Out Pivot Mounts | 32"-65"            | HPF650                                    |    | 60lb<br>(27kg)  | 400 x 400mm<br>(15.75" x 15.75")   | 2.32"-11.29"<br>(59-287mm)  | N/A                      | N/A                  | Double                      |
|                       | 32"-55"            | SP840                                     |    | 60lb<br>(27kg)  | 400 x 400mm<br>(15.75" x 15.95")   | 2.64"-11.55"<br>(67-293mm)  | 0°, 3.3°,<br>6.6° or 10° | N/A                  | Double                      |
|                       | 32"-80"            | SP850-UNL(P)                              |    | 150lb<br>(68kg) | 600 x 400mm<br>(23.62" x 15.75")   | 2.73"-11.18"<br>(69-284mm)  | 0°, 5°, 10°              | N/A                  | Double                      |
| Articulating Mounts   | 10"-29"            | SA730P                                    |    | 25lb<br>(11kg)  | VESA®<br>75 x 75, 100 x 100mm  | 2.77"-16.99"<br>(70-432mm)  | ±35°                     | WSP700/701           | Single                      |
|                       | 22"-43"            | SA740P                                    |    | 80lb<br>(36kg)  | VESA® 100 x 100,<br>200 x 100 and 200 x 200mm  | 3.03"-21.80"<br>(77-554mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|                       | 32"-50"            | SA746PU                                   |    | 80lb<br>(36kg)  | 400 x 400mm<br>(15.75" x 15.75")   | 3.46"-22.22"<br>(88-564mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|                       | 43"-55"            | HA746-STB                                 |    | 80lb<br>(36kg)  | 400 x 400mm<br>(15.75" x 15.75")   | 3.97"-22.22"<br>(100-564mm) | +15°/-5°                 | N/A                  | Single/Double               |
|                       | 37"-55"            | SA752PU                                   |    | 90lb<br>(42kg)  | 600 x 400mm<br>(23.62" x 15.75")   | 2.97"-26.47"<br>(75-672mm)  | +15°/-5°                 | WSP756               | Single                      |
|                       | 39"-75"            | SA761PU                                   |   | 125lb<br>(57kg) | 600 x 400mm<br>(23.62" x 15.75")   | 3.10"-26.60"<br>(79-676mm)  | +15°/-5°                 | WSP756               | Double                      |
|                       | 46"-90"            | SA771PU                                   |  | 150lb<br>(68kg) | 800 x 400mm<br>(31.50" x 15.75")   | 3.10"-26.60"<br>(79-676mm)  | +15°/-5°                 | WSP756               | Double                      |
|                       | 10"-29"            | PA730                                     |  | 25lb<br>(11kg)  | VESA®<br>75 and 100mm  | 2.73"-14.85"<br>(69-377mm)  | ±15°                     | WSP700/701           | Single                      |
|                       | 22"-43"            | PA740                                     |  | 80lb<br>(36kg)  | VESA® 100, 200 x 100<br>and 200 x 200mm  | 2.80"-14.91"<br>(71-379mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|                       | 32"-50"            | PA746                                     |  | 80lb<br>(36kg)  | VESA® 100, 200 x 100,<br>200 x 200, 300 x 200, 300 x 300,<br>400 x 300 and 400 x 400mm | 2.81"-15.08"<br>(71-383mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|                       | 39"-75"            | PA750                                     |  | 100lb<br>(45kg) | 600 x 400mm<br>(23.62" x 15.75")   | 3.00"-21.35"<br>(76-542mm)  | +15°/-5°                 | N/A                  | Double                      |
|                       | 39"-90"            | PA762                                     |  | 150lb<br>(68kg) | 600 x 400mm<br>(23.62" x 15.75")   | 3.00"-21.23"<br>(76-539mm)  | +15°/-5°                 | N/A                  | Double                      |
|                       | 32"-43"            | SUA740<br>for Ultra-thin displays only*   |  | 60lb<br>(27kg)  | VESA® 200 x 100<br>and 200 x 200mm   | 1.74"-24.74"<br>(44-628mm)  | +15°/-5°                 | WSP756               | Single                      |
|                       | 32"-50"            | SUA747PU<br>for Ultra-thin displays only* |  | 60lb<br>(27kg)  | 400 x 400mm<br>(15.75" x 15.75")   | 1.85"-24.85"<br>(47-631mm)  | +15°/-5°                 | WSP756               | Single                      |
|                       | 37"-65"            | SUA761PU<br>for Ultra-thin displays only* |  | 100lb<br>(45kg) | 600 x 400mm<br>(23.62" x 15.75")   | 1.85"-24.85"<br>(47-631mm)  | +15°/-5°                 | WSP756               | Double                      |
|                       | 42"-90"            | SUA771PU<br>for Ultra-thin displays only* |  | 125lb<br>(57kg) | 800 x 400mm<br>(31.50" x 15.75")   | 1.85"-24.85"<br>(47-631mm)  | +15°/-5°                 | WSP756               | Double                      |
























\* Designed for use with displays that are less than 3" (75mm) deep

| Product Type                                  | Display Size Range | Model(s)  | Picture   | Max Load                      | Mounting Pattern (W x H)   | Distance From the Wall or Ceiling         | Tilt Range | Metal Stud Accessory | Single/Double Stud Mounting |
|---|--------------------|---|---|-------------------------------|--|---|------------|----------------------|-----------------------------|
| Media Storage, Multi-Display & Ceiling Mounts | 26"-60"            | DST360  |    | 150lb (68kg)                  | VESA®<br>100 x 100 up to 300 x 300mm                                 | 4.28"<br>(109mm) from wall                | +20°/-0°   | N/A                  | Single/Double               |
|   | 40"-70"            | DST970X2  |    | 250lb (113kg)                 | 600 x 400mm (23.62" x 15.75")  | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                         |
|   | 37"-80"            | DST980-3  |    | 495lb (225kg)                 | 730 x 405mm (28.75" x 15.95")  | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                         |
|   | 37"-75"            | DST975-4  |    | 500lb (227kg)                 | 730 x 405mm (28.75" x 15.95")  | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                         |
|   | 37"-42"            | DST942-6  |    | 480lb (218kg)                 | 730 x 405mm (28.75" x 15.95")  | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                         |
|   | 40"-60"            | DST660  |    | 125lb (57kg)                  | VESA®<br>200 x 100 up to 400 x 400mm                                 | 2.83"<br>(72mm) from wall                 | +10°/-0°   | N/A                  | Double                      |
|   | 40"-95"            | DST995  |    | 225lb (102kg)                 | VESA®<br>200 x 200, 300 x 300, 400 x 200, 400 x 300, and 400 x 400mm | Varies depending on extension column used | 0°-15°     | N/A                  | N/A                         |
|   | 40"-65"            | DST965  |    | 300lb (136kg)                 | 730 x 405mm (28.75" x 15.95")  | Varies depending on extension column used | 20° fixed  | N/A                  | N/A                         |
|   | 32"-90"            | PLCM-UNL  |    | 150lb (68kg)                  | 600 x 400mm (23.62" x 15.75")  | 43.23"<br>(1098mm) from ceiling           | +20°/-5°   | N/A                  | N/A                         |
|   | 32"-90"            | PLCM-UNL-CP   |   | 150lb (68kg)                  | 600 x 400mm (23.62" x 15.75")  | 44.23"<br>(1123mm) from ceiling           | +20°/-5°   | N/A                  | N/A                         |
| 32"-90"                                       | PLCM-2-UNL         |  | 150lb (68kg)  | 600 x 400mm (23.62" x 15.75") | Varies depending on extension column used                            | +20°/-5°                                  | N/A        | N/A                  |                             |
| Up to 90"                                     | PLCK-UNL           |  | 150lb (68kg)  | 600 x 400mm (23.62" x 15.75") | 25.82"<br>(656mm) from ceiling                                       | +20°/-5°                                  | N/A        | N/A                  |                             |
| Floor to Ceiling Cable                        | 46"-65"            | DSF265L   |  | 65lb (29.5kg)                 | VESA® 600, 400, 300 and 200mm  | N/A                                       | N/A        | N/A                  | N/A                         |
|   | 46"-65"            | DSF265P   |  | 65lb (29.5kg)                 | VESA® 600, 400, 300 and 200mm  | N/A                                       | N/A        | N/A                  | N/A                         |
| Modular Mounts                                | Up to 75"          | MOD-FPSKIT100(B)  |  | 132lb (60kg)                  | 600 x 400mm (23.62" x 15.75")  | 38.47"<br>(977mm) from ceiling            | +20°/-5°   | N/A                  | N/A                         |
|   | Up to 75"          | MOD-FPSKIT150(B)  |  | 132lb (60kg)                  | 600 x 400mm (23.62" x 15.75")  | 57.76"<br>(1467mm) from ceiling           | +20°/-5°   | N/A                  | N/A                         |
|   | Up to 75"          | MOD-FCSKIT300(B)  |  | 132lb (60kg)                  | 600 x 400mm (23.62" x 15.75")  | 120.11"<br>(3051mm) floor-to-ceiling      | +5°/-5°    | N/A                  | N/A                         |
|   | 46"-90"            | MOD-FPS2KIT150(B)   |  | 211lb (96kg)                  | 600 x 400mm (23.62" x 15.75")  | 59"<br>(1.5m) from ceiling                | +20°/-5°   | N/A                  | N/A                         |
|   | 46"-90"            | MOD-FCS2KIT300(B)   |  | 422lb (192kg)                 | 600 x 400mm (23.62" x 15.75")  | 118"<br>(3m) floor-to-ceiling             | +20°/-5°   | N/A                  | N/A                         |
|   | 46"-90"            | MOD-FW2KIT300(B)  |  | 422lb (192kg)                 | 600 x 400mm (23.62" x 15.75")  | 118"<br>(3m) floor-to-wall                | +20°/-5°   | N/A                  | N/A                         |
|   | 46"-90"            | MOD-FPP2KIT200(B)   |  | 422lb (192kg)                 | 600 x 400mm (23.62" x 15.75")  | 78"<br>(2m) from floor                    | +20°/-5°   | N/A                  | N/A                         |
| Truss mount                                   | 40"-90"            | DSF290  |  | 175lb (79kg)                  | VESA®<br>100, 200, 300 and 400mm                                     | N/A                                       | N/A        | N/A                  | N/A                         |

SMARTMOUNT.

# Universal Mounts

## DISPLAY MOUNTS



| Product Type            | Display Size Range                      | Model(s)  | Picture   | Max Load   | Mounting Pattern (W x H)                                 | Distance From the Wall, Base or Floor | Tilt Range                    | Metal Stud Accessory | Single/ Double Stud Mounting |     |
|-------------------------|---|---|---|--|--|---------------------------------------|-------------------------------|----------------------|------------------------------|-----|
| Carts                   | SMARTMOUNT.                             | 42"-86"   | SR598ML3  |   | 280lb<br>(127kg) display                                 | VESA® 200 x 200<br>up to 600 x 400mm  | 68.73"<br>(1746mm) from floor | -5°, +1°             | N/A                          | N/A |
|                         |   | 55" Samsung Flip  | SR560-FLIP  |   | 70lb<br>(31.8kg) display                                 | 400 x 400mm<br>(15.75" x 15.75")      | 64.23"<br>(1632mm) from floor | -4.5°                | N/A                          | N/A |
|                         |   | 32"-75"   | SR560M  |   | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm  | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|                         |   | 32"-75"   | SR575M  |   | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm  | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|                         |   | 32"-75"   | SR575K  |   | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm  | 46.12"<br>(1172mm) from floor | 0°, +90°             | N/A                          | N/A |
|                         |   | 55"-98"   | SR598   |   | 300lb<br>(136.1kg) display                               | VESA® 200 x 200<br>up to 900 x 600mm  | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|                         |   | 55"-98"   | SR598-HUB   |   | 300lb<br>(136.1kg) display                               | VESA® 200 x 200<br>up to 1256 x 608mm | 72.44"<br>(1840mm) from floor | -5°, 0°              | N/A                          | N/A |
|                         |   | 40"-55"   | SR555M  |   | 75lb<br>(43.1kg) display                                 | VESA® 200 x 200<br>up to 400 x 400mm  | 78.10"<br>(1983mm) from floor | -5°, 0°              | N/A                          | N/A |
|                         |   | 40"-55"   | SR555E  |   | 75lb<br>(43.1kg) display                                 | VESA® 200 x 200<br>up to 400 x 400mm  | 78.10"<br>(1983mm) from floor | N/A                  | N/A                          | N/A |
|                         |   | 32"-75"   | SR575E  |  | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm  | 78.10"<br>(1983mm) from floor | N/A                  | N/A                          | N/A |
| Stands                  | 55"-80"                                 | VCM580  |  | 335lb<br>(152kg)   | VESA®<br>up to 600 x 400mm                               | 18.39"-15.39"<br>(67-391mm) from wall | N/A                           | N/A                  | N/A                          |     |
|                         | 32"-75"                                 | SS575K  |  | 150lb<br>(68.2kg) display  | VESA® 200 x 200<br>up to 600 x 400mm                     | 46.12"<br>(1172mm) from floor         | 0°, +90°                      | N/A                  | N/A                          |     |
|                         | up to 75"                               | FPZ-600   |  | 200lb<br>(90.7kg) per display  | VESA® 100, 200 x 100<br>and 200 x 200mm                  | 72.33"<br>(1837mm) from floor         | N/A                           | N/A                  | N/A                          |     |
|                         | up to 90"                               | FPZ-670   |  | 200lb<br>(90.7kg) per display  | VESA®<br>200 x 200mm                                     | 72.33"<br>(1837mm) from floor         | N/A                           | N/A                  | N/A                          |     |
| Desktop & Tablet Mounts | 26"-37"                                 | HP432-002   |  | 80lb<br>(36.4kg)   | VESA® 100 x 100,<br>200 x 100 and 200 x 200mm            | see drawings                          | N/A                           | N/A                  | N/A                          |     |
|                         | 32"-47"                                 | HP447   |  | 75lb<br>(34.1kg)   | VESA®<br>200 x 100, 200 x 200mm                          | see drawings                          | N/A                           | N/A                  | N/A                          |     |
|                         | 49"-55"                                 | HP455   |  | 75lb<br>(34.1kg)   | VESA® 200 x 200, 200 x 400,<br>300 x 300 and 400 x 400mm | see drawings                          | N/A                           | N/A                  | N/A                          |     |
|                         | for Tablets less than 0.75" (19mm) deep | PTM200  |  | 5lb<br>(2.3kg)   | VESA®<br>75 x 75mm                                       | N/A                                   | N/A                           | N/A                  | N/A                          |     |
|                         | for Tablets less than 0.75" (19mm) deep | PTM400  |  | 5lb<br>(2.3kg)   | N/A  | N/A                                   | ±30°                          | N/A                  | N/A                          |     |
|                         | up to 29" monitors                      | LCT100S   |  | 20lb<br>(9kg)  | VESA®<br>75 and 100mm                                    | see drawings                          | ±40°                          | N/A                  | N/A                          |     |
|                         | up to 29" monitors                      | LCT620A(-G)   |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm  | VESA®<br>75 and 100mm                                    | see drawings                          | +45°/-90°                     | N/A                  | N/A                          |     |
|                         | up to 29" monitors                      | LCT620AD(-G)  |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm  | VESA®<br>75 and 100mm                                    | see drawings                          | +45°/-90°                     | N/A                  | N/A                          |     |
| up to 29" monitors      | LCW620A                                 |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm   | VESA®<br>75 and 100mm  | see drawings   | +45°/-90°                             | N/A                           | Single               |                              |     |



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit [peerless-av.com](http://peerless-av.com).

 [peerless-av.com](http://peerless-av.com)  
 800-865-2112