



SB1 Series

Accessories Guide

Charging Options

Single Slot Cradle



Single-slot cradle

CRDSB1X-1000CR

SB1 Single Slot charge only cradle. Power Supply PWR-WUA5V4W0XX **Sold Separately.**

Power supply for SB1 single slot cradle: 5.2V, 1.1A, 5.7W.
(PN: PWR-WUA5V4W0US)



Charging Options

10-Slot Cradle



CRDSB1X-4000CR

SB1 10 Slot charge only cradle. Requires Power Supply PWR-BGA12V50W0WW and DC cable CBL-DC-388A1-01. Country specific AC line cord, Rack/Wall bracket sold separately.

Wall/Rack Mount for 10 Slot Cradles



Not Included with 10-Slot Cradles



Power supply for 10-slot Cradle: 100-240 VAC, 12VDC, 4.16A. (PN: PWR-BGA12V50W0WW)

Requires: Country specific AC grounded line cord.



DC cable for Level 6 power supply PWR-BGA12V50W0WW (12 VDC, 4.16A), 1.8 M length.

(PN: CBL-DC-387A1-01)

Country specific AC line cord sold separately



23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.

Wall/Rack Mount

KT-SB1X-MBRKT-01R

Rack/Wall mounting bracket, allows to install SB1 10-slot cradle on a wall or a 19" IT rack. SB1 10- Slot Cradle **sold separately.**

Audio Accessories

Headset Adapter

21-SB1X-HSADP-01R

Attaches to back of non-Integrated audio SB1 units and provides a 2.5mm headset jack. Integrated audio SB1 units already include a built-in Headset Adapter.

- ▶Black color



KT-SB1X-HSADP-10R

10 Pack

Speaker Adapter

21-SB1X-SKADP-01R

Attaches to back of non-Integrated audio SB1 units. Integrated audio SB1 units already include a built-in Speaker Adapter.

- ▶Black color
- ▶Includes PTT (push-to-talk) button



21-SB1X-SKADP-10R

10 Pack

Headsets

Basic PTT Headset

21-SB1X-HDSET-10R

10 Pack of Basic PTT Headsets

- ▶For Push-To-Talk (PTT) use only, not VoIP telephony
- ▶2.5 mm jack
- ▶volume control
- ▶Configured to fit in right ear only
- ▶mono with microphone
- ▶includes clip for attaching PTT button to clothing



Premium PTT Headset

21-SB1X-HDSET2-10R

10 Pack of Premium PTT Headsets

- ▶For Push-To-Talk (PTT) use only, not VoIP telephony
- ▶2.5 mm jack
- ▶volume control
- ▶Rotating earpiece allows for right or left ear configuration
- ▶Includes built-in cord wrap
- ▶mono with microphone
- ▶includes clip for attaching PTT button to clothing



Cables

Developer USB Cable

KT-SB1X-DVCBL1-01

- ▶ Only used with Integrated Audio SB1 units.
- ▶ Allows USB connection to the SB1 for development.
- ▶ Does not charge SB1



Developer USB Kit

KT-SB1X-DEVLP-01R

- ▶ Only used with non-Integrated Audio SB1 units.
- ▶ Allows USB connection to the SB1 for development.
- ▶ Existing back cover of SB1 is removed and replaced by this door kit which includes a micro-USB port.
- ▶ Includes SB1 back door with USB port, torx screw driver, 6 screws, and 25-124330-01R USB Cable.
- ▶ Does not charge SB1



Power Supply - Single Slot

PWR-WUA5V4W0XX

Power Supply- for single slot cradle- 5.2V, 1.1A, 5.7W with country specific plugs.



Country	Power Supply Part Number
United States	PWR-WUA5V4W0US
Europe	PWR-WUA5V4W0EU
Australia	PWR-WUA5V4W0AU
China	PWR-WUA5V4W0CN
Brazil	PWR-WUA5V4W0BR
India	PWR-WUA5V4W0IN

Lanyard Options

Neck Lanyard (Center Buckle)

KT-SB1X-LANYD2-01

Single Pack Velcro Hook

- ▶ Uses Velcro hook design to secure SB1 onto Lanyard
- ▶ Black color
- ▶ Includes safety break-away buckle
- ▶ Length is adjustable between 16.75" and 31.75"
- ▶ Can be worn in short position around neck or at full length as a satchel.

KT-SB1X-LANYD2-10

10 Pack Velcro Hook



Neck Lanyard (Off-Center Buckle)


KT-SB1X-LANYD3-01

Single Pack Velcro Hook

- ▶ Break-away buckle is off-center compared to KT-SB1X-LANYD2-01, which breaks away at end
- ▶ Uses Velcro hook design to secure SB1 onto Lanyard
- ▶ Black color
- ▶ Includes safety break-away buckle
- ▶ Length is adjustable between 16" and 30"
- ▶ Can be worn in short position around neck or at full length as a satchel.

KT-SB1X-LANYD3-10

10 Pack Velcro Hook



Neck Lanyard (J-Hook)

KT-SB1X-LANYD-10R

10 Pack J-Hook Lanyard

- ▶ J-hook design for attaching SB1 to lanyard
- ▶ Black color
- ▶ Includes safety break-away buckle



Soft Good Accessories

Hip/Belt Holster with Tether

SG-SB1X-HLSTR-02R

SB1 Hip/Belt Rigid
Holster with Tether



Arm/Wrist Band

SG-SB1X-WRSTB-01

SB1 Arm/Wrist band Fabric
only, Does not include Rigid
Holster. Must order SG-SB1X-
HLSTR-02R separately



Custom Bezel

Submit a Custom Products Request
at <http://cpr.zebra.lan> (Zebra
internal site)



Country Specific AC Line Cord Options

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug.
Australia	50-16000-217R: 1.9M long, AS 3112 plug.
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug.
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w).
China	50-16000-217R: 1.9M long, AS 3112 plug. 50-16000-257R: 1.8M long, IEC 60320 C13 plug.
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug.
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug.
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug.
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug.
India	50-16000-669R: 1.9M long, BS 546 plug.
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug.
Iraq	50-16000-219R: 1.8M long, BS1363 plug.

Country	Three Wire AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug.
Italy	50-16000-671R: 1.8M long, CIE 23-16 plug.
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug.
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug. 50-16000-256R: 1.8M long, CEE7/7 plug.
Malaysia	50-16000-219R: 1.8M long, BS1363 plug.
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug.
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug.
Singapore	50-16000-219R: 1.8M long, BS1363 plug.
UK	50-16000-219R: 1.8M long, BS1363 plug.
US	23844-00-00R: 7.5 feet long. 50-16000-221R: 1.8M long, USA NEMA 5-15P.
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug.