EPDS Fact Sheet

ADAPT 200 Series


If work means calls via multiple devices, choose a wireless headset that ts with your dynamic working style in the hybrid workplace. Lightweight, portable and wireless, this exible audio companion keeps you at peak performance.












What's in the Box



How to Use the ADAPT 200



Turning the headset on/off




Turns the headset on




Turns the headset off

Accept/hold and reject/end a call



Accept/hold a call





Reject/end a call

Additional bene ts & features



Up to 27 hours battery life

Reliable performance wherever and however you work



Jump straight into Teams meetings
Via dedicated Microsoft Teams button



Optimal call clarity

With noise-cancelling microphone to lter out ambient noise



Enjoy EPOS Voice™ technology

For a more natural listening experience



Get a personalized t

With an adjustable, exible headband



Avoid acoustic shock on calls
With EPOS ActiveGard® technology



Smart noise limiter

Enable noise limitation according to European and Australian standards via EPOS Connect

Product data

General		
Wearing style	On-ear, single or double-sided headband	
Headset weight	Single-sided, leatherette earpads 80.9 g / 2.8 oz Double-sided, leatherette earpads 120.7 g / 4.3 oz	
Connectivity	Bluetooth® 5.0, USB cable with USB-C connector	
Warranty	2 years	
Audio		
Speaker frequency response	20-20,000 Hz	
Microphone type	Noise-cancelling microphone for optimal speech transmission	
Microphone frequency response	100-8,000 Hz	
Technical		
Charging time	2 hours	
Standby time	300 hours	
Battery time	Up to 27 hours	
Range	Up to 25 m / 82 ft	

Product data

Products variants	What's in the box
ADAPT 260	Headset, BTD 800 USB dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide
ADAPT 261, ADAPT 231	Headset, BTD 800 USB-C dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide
Software	
EPOS devices can be managed with following Software solutions:	
EPOS Connect	Conduct rmware updates and con gure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect
EPOS Manager	Manage, update and con gure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager

Product data

Product	Connects to	Certi cations	EAN code	UPC code
ADAPT 260 Art. no. 1000882	Smartphone/PC Mobile devices	Certi ed for Microsoft Teams* and optimized for UC	57 14708 00684 8	8 40064 40684 0
ADAPT 261 Art. no. 1000897	Smartphone/PC Mobile devices	Certi ed for Microsoft Teams* and optimized for UC	57 14708 00683 1	8 40064 40683 3
ADAPT 231 Art. no. 1000896	Smartphone/PC Mobile devices	Certi ed for Microsoft Teams* and optimized for UC	57 14708 00697 8	8 40064 40697 0

^{*} Microsoft Teams certication applies when USB/USB-C dongle or cable is connected to PC or Mac.

Spare parts

Product	Art. no.	Description	EAN code	UPC code
USB cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter.	EAN: 57 14708 00012 9	8 40064 40012 1
USB cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter.	EAN: 57 14708 00105 8	8 40064 40105 0
BTD 800 USB-A dongle	1000227	The USB dongle provides connection to all Bluetooth® devices in the ADAPT Series.	EAN: 57 14708 00028 0	8 40064 40028 2
BTD 800 USB-C dongle	1000206	Connect any EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet.	EAN: 57 14708 00007 5	8 40064 40007 7
Earpads	1000880	Spare earpads in black leatherette.	EAN: 57 14708 00682 4	8 40064 40682 6

Appendix

1/1

Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement pro les	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter*	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

^{*}In compliance with EU Noise at Work legislation (Directive 2003/10/EC)