

32U 19" Server Rack Cabinet - Adjustable Depth 6-32" - Flat Pack - Lockable 4-Post
Network/Data/AV Equipment Rack Enclosure with Glass Door & Casters - 1763lb/800kg Capacity

Product ID: RK3236BKF



This server rack provides 32U of storage space in a sleek secure cabinet for storing EIA-310 compliant 19" rackmount devices such as Dell, HP and IBM servers along with telecommunication and A/V equipment. The rack creates a robust storage solution supporting a total load capacity of 800 kg. (1763.7 lbs.).

This rack has been engineered with different features that enable you to easily incorporate plenty of equipment.

With adjustable mounting rails you can easily change the rail depth to up to 32.7 in. (830 mm). These rails ensure the cabinet is widely compatible with your standard rackmountable equipment. The added depth also provides support for additional cable and power management behind your equipment.

The rack features brushed ports on the ceiling and floor panels that enable you to easily run cabling to the inside and outside of the cabinet, for discreet cable management. The floor and ceiling panels can also be removed enabling you to customize your setup, and the rack features grounding lugs that enable you to ground your equipment for added protection.

To ensure you have full visibility of your equipment while securely locking it up, this rack has a stylish glass window on the front door. The glass door looks great in any server room, and gives you the freedom to clearly monitor equipment without the hassle of opening your rack.

The rack also has removable side panels and doors with independent locks quick-release mechanisms that enable you to easily access your equipment while still keeping it secure.

The cabinet comes in a flat packed box to reduce shipping volume, which significantly reduces your costs in shipping. Plus, because the rack is packaged efficiently, you can easily store the cabinet, for deployment at a later date.

The cabinet features casters ensuring hassle-free access to the rear mounted equipment, while providing ease of mobility around your office, studio or server room. Plus, the width and height of the rack fits through standard doorways, giving you the freedom to wheel your server rack into different rooms.

The rear door on the rack is mesh, and the front glass door is vented, working together to increase airflow to provide

passive cooling that's cost effective and ensures your equipment runs at an optimal temperature.

The top ceiling panel features square venting holes that are cage nut compatible, which provide mounting points that enable you to add additional equipment at the top of your rack.

The RK3236BKF is backed by a lifetime StarTech.com warranty with free technical support.

Certifications, Reports and Compatibility

Applications

Features

- **32U ADJUSTABLE DEPTH SERVER RACK CABINET:** Built with cold-rolled steel 4 post design with 32U of rack space, adjustable depth of 6" to 32", casters & levelling feet, locking sides/doors; Compatible with standard 19 inch EIA-310 compliant equipment
- **EASY ASSEMBLY:** Knock Down computer equipment rack with assembly instructions; Compact flat pack shipping and packaging design to avoid damage & facilitate problem free installs; Incl. necessary cage nuts & screws to securely mount equipment in the rack
- **KEEPS EQUIPMENT ACCESSIBLE, COOL & SECURE:** The removable lockable side panels have independent locks enabling easy access to your equipment, & the vented glass front door and perforated rear door increase airflow to promote passive cooling
- **WEIGHT CAPACITY:** Free standing data/computer rack with wheels supports a 1763 lbs. (800 kg) static load capacity and a rolling load capacity of 352 lbs. (160kg); Enclosed cabinet with solid metal floor which can be used as a shelf
- **CABLE MANAGEMENT:** The network rack enclosure features brush strips on the ceiling and floor panels that enable you to easily run cabling to the inside and outside of the cabinet, for discreet & organized cable management; top/bottom cable access

Hardware

Warranty	Lifetime
Wallmountable	No
Rack Type	4-Post
Frame Type	Aluminum
U Height	32U
Special Features	Casters (Included)
	Easy Assembly

	Grounding Lug(s)
	Leveling Feet
	U-Markings
Mounting Rail Profile	G-Shape
Mounting Hole Types	Square (For Cage Nut)
Industry Standards	EIA/ECA-310-E

Performance

Weight Capacity (Stationary)	1768.0 lb [800 kg]
------------------------------	--------------------

Physical Characteristics

Color	Black
Front Door Construction	Steel with Glass/Acrylic Window
Front Door Features	Secure Key Lock with Reversible and Removable Front Door
Side Panel Construction	Steel
Side Panel Features	Secure Key Lock
Rear Door Construction	Steel Mesh
Rear Door Features	Secure Key Lock with Reversible and Removable Back Door

Product Measurements

Internal Width	22.8 in [58 cm]
Internal Depth	39.0 in [99 cm]
Product Length	39.4 in [100.0 cm]
Product Width	23.6 in [60.0 cm]
Product Height	5.1 ft [1.6 m]
Weight of Product	223.2 lb [101.0 kg]
Maximum Mounting Depth	32.7 in [83 cm]



Minimum Mounting Depth 5.5 in [14 cm]

Product Height with Casters 5.3 ft [1.6 m]

Packaging Information

Package Length 3.5 ft [1.1 m]

Package Width 5.3 ft [1.6 m]

Package Height 14.2 in [36.0 cm]

Shipping (Package) Weight 223.2 lb [101.0 kg]

What's in the Box

Included in Package

- Front Door Assembly
- Rear Door Assembly
- Side Panel Assembly
- Top Panel
- Bottom Panel
- Bottom Panels with Cable Management
- Corner Caps
- Cross Members
- Casters
- Casters with Brakes
- Leveling Feet
- Door Hinge Pins
- M6 Cage Nuts
- M6 Cage Screws
- M6 Cup Washers
- Front/Rear Keys
- Side Panel Keys

M6 Hex Key

M8 x 20mm Screws

M8 Washers

M8 Hex Key

M6 x 10mm Screws

M6 x 12mm Screws

M4 x 10mm Screws

M5 x 12mm Screws

****Product appearance and specifications are subject to change without notice.***

