

Brother TD-2120N label printer Direct thermal 203 x 203 DPI 152.4 mm/sec Wired Ethernet LAN

Brand : Brother Product code: TD-2120N

Product name: TD-2120N


203 x 203 dpi, 63mm, 16MB SDRAM, 152.4mm/sec, USB 2.0, Ethernet LAN Brother TD-2120N. Print technology: Direct thermal, Maximum resolution: 203 x 203 DPI, Print speed: 152.4 mm/sec. Connectivity technology: Wired. Product colour: Black, Grey





Printing		System requirements	
Print technology * Maximum resolution * Print speed * Maximum printing width *	Direct thermal 203 x 203 DPI 152.4 mm/sec 5.6 cm	Minimum storage drive space Minimum RAM	70 MB 128 MB Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7
Vertical printing	✓		
Paper handling			Professional x64, Windows 7
Ribbon length Maximum label length	1 m 1 m		Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows
Ports & interfaces			8 Enterprise, Windows 8 Enterprise
Connectivity technology * Ethernet LAN * USB port * USB 2.0 ports quantity RS-232 ports Optional connectivity Performance Page description languages Internal memory Flash memory	Wired I Bluetooth, Wireless LAN ESC P 32 MB 16 MB 2D, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar,	Windows operating systems supported Server operating systems supported	x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 Windows Server 2003, Windows
Built-in barcodes	GS1-128, ITF, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, UPC-A, UPC-E	Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
Number of fonts	7	Storage relative humidity (H-H)	20 - 80%
Underline	✓	Operating temperature (T-T)	5 - 40 °C
Security algorithms	EAP-FAST, 128-bit WEP, 64-bit WEP, EAP-TLS, EAP-TTLS, LEAP, PEAP, SSID, TKIP, WPA-PSK, WPA2-PSK	Storage temperature (T-T) Weight & dimensions	-20 - 60 °C
Design		Width	110 mm
Product colour *	Black, Grey	Depth	215 mm
Display *	LCD	Height	172 mm

Power		Weight & dimensions	
AC adapter output voltage AC adapter output current	25 V 6 A	Weight	1.34 kg
		Packaging data	
		Package weight	2.83 kg
		Packaging content	
		Cables included	USB
		Drivers included	✓
		AC adapter included	✓
		Logistics data	
		Harmonized System (HS) code	84433210
		Other features	
		Character sets	Abicomp, ASCII, BRASCII, ISO 8859-15, ISO Latin 1, Italic, PC437, PC850, PC858, PC860, PC861, PC863, PC865, Roman 8
		LED indicators	✓









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.