

Brother PT-P750W label printer 180 x 180 DPI 30 mm/sec Wired & Wireless HSE/TZe Wi-Fi

Brand : Brother Product code: PT-P750W

Product name: PT-P750W

Printer Model for HSE and TZe tapes from 3.5 to 24 mm - PC connection - Wireless - 180 dpi Brother PT-P750W. Tape type: HSE/TZe. Maximum resolution: 180 x 180 DPI, Print speed: 30 mm/sec. Connectivity technology: Wired & Wireless. Product colour: Black









Printing		System requirements	
Maximum resolution * Print speed * Maximum printing width * Maximum print height Vertical printing	180 x 180 DPI 30 mm/sec 2.4 cm 1.8 cm	Home Basic x64, Windows Premium, Windows Premium x64, Window Professional, Window Professional x64, Windows 7 Windows 7 Ultimate x64, Windows 7 Ultimate x64, Windows 7 Ultimate x64, Windows 8 Prox64, Windows 8 Prox64, Windows 8 Prox64, Windows Vista Windows Vista Windows Vista Home Windows Vista H	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7
Paper handling			
Autocutter Maximum label width Maximum label length	✓ 2.4 cm 4 m		Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business
Ports & interfaces			x64, Windows Vista Enterprise,
Connectivity technology * Ethernet LAN * Wi-Fi * USB port * USB 2.0 ports quantity	Wired & Wireless		Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Performance		Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 39, Data Matrix, EAN128, EAN13, EAN8, GS1 COMPOSITE, GS1 DataBar, GS1-128, ISBN-2, ISBN-5, ITF-25, MaxiCode, Micro QR Code, PDF417, POSTNET, QR Code, UPC-A, UPC-E		Mavericks
		Weight & dimensions	
		Width Depth Height	78 mm 152 mm 143 mm
Number of fonts	12	Weight	800 g
Tape type	HSE/TZe	Packaging data	
Tape cutting Image formats supported	Automatic BMP, JPG, TIF	Package weight	1.67 kg
Design	Dr. 1, j. 0, 111	Packaging content	
Product colour *	Black	Cables included	USB
i roduce coloui	Diuck		

Packaging content		
Bundled software Quick start guide AC adapter included Carrying case	P-touch Editor Lite	
Logistics data		
Harmonized System (HS) code	84433210	
Technical details		
Supported batteries Sustainability certificates	LR6, HR6, BA-E001 ENERGY STAR	
Other features		
Label type Number of frames	3.5, 6, 9, 12, 18, 24 mm 154	





4977766739870



0012502637226

012502637226

4977766756082