

Lindy USB Type A Wired Headset with In-Line Control

Brand : Lindy

Product code: 42870

Product name : USB Type A Wired Headset with In-Line Control

- USB Type A binaural headset for use in unified communications, call centres and home office setups
- In-built omni-directional microphone for vocal clarity
- Lightweight, adjustable design
- In-line control for volume adjustment and mute functionality
- 2 year warranty

USB Type A Wired Headset with In-Line Control

Lindy USB Type A Wired Headset with In-Line Control:

The Lindy USB Type A Wired Headset with In-Line Control is a professional headset for connectivity with PCs, laptops, or other USB outputs. The binaural design provides clear stereo audio playback, replacing in-built PC or laptop speakers. The flexible omni-directional microphone captures the users voice clearly for superior video calling clarity. The in-line controls ensure simple volume and muting adjustment, great for flexible use within video conferencing. The headset's lightweight design ensures comfort even with all-day use within offices and call centres and they can be also used in conjunction with popular VoIP and Office software.



Performance		Microphone	
Product type *	Headset	Microphone type *	Boom
Wearing style *	Head-band	Microphone frequency	30 - 16000 Hz
Recommended usage *	Calls/Music	Microphone sensitivity	-58 dB
Headset type	Binaural	Folding microphone	✓
Product colour *	Black	Microphone mute	✓
Control unit type	In-line control unit	Operational conditions	
Cable length	1.95 m	Operating temperature (T-T)	-10 - 50 °C
Adjustable headband	✓	Storage temperature (T-T)	-10 - 50 °C
Housing material	Plastic	Storage relative humidity (H-H)	0 - 95%
Plug and Play	✓	Weight & dimensions	
Certification	CE, UKCA, FCC, RoHS, REACH, California Proposition 65	Width	170 mm
Ports & interfaces		Depth	50 mm
Connectivity technology *	Wired	Height	140 mm
USB connectivity	✓	Weight	108 g
USB connector	USB Type-A	Packaging data	
Headphones		Package width	255 mm
Ear coupling *	Supraaural	Package height	236 mm
Headphone frequency	20 - 20000 Hz	Package weight	120 g
Impedance	32 Ω	Package type	Polybag
Headphone sensitivity	58 dB	Packaging content	
Driver unit	4 cm	Ear pad material	Faux leather
Total Harmonic Distortion (THD)	0.1%	Quantity	1
Chipset	HS100	Logistics data	
		Harmonized System (HS) code	85183000
		Other features	
		Manual	✓



4002888428705

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-NOV-2024. Prints or copies of Information are only valid on the printed Publication date