



HP M34d WQHD Curved Monitor

Brand : HP

Product code: 3B1W4AA

Product name : M34d WQHD Curved Monitor

- Find more room to play or work in this immersive 34-inch diagonal curved monitor with WQHD resolution, and an integrated speaker.
 - Cut out all the cords and streamline down to a single, solitary USB-C®^[2] cable that shuttles data, display, and power to your machine.
 - Slide in your perfect height or tilt with a fingertip. And enjoy low blue light mode and flicker free technology.
 - Made with 85% post-consumer recycled plastic, sustainably sourced and recyclable packaging^[3], ENERGY STAR®^[4] certified, TCO certified, and EPEAT® registered^[5].
- M34d WQHD Curved Monitor

HP M34d WQHD Curved Monitor:


Immerse Yourself in the Curve.

Find more room to play or work in the M34d WQHD Curved Monitor with built-in audio. Immerse yourself in its ultrawide screen that's proven to keep you up to 33% more focused^[1], compared to a smaller screen.



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	HDMI version	2.0
Display resolution *	3440 x 1440 pixels	DisplayPorts quantity	1
HD type *	UltraWide Quad HD	DisplayPort version	1.2
Native aspect ratio *	21:9	Headphone out *	✓
Panel type *	VA	HDCP	✓
Touchscreen *	✗	Ergonomics	
Display brightness (typical)	250 cd/m ²	VESA mounting *	✓
Response time *	5 ms	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Cable lock slot *	✗
Screen shape *	Curved	Height adjustment *	✓
Screen curvature rating	1500R	Height adjustment	10 cm
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3440 x 1440	Pivot	✗
		Swivelling	✗
		Tilt adjustment	✓
		Tilt angle range	-5 - 21°
Contrast ratio (typical) *	3500:1	Power	
Contrast ratio (dynamic)	10000000:1	Power consumption (typical) *	48 W
Maximum refresh rate *	100 Hz	Power consumption (standby) *	0.5 W
Viewing angle, horizontal	178°	Power consumption (max)	190 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Pixel pitch	0.232 x 0.232 mm	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 160 kHz	European Product Registry for Energy Labelling (EPREL) code	439512
Vertical scan range	48 - 100 Hz	Operational conditions	
Surface hardness	3H	Operating temperature (T-T)	5 - 35 °C
Colour depth	8 bit	Operating relative humidity (H-H)	20 - 80%
Colour gamut standard	sRGB	Weight & dimensions	
Colour gamut	99%	Width (with stand)	809.4 mm
Display bezel technology	Micro-Edge	Depth (with stand)	234.9 mm
Performance		Height (with stand)	518 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	10.5 kg
AMD FreeSync *	✗	Width (without stand)	809.4 mm
Flicker-free technology	✓		


Performance		Weight & dimensions	
HP segment	Home	Depth (without stand)	112.1 mm
Multimedia		Height (without stand)	366.9 mm
Number of speakers	2	Packaging data	
RMS rated power	6 W	Package width	950 mm
Built-in speaker(s) *	✓	Package depth	225 mm
Built-in camera *	✗	Package height	480 mm
Design		Package weight	16.7 kg
Market positioning *	Home	Packaging content	
Product colour *	Black	Cables included	AC, HDMI, USB Type-C to USB Type-C
Detachable stand	✓	Other features	
Ports & interfaces		Country of origin	China
Built-in USB hub *	✓	Weight	10.5 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height	366.9 mm
USB upstream port type	USB Type-B	Width	809.4 mm
USB Type-A downstream ports quantity	4	Depth	112.1 mm
USB Type-C downstream ports quantity	1	Brand-specific features	
USB Type-C DisplayPort Alternate Mode	✓	HP GTIN (EAN/UPC)	195908240495
HDMI *	✓	Logistics data	
HDMI ports quantity	1	Harmonized System (HS) code	85285210



0195908240525




195908240525




0195908240471




195908240471



0195908240488



195908240488



0195908240563



195908240563



0195908240518




195908240518



0195908240532




195908240532



0195908240549




195908240549



0195908240501



195908240501



0195908240495



195908240495



0195908240556



195908240556

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.