

## Canon MAXIFY GX7050 Inkjet A5 600 x 1200 DPI 24 ppm Wi-Fi

Brand : Canon Product family: MAXIFY Product code: 4471C008

**Product name :** GX7050

2.7", LCD, 10/100 Mbps, Wi-Fi IEEE802.11 b/g/n/a,  $399 \times 410 \times 314$  mm, 13 kg

Canon MAXIFY GX7050 Inkjet A5 600 x 1200 DPI 24 ppm Wi-Fi:

Big in features yet compact in size, the MAXIFY GX7050 MegaTank inkjet printer is the perfect fit for small and medium-sized businesses. This 4-in-1 printer handles all your office print needs at lightning-fast speeds for stress-free, high volume printing. Huge ink yields reduce the total cost of ownership, with pigment-based inks delivering stand-out business documents with marker and friction resistance. Flexible media options allow you to even print on envelopes or create banners up to 1.2 metres in length. Add in Wi-Fi and Ethernet connectivity, plus features like a 50-sheet D-ADF, a 600-sheet paper capacity and a user-replaceable maintenance cartridge to minimise downtime, and you can drive your business forward.





| Printing  |  | Paper handling  |   |
|---|--|---|---|
| Print technology * Printing * Duplex printing *   | Inkjet Colour printing  ✓  | Photo paper sizes (imperial) Custom media width Custom media length   | 4x6,5x7,7x10,8x10<br>89 - 216 mm<br>127 - 1200 mm   |
| Maximum resolution *  | 600 x 1200 DPI   | Ports & interfaces  |   |
| Print speed (black, normal quality,<br>A4/US Letter) *<br>Print speed (colour, normal quality,<br>A4/US Letter)   | 24 ppm<br>15.5 ppm   | Direct printing * USB port USB connector  | ✓<br>✓<br>USB Type-B  |
| Copying   |  | Network   |   |
| Duplex copying * Copying * Maximum copy size Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Maximum number of copies Copier resize ID-card copy function Auto fit function                                | Colour copying A4 22.2 cpm 12.2 cpm 99 copies 25 - 400%  | Wi-Fi * Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Security algorithms Performance Sound power level (printing) Design | 10/100Base-T(X) 10,100 Mbit/s 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) WEP, WPA-PSK, WPA2-PSK 49 dB |
| Scanning Scanning * Optical scanning resolution * Scanner type * Scan technology Scan speed (colour) Scan speed (black)   | Colour scanning 1200 x 1200 DPI Flatbed & ADF scanner CIS 22.1 ppm 22.1 ppm  | Product colour * Market positioning * Built-in display * Display Display diagonal Control type Colour display   | White Home & office  ✓ LCD 6.86 cm (2.7") Touch   |
| puplex scan speed (colour)  puplex scan speed (black)  puplex scan speed (black)  puput colour depth  put greyscale depth  8 bit | Power  Power consumption (copying)  Power consumption (standby)  Power consumption (off)  Energy Star Typical Electricity  Consumption (TEC)  AC input voltage | 23 W<br>1.5 W<br>0.2 W<br>0.15 kWh/week<br>100 - 240 V  |   |

| Fax   |  | Power                               |   |
|---|--|-------------------------------------|---|
| Faxing *  | Colour faxing  | AC input frequency                  | 50 - 60 Hz  |
| Fax resolution (black)                                | 300 x 300 DPI  | System requirements                 |   |
| Fax resolution (colour)<br>Modem speed                | 200 x 200 DPI<br>33.6 Kbit/s<br>250 pages<br>✓   | Windows operating systems supported | Windows 10, Windows 8, Windows 8.1  |
| Fax memory<br>Auto-redialing<br>Speed dialling        |  | Mac operating systems supported     | Mac OS X 10.11 El Capitan, Mac OS<br>X 10.13 High Sierra, Mac OS X 10.14<br>Mojave, Mac OS X 10.15 Catalina,<br>Mac OS X 10.15.3 Catalina, Mac OS |
| Features  |  |                                     | X 11.0 Big Sur  |
| Maximum duty cycle * Duplex functions *               | 45000 pages per month<br>Print   | Server operating systems supported  | Windows Server 2008 R2, Windows<br>Server 2012 R2, Windows Server<br>2016, Windows Server 2019  |
| Ink tank system                                       | ✓  | Mobile operating systems supported  | Android, iOS  |
| Number of print cartridges *                          | A  | Operational conditions              |   |
| Printing colours *                                    | Black, Cyan, Magenta, Yellow   | Operating relative humidity (H-H)   | 10 - 90%  |
| Input & output capacity                               |  | Operating temperature (T-T)         | 5 - 35 °C   |
| Total number of input trays *  Total input capacity * | 2<br>250 sheets  | Weight & dimensions                 |   |
| Auto document feeder (ADF)                            | ✓  | Width                               | 399 mm  |
| Paper handling  |  | Depth                               | 645 mm  |
| Maximum ISO A-series paper size *                     | A5   | Height<br>Weight                    | 387 mm<br>13 kg   |
|   | Envelopes, Glossy paper, High  | 3                                   | 13 kg   |
| Paper tray media types *                              | resolution paper, Iron-On Transfers,<br>Labels, Matte paper, Photo paper,<br>Plain paper | Packaging content                   |   |
|   |  | Included cartridge capacity (black) | 6000 pages  |
| ISO A-series sizes (A0A9) *                           | A4, A5, A6   | Included cartridge capacity (CMY)   | 14000 pages   |
| ISO B-series sizes (B0B9)                             | B5   | Logistics data                      |   |
| Envelopes sizes                                       | Com-10, DL   | Harmonized System (HS) code         | 84433100  |
| Photo paper sizes                                     | 10x15,13x18,18x25,20x25  | Other features                      |   |
|   |  | Recommended system requirements     | Windows: 1.5GB or more  |



4549292173628

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.