

## GIGABYTE M32U 31.5" 4K UHD Gaming Monitor - 3840 x 2160, 144Hz, 1ms, 350 cd/m<sup>2</sup>, FreeSync Premium Pro, Display HDR400, HDMI 2.1, Displayport 1.4

**Brand :** GIGABYTE

**Product code:** M32U EK

**Product name :** M32U 31.5" 4K UHD Gaming Monitor - 3840 x 2160, 144Hz, 1ms, 350 cd/m<sup>2</sup>, FreeSync Premium Pro, Display HDR400, HDMI 2.1, Displayport 1.4



- 31.5-inch SuperSpeed IPS panel with UHD resolution
  - 144Hz refresh rate, 1ms response time
  - KVM cross-platform control
  - Console gaming at 4K/ 120Hz via HDMI 2.1
  - 10 bits, 90% DCI-P3
  - Ergonomic design: Height, swivel, and tilt adjustments
  - Supports DisplayHDR400, AMD FreeSync Premium Pro
- M32U 31.5" 4K UHD Gaming Monitor - 3840 x 2160, 144Hz, 1ms, 350 cd/m<sup>2</sup>, FreeSync Premium Pro, Display HDR400, HDMI 2.1, Displayport 1.4

GIGABYTE M32U 31.5" 4K UHD Gaming Monitor - 3840 x 2160, 144Hz, 1ms, 350 cd/m<sup>2</sup>, FreeSync Premium Pro, Display HDR400, HDMI 2.1, Displayport 1.4:

GIGABYTE M32U features a 31.5-inch UHD with a 144Hz refresh rate, 1ms response time, and 10-bit color, offering you a fluid gaming experience and detailed display quality. With an exclusive KVM, controlling across platforms cannot be any easier. Enjoy everything on M32U.



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Headphone outputs	1
Display resolution *	3840 x 2160 pixels	<b>Ergonomics</b>	
HD type *	4K Ultra HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable lock slot *	✓
Panel type *	SS-IPS	Cable lock slot type	Kensington
Backlight type	Edge LED	Height adjustment *	✓
Touchscreen *	✗	Height adjustment	13 cm
Display brightness (typical)	350 cd/m <sup>2</sup>	Swivelling	✓
Response time *	1 ms	Swivel angle range	-30 - 30°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 20°
Contrast ratio (typical) *	1000:1	<b>Power</b>	
Maximum refresh rate *	144 Hz	Energy efficiency class (SDR) *	G
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	33 kWh
Display number of colours *	1.073 billion colours	Energy consumption (HDR) per 1000 hours *	80 kWh
Pixel pitch	0.181 x 0.181 mm	Power consumption (standby) *	0.5 W
Viewable size, horizontal	69.7 cm	Power consumption (max)	140 W
Viewable size, vertical	39.2 cm	Power consumption (off)	0.3 W
High Dynamic Range (HDR) supported	✓	Power consumption (PowerSave)	0.5 W
High Dynamic Range (HDR) technology	DisplayHDR 400	AC input voltage	100 - 240 V
Colour depth	10 bit	AC input frequency	50 - 60 Hz
Colour gamut standard	DCI-P3	Energy efficiency scale	A to G
Colour gamut	90%	European Product Registry for Energy Labelling (EPREL) code	435887
sRGB coverage (typical)	123%		

<b>Performance</b>		<b>Operational conditions</b>	
NVIDIA G-SYNC *	✘	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✓	<b>Weight &amp; dimensions</b>	
AMD FreeSync type	FreeSync Premium Pro	Width (with stand)	715.3 mm
Flicker-free technology	✓	Depth (with stand)	244.3 mm
<b>Multimedia</b>		Height (with stand)	585.3 mm
Number of speakers	2	Weight (with stand)	10.3 kg
RMS rated power	6 W	Width (without stand)	715.3 mm
Built-in speaker(s) *	✓	Depth (without stand)	68.2 mm
Built-in camera *	✘	Height (without stand)	423.8 mm
<b>Design</b>		Weight (without stand)	7.25 kg
Market positioning *	Gaming	<b>Packaging data</b>	
Product colour *	Black	Package width	990 mm
Feet colour	Black	Package depth	192 mm
<b>Ports &amp; interfaces</b>		Package height	536 mm
Built-in USB hub *	✓	Package weight	13.8 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Packaging content</b>	
USB upstream port type	USB Type-B	Stand included	✓
Number of upstream ports	1	Cables included	AC, DisplayPort, HDMI, USB
USB Type-A downstream ports quantity	3	Quick start guide	✓
USB Type-C downstream ports quantity	1	<b>Other features</b>	
HDMI *	✓	HBR3 support	✓
HDMI ports quantity	2	Warranty period	3 year(s)
HDMI version	2.1	<b>Logistics data</b>	
DisplayPorts quantity	1	Products per shipping (inner) case	1 pc(s)
DisplayPort version	1.4	Harmonized System (HS) code	85285210
Headphone out *	✓		



4719331809980

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-NOV-2024. Prints or copies of Information are only valid on the printed Publication date