

AOC AG493QCX LED display 124 cm (48.8") 3840 x 1080 pixels Double Full HD Black

Brand : AOC Product code: AG493QCX

Product name: AG493QCX

Screen size (inch) 48.8, Panel resolution 3840x1080, Refresh rate 144 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 2.0 x 2, Display Port DisplayPort 1.4 x 2, Sync technology (VRR) Freesync Premium

AOC AG493QCX LED display 124 cm (48.8") 3840 x 1080 pixels Double Full HD Black:

$49^{\prime\prime}$ curved monitor with DFHD resolution, 144Hz refresh rate, HDR400 and FreeSync Premium Pro

Experience your favourite games on a new level of immersion and realism: the AG493QCX features an extensive 49" curved screen with Dual-FHD resolution. The refresh rate of 144Hz, a MPRT of 1ms, HDR400 and FreeSync Premium Pro add to the clear image quality and super smooth transitions. Enjoy your next gaming session in double size!








Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio *	124 cm (48.8") 3840 x 1080 pixels Double Full HD 32:9	Headphone connectivity Charging port type DC-in jack Ergonomics	3.5 mm USB Type-A ✓
Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel density Digital vertical frequency	LED VA W-LED 400 cd/m² 1 ms Curved 1800R 3000:1 80000000:1 144 Hz 178° 178° 16.7 million colours 82 ppi 48 - 144 Hz	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture On Screen Display (OSD) languages	✓ 100 x 100 mm ✓ Kensington ✓ 10 cm X ✓ -15 - 15° ✓ -3.5 - 13.5° ✓ Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display diagonal (metric) High Dynamic Range (HDR)	124 cm	Power	
supported High Dynamic Range (HDR) technology sRGB coverage (typical)	DisplayHDR 400 121% 98% 91% 90%	Energy efficiency class (SDR) * G Energy efficiency class (HDR) * G Energy consumption (SDR) per 1000 hours *	G
NTSC coverage (typical) Adobe RGB coverage DCI-P3 coverage		Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off)	90 kWh 80 W 0.5 W 0.3 W

Performance		Power	
NVIDIA G-SYNC *	✓	AC input voltage	100 - 240 V
AMD FreeSync *	✓	AC input frequency	50 - 60 Hz
AMD FreeSync type	FreeSync Premium Pro	Energy efficiency scale	A to G
AMD FreeSync refresh rate range	48 - 144 Hz	European Product Registry for	884827
Fast charging	1	Energy Labelling (EPREL) code	4
Low Blue Light technology	✓	External power adapter	✓
Game mode	✓	Weight & dimensions	
Multimedia		Width (with stand)	1194.4 mm
Number of speakers	2	Depth (with stand)	308 mm
RMS rated power	5 W	Height (with stand)	567.6 mm
Built-in speaker(s) *	✓	Weight (with stand)	14.4 kg
Built-in camera *	×	Width (without stand)	1194.4 mm
Design		Depth (without stand)	153.2 mm
Market positioning *	Gaming	Height (without stand)	369.4 mm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package width	1308 mm
Detachable stand	Jidek ✓	Package depth	553 mm
	•	Package height	420 mm
Ports & interfaces		Package weight	20.8 kg
Built-in USB hub *	226 (216 (216 (21)	Packaging content	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Power adapter included	1
USB upstream port type USB Type-A downstream ports	USB Type-B	Remote control included	,
quantity	4	DisplayPort cable length	1.8 m
HDMI *	√	HDMI cable length	1.8 m
HDMI ports quantity	2	Other features	
HDMI version	2.0	Picture-by-Picture (PbP)	1
DisplayPorts quantity	2	Exterior finish type	▼ Textured
DisplayPort version	1.4	Compliance certificates	WEEE
Headphone out *	✓	Light effects	X
		Certification	ISO 9241-307
		Logistics data	
		Harmonized System (HS) code	85285210



4038986119924

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.