

BenQ LU935 data projector Standard throw projector 6000 ANSI lumens DLP WUXGA (1920x1200) White

Brand : BenQ Product code: 9H.JNN77.15E

Product name: LU935

- Large H/V lens shift and 1.6X Big zoom perfect for in-house installation
- Native resolution switch to 1080P for multi-display compatibility
- HDMI 2.0 ports with less friction and great brightness
- IP5X dustproof mechanism reducing maintenance costs

DLP, 1920x1200, 6000 lm, HDMI, VGA, LAN, RS-232, USB, 100-240V, 416x166x351 mm BenQ LU935. Projector brightness: 6000 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Focus: Manual, Aperture range (F-F): 1.83 - 1.86, Zoom ratio: 1.6:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





| Projector | | Ports & interfaces | |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------|--------------------------|
| Contrast ratio (dynamic) 3000 Projector brightness * 6000 Projection technology * DLP Projector native resolution * WUX | 762 - 7620 mm (30 - 300") | DVI port * | × |
| | 3000000:1 | AC (power) in | ✓ |
| | 6000 ANSI lumens DLP WUXGA (1920x1200) 3000000:1 | Network | |
| | | Smart TV * | × |
| | | Ethernet LAN * | ✓ |
| Native aspect ratio * | 16:10 | Ethernet LAN (RJ-45) ports | 1 |
| Number of colours | 1.07 billion colours | Wi-Fi * | × |
| lorizontal scan range 15 - 102 kHz | Storage | | |
| Vertical scan range | 24 - 120 Hz | Card reader integrated * | × |
| ., | -30 - 30° | Features | |
| Keystone correction, vertical | -30 - 30° | Interactive * | × |
| Matrix size | 1.22 cm (0.48") | HDCP | ✓ |
| Light source | | On Screen Display (OSD) | ✓ |
| Light source type * | Laser | Multimedia | |
| Service life of light source * | 20000 h | Built-in speaker(s) * | ✓ |
| Lens system | | RMS rated power | 10 W |
| Focus * | Manual | Design | |
| Aperture range (F-F) | 1.83 - 1.86 | Market positioning * | Business |
| Zoom capability | V | Product type * | Standard throw projector |
| Zoom ratio Throw ratio | 1.6:1 1.36 - 2.18 | Product colour * | White |
| Horizontal lens shift range | -23 - 23% | Cable lock slot | ✓ |
| Vertical lens shift range | -60 - 60% | Cable lock slot type | Kensington |
| Video | | Display | |
| Analog signal format system * | NTSC, PAL, SECAM | Built-in display * | × |
| Full HD * | VISC, FAL, SECAM | Power | |
| Supported graphics resolutions | 640 x 480 (VGA) | Power source * | AC |
| Supported video modes | , , | | 440 W |
| | | Power consumption (standby) * | 0.5 W |
| | | AC input voltage | 100 - 240 V |

| Ports & interfaces | | Power | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------|------------|
| HDMI connector type HDBaseT port USB 2.0 ports quantity * Serial interface type * PC Audio in PC Audio out VGA (D-Sub) ports quantity * HDMI ports quantity * | Full-size I 1 RS-232 I 2 2 | AC input frequency | 50 - 60 Hz |
| | | Operational conditions | |
| | | Operating temperature (T-T) | 0 - 40 °C |
| | | Weight & dimensions | |
| | | Width | 416 mm |
| | | Depth | 351 mm |
| | | Height | 166 mm |
| | | Weight * | 7 kg |
| | | Packaging content | |
| | | Remote control included * | 4 |
| | | Cables included | AC |
| | | Logistics data | |
| | | Harmonized System (HS) code | 85286200 |



4718755084591

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.