

Blackmagic Web Presenter HD



B6, .57, 24. (0- !;0<08=0; 4< , . 97: 60=0 <=;0, 7482 <96>=498 =3, =48. 6>/0< , : ;910<<498, 63, ;/@, ;0 <=;0, 7482 082480 19; /4;0.= <=;0, 7482 ?4, E=30;80= =9 *9>%>-0, F, .0-995, %@4=0; , 8/ 79;0! !6>< B9> ., 8 <=;0, 7 =9 =30 48=0;80= ><482 E=30;80= 9; .9880.= , 5G 9; 4G : 3980 =9 ><0 79-40 /, =, !%30 ->4= 48 &\$B .9880.=498< , 6<9 @9;5 6450 , @0-. , 7, <9 B9> ., 8 .9880.= , .97: >=0; , 8/ ><0 , 8B ?4/09 <91=@, ;0. *9> 0?08 20= , 7984=9;482 9>=: >= @4=3 ?4/09, , >/49 70=0;< , =;08/ 2; , : 3< , 8/ 79;0!

+429

Connections

SDI Vide" ! #' &%

1

SDI Ra&e%

1.5G, 3G, 6G, 12G

Webca O' &#' &

1 A &\$B-C >: =9 1080: 60

SDI Vide" O' &#' &%


1 A 699: 9>=, 1 A 7984=9; 9>=.

HDMI Vide" O' &#' &%

1 A 7984=9; 9>=

E&he\$! e&

E=30;80= <>: : 9;< 10/100/1000 B, <0% 19; 6?0 <=;0, 7482, <91=@, ;0 .98=; 96 , 8/ <91=@, ;0 >: /, =0<.



Standards

HD Vide" ! ! #' & S&a! da\$d%

720: 50, 720: 59.94, 720: 60

1080: 23.98, 1080: 24, 1080: 25,

1080: 29.97, 1080: 30, 1080: 50,

1080: 59.94, 1080: 60

1080! <F23.98, 1080! <F24,

1080! <F25, 1080! <F29.97, 1080! <F30

1080!50, 1080!59.94, 1080!60

UI&\$a HD Vide" ! ! #' & S&a! da\$d%

2160: 23.98, 2160: 24, 2160: 25,

2160: 29.97, 2160: 30, 2160: 50,

2160: 59.94, 2160: 60

Vide" ! ! #' & C" I" \$ S#ace

#0. .601, #0. .709, #0. .2020

3G SDI

A>=9 /0=0. =< \$M! %E 60?06 A 9; B 98

\$DI 48: >=.

SDI a! d HDMI M" ! i&" \$ O' & Vide"

S&a! da\$d%

1080: 50, 1080: 59.94, 1080: 60

Vide" S&\$ea i! g S&a! da\$d%

720: 25, 720: 30, 720: 50, 720: 60

1080: 23.98, 1080: 24, 1080: 25,

1080: 29.97, 1080: 30, 1080: 50,

1080: 59.94, 1080: 60

Streaming

Di\$ec& S&\$ea i! g

B6, .57, 24. (0- ! ;0<08=0; HD

<>: : 9;>= < /4; 0. = 6?0 <=; 0, 7482 9?0;

0=30; 80= ><482 #0, 6%470 M0<<, 2482

! ; 9=9. 96 (#%M!) , 8/ \$0. >: 0 #06, -60

%; , 8<: 9;= (\$#%) 48 H.264.

CI" %ed Ca#&i" ! %

(0- ! ;0<08=0; HD <>: : 9;=<

07 -0/482 CEA-608 , 8/ CEA-708

.69<0/ . , : =498< 48 B9>; 6?0 #M!

<=: 0, 7.

Control

C" ! &\$" I Pa! el

B>4= 48 . 98=; 96 : , 806 @4=3 2.2 48. 3

. 969; /4<: 6, B 19; ?4/09 : ; 0?40@, , >/49

70=0;< , 8/ <=, =><.

De(ice C" ! &\$" I

F; 98= : , 806, &\$B C 9; 0=30; 80=.

Soft" are

C" #a&ible Se\$(ice% a! d S" f&) a\$e

F, .0-995, %@4. 3, *9>%>-0, %@4=0; ,

#0<=; 0, 7.1 , ' 4709, B9AC, <=, C, <=; ,

A1:00. , %' , B44-44, D9>*>, (04-9,

+997, \$5B: 0, M4. ; 9<91= %0, 7< ,

" >4.5%470 ! 6, B0; , F, .0%470,

B\$ \$=>/49, : 08 B; 9, / . , <=0; , ' LC,

(4; 0. , <= ! 6, B,

(9@C, \$=: 0, 7482 E82480.

Operating Systems



M, . 10.15 C, =, 648, ,
M, . 11.1 B42 \$>; 9; 6, =0;.



(48/9@< 10, 64--4-.
(48/9@< 11.



L48>A



C3;970 \$

Power Requirements

P") e\$ S' ##l*
1 A 18=0;8, 6 100 - 240' AC.

12V DC ! #' &
1 A +12' DC 4 : 48)L#.

P") e\$ U%age
21 (

Physical Specifications



Environmental Specifications

O#e\$a&i! g Te #e\$a&' \$e
OD C =9 40D C (32D - 104DF)

S&" \$age Te #e\$a&' \$e
-20D =9 45D C (-4D =9 113D F)

Rela&i (e H' idi&*
0% =9 90% 898-. 98/08<482

What's Included

B6, .57, 24. (0- ! ;0<08=0; HD

Warrant#

3 B0, ; L474=0/ M, 8>1, . =>;0;k
(, ;;, 8=B.

A66 407 < 98 =34< @0-<40 , ; 0 . 9: B;423= B6, . 5 7, 24. D0<428 !=B. L=/ . 2024, , 66 ;423=< ;0<0;?0/.
A66 =, /07, ;5< , ;0 : ;9: 0:=B 91=304; ;0< 0. =4?0 9@80;<. MS#! OA. 6>/0< ' A%, 8/ 49. , 6 <34: : 482 . 9<<<.
%34< @0-<40 ><0< ;07, ;50=482 <0;?4. 0< =9 , /?0;=4<0 98 =34;/ : , ;=B @0-<40< =9 : ;0?49>< ?4<49;< =9 9> ; <4=0.
*9> . , 8 9: = 9>= , =, 8B =470 -B . 3, 82482 . 99540 <0=482<. [1:42..B196.B](#)

Blackmagic Design A thori\$ed Reseller