

i-tec USB-C Quattro Display Docking Station with Power Delivery 85 W

i-tec USB-C Quattro Display Docking Station with Power Delivery 85 W



PRODUCT DESCRIPTION

Professional USB-C docking station with support for up to four external monitors. The docking station is equipped with hybrid image processing: it is built on DisplayLink and USB-C video transmission technologies, allowing it to process images on four display devices at the same time.

The station is compatible with any laptop equipped with a USB-C port (with video transmission support) or Thunderbolt 3. 6x USB ports, reliable and quick connection to your company network thanks to an integrated LAN port and support for installation on the back of a monitor make the docking station an ideal partner for professionals. And of course, the station is capable of charging your laptop or tablet with up to 85 W.

- Connect up to 4 external monitors
- Power delivery: up to 85 W
- Provides 2 DisplayPorts and 2 HDMI ports
- 5x USB 3.0 and 1x USB-C ports will allow you to easily connect your USB devices and peripherals.
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed Internet connection supporting 10/100/1000 Mbps speeds
- 2x jack for audio and microphone
- Kensington lock protects against theft, particularly in shared offices or public spaces
- On/off switch for maximum energy savings
- The station features VESA support, allowing smart vertical installation on the back of a VESA compatible monitor
- Supports Windows 10, macOS*, Android, ChromeOS and Linux

* Note: macOS does not support Multi Stream Transport (MST) technology, meaning that when connected to a device running macOS, two of the four connected monitors will display the same image.

PRODUCT FEATURES

- 1x USB-C port for connecting to a device
- Docking station technology: USB-C (MST) + DisplayLink 3900
- Power Delivery: 85W
- Video ports: • 2x DisplayPort • 2x HDMI
- Resolution:
- DisplayLink ports 2x HDMI
 - 1 monitor: up to 2560x1440/50Hz
 - 2 monitors: up to 2048x1152/60Hz
- USB-C DP Alt mode ports 2x DP DP 1.2 HBR2:
 - 1 monitor - up to 4K/30Hz
 - 2 monitors - up to 2x 1080p/60Hz
- DP 1.4 HBR3:
 - 1 monitor - up to 4K/60Hz
 - 2 monitors - up to 2x 1440p/60Hz
- DP 1.4 HBR3 DSC:
 - 1 monitor - up to 4K/60Hz
 - 2 monitors - up to 2x 4K/60Hz
- (Four monitor combination): Up to 2x 2048x1152/60 Hz and 2x 4K/60 Hz
- 1x USB-C Gen. 1 port (data only)
- 4x USB 3.0 port
- 1x USB 3.0 port with Fast Charge support (BC 1.2)
- 1x Ethernet GLAN RJ-45 port (Realtek RTL8153)
- 1x 3.5mm Audio port
- 1x 3.5mm Mic port
- 1x port for power supply (DC 20 V/6.75 A)
- ON/OFF switch for the docking station
- LED indication
- Kensington lock support
- VESA mount support
- Product dimensions: 197 x 85 x 34 mm
- Product weight: 290 g

Hardware requirements:

- Device with a free USB-C or Thunderbolt 3 port

Requirements for Power Delivery feature:

- Device with a free USB-C or Thunderbolt 3 port with support for Power Delivery technology

Requirements for video output:

- Device with a free with a Thunderbolt 3 port or with a USB-C port with support for DisplayPort Alternate Mode technology

Operating system:

- Windows 10, macOS*, Android, Chrome OS and Linux with the latest updates

* macOS does not support Multi Stream Transport (MST) technology. Connecting two monitors to the station via DisplayPorts on macOS will result in both monitors showing the same image.

SPECIFICATION

| Part Number | Product Description & EAN |
|-------------|---------------------------|
|-------------|---------------------------|

| | |
|---|---|
| C31QUATTRODOCKPD | i-tec USB-C Quattro Display Docking Station with Power Delivery 85 W EAN: 8595611703393 |
| C31QUATTRODOCKPDUK | i-tec USB-C Quattro Display Docking Station with Power Delivery 85 W EAN: 8595611703409 |
| Hardware | |
| Bus type | USB-C, Thunderbolt-3 |
| Ports/Connectors | |
| System Requirements | |
| Operating system | Windows 10 macOS X Android Linux Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically. |
| Other features | |
| Colour | black |
| Housing Material | plastic |
| Product Dimensions | 197 x 85 x 34 mm |
| Product Weight | 290 g |
| Package Weight | |
| Packaging Dimensions (LxWxH) | |
| Support | |
| Warranty period | 2 years |
| Technical support | lifetime |
| Package contents | |
| Product | |
| USB-C cable (100 cm) | |
| Charging adapter (output: 20.0/4.75 A, 160 cm DC cable) | |
| Instruction manual | |

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 18.8.2020