

# Product Sheet

# Ion+ 2

# Platinum

English Version



# Index

3	Overview
4	Key features
5-6	General specifications
7	Package contents
	Additional information

# Ion+ 2 Platinum

## The power of silence.

The Ion+ 2 Platinum is a high-performance fully modular PSU with whisper-quiet operation, enhanced cable flexibility and superior output quality. It ships with two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards.



A user selectable semi-passive Zero RPM mode maintains pure silence under light loads, and the custom-tailored 140 mm fan with FDB bearings stays practically whisper-quiet even under heavy load. Revolutionary UltraFlex™ cable with its ultra-high strand count wire and special insulation bends and twists effortlessly to make installation and cable-routing a breeze.

Ion+ 2 Platinum is available in 560, 660, 760 and 860 watt capacities, all with 80PLUS® Platinum Efficiency, 10-year warranty, and a full electrical protection suite for peace of mind.



# Key features

- 80PLUS® Platinum efficiency for optimized electricity use and reduced heat generation
- Great electrical output quality with tight voltage regulation and low ripple and noise
- Fully modular design for reduced clutter and maximum ease of installation and with Fractal Design UltraFlex™ (extra bendable soft cables) for better cable management
- Equipped with a large high-performance Fractal Design Dynamic GP-14 140 mm fan, custom-tailored for power supply use with an exceptionally low minimum speed and a true long-life FDB bearing
- User selectable semi-passive operation allows for either passive operation in low load situations or continuous low speed fan operation for reduced component stress
- Compact 150 mm depth allows for installation in compact cases or provides additional cable management room in larger cases
- Premium Japanese 105°C capacitors provide maximum reliability and durability
- Extensive 10-year warranty and a full electrical protection suite provides peace of mind
- Supports the latest ATX 2.52 standard with improved start-up time and transient load response
- Premium storage bags for cables and PSU
- All models include two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards



# General specifications

80PLUS® Certification	<ul style="list-style-type: none"><li>• Platinum</li></ul>
Modular cables	<ul style="list-style-type: none"><li>• Fully modular</li></ul>
Fan type	<ul style="list-style-type: none"><li>• 140 mm FDB bearing Fractal Design Dynamic series fan</li></ul>
Maximum operating temperature (full load)	<ul style="list-style-type: none"><li>• 50°C</li></ul>
Semi-passive operation	<ul style="list-style-type: none"><li>• Yes, user selectable (Zero RPM)</li></ul>
Capacitors	<ul style="list-style-type: none"><li>• Japanese</li></ul>
Life expectancy	<ul style="list-style-type: none"><li>• 100,000 hours</li></ul>
PSU specification compliance	<ul style="list-style-type: none"><li>• ATX12V 2.52; EPS12V 2.92</li></ul>
Cable type	<ul style="list-style-type: none"><li>• Modular 24-pin cable: Black UltraFlex™ wires in braided sleeve</li><li>• Other modular cables: Flat black UltraFlex™ wires</li></ul>
Protection features	<ul style="list-style-type: none"><li>• Over voltage protection</li><li>• Under voltage protection</li><li>• Overpower protection</li><li>• Short circuit protection</li><li>• Over current protection</li><li>• Over temperature protection</li></ul>

# General specifications

Input voltage	• 100-240V C
Input frequency	• 50-60 Hz
Standby efficiency	• ErP 2013 (<0.45W @230. VAC, 45 mA load on +5Vsb)
Sleep state compliance	• C6/C7
Approvals & Certifications	• CE, FCC, TUV, cTUVus, EAC, RCM, CCC, BSMI, CB, KC+KCC
Unit dimensions - WxHxD (mm)	• 150 x 150 x 86
Net weight (unit & DC cables)	• 560W – 2,24 kg • 660W – 2,34 kg • 760W – 2,53 kg • 860W – 2,53 kg
Package dimensions – LxWxH (mm)	• 325 x 210 x 110
Package weight (w/o AC cable)	• 560W – 2,76 kg • 660W – 2,86 kg • 760W – 3,06 kg • 860W – 3,06 kg
Warranty	• 10 Years

# Package contents

- Power Supply
- Power Supply storage bag
- Modular cable kit in storage bag
- Manual
- AC Power cord
- Velcro cable ties and mounting screw pack

# Additional information

Product	SKU	EAN	UPC	JAN
Ion+ 2 Platinum 560W	FD-P-IA2P-560	7340172702856	843276102852	4537694282703
Ion+ 2 Platinum 660W	FD-P-IA2P-660	7340172702863	843276102869	4537694282710
Ion+ 2 Platinum 760W	FD-P-IA2P-760	7340172702870	843276102876	4537694282727
Ion+ 2 Platinum 860W	FD-P-IA2P-860	7340172702887	843276102883	4537694282734