## StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe Network Card Adapter - PoE/PSE

Brand : StarTech.com Product code: ST2000PEXPSE

**Product name :** Dual Port PCI Express Gigabit Ethernet

PCIe Network Card Adapter - PoE/PSE

 $StarTech.com\ Dual\ Port\ PCI\ Express\ Gigabit\ Ethernet\ Network\ Card\ Adapter\ -\ 2\ Port\ PCIe\ NIC\ 10/100/100$   $Server\ Adapter\ with\ PoE\ PSE$ 

StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe Network Card Adapter - PoE/PSE. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 2000 Mbit/s








Ports & interfaces		System requirements	
Connectivity technology * Host interface * Interface *	Wired PCI Express Ethernet	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Ethernet LAN (RJ-45) ports	2	Linux operating systems supported	✓
Power over Ethernet (PoE) ports quantity	2		Windows Server 2003, Windows Server 2008 R2, Windows Server
Network		Server operating systems supported	2012, Windows Server 2012 R2, Windows Server 2016, Windows
Maximum data transfer rate *	2000 Mbit/s		Server 2019
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at,	Operational conditions	
5	IEEE 802.3u, IEEE 802.3x	Operating temperature (T-T)	0 - 55 °C
Ethernet LAN	1	Storage temperature (T-T)	-20 - 85 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating relative humidity (H-H)	5 - 95%
Cabling technology	10/100/1000BaseT(X)	Weight & dimensions	
Auto MDIX IEEE	<b>√</b>	Width	19 mm
Full duplex	<b>√</b>	Depth	195 mm
Jumbo frames support	<b>V</b>	Height	68 mm
VLAN tagging LAN controller	Realtek RTL8111E	Weight	104 g
Design	Rediter Kiloiiie	Packaging data	
Component for * Internal * Chipset LED indicators Mean time between failures (MTBF) Certification	PC  ✓ Realtek - RTL8111E Activity, Link, PoE 140981 h CE, FCC, REACH	Drivers included Low-profile bracket Package width Package depth Package height Package weight	✓ ✓ 231 mm 165 mm 45 mm 246 g
Power	5-1, 5-5, NEA (61)	Packaging content	
	40.1/	Manual	✓
Output voltage	48 V		

System requirements		Technical details	
	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 7, Windows 7	Compliance certificates	RoHS
		Logistics data	
		Harmonized System (HS) code	85176990
		Other features	
		Buffer size	48 KB
Windows operating systems supported	Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate x64, Windows 7 X64, Windows 8 Ultimate x64, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro, Windows 8 Pro, Windows 8.1 Enterprise x64, Windows 8.1 Finterprise, Windows 8.1 Finterprise, Windows 8.1 Fox X64, Windows 8.1 Fox X64, Windows Windows Windows Wista Business, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Home Basic x64, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista X64, Windows XP, Windows XP, Windows XP, Windows XP, Windows XP, Windows XP, Windows XP Professional, Windows XP Professional, Windows XP Professional x64	Flow control support	









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.