

EPSON

Epson Double Sided Matte Paper - A4 - 50 Sheets

Brand : Epson

Product code: C13S041569


Product name : Double Sided Matte Paper - A4 - 50 Sheets

Double Sided Matte Paper - A4 - 50 Sheets

[Epson Double Sided Matte Paper - A4 - 50 Sheets:](#)

The light-white matt surface of this heavy printing medium ensures a more even colour distribution, resulting in this product being ideally suited for many applications for beginners as well as for professional users. Photographers and graphic designers are thus in a position to produce high-quality photographs and pictures with a matt photo-like finish.

Epson Double Sided Matte Paper - A4 - 50 Sheets. Finish type: Matt, Media weight: 178 g/m², Paper size: A4. Quantity per pack: 1 pc(s), Package width: 220 mm, Package depth: 300 mm. Pallet width (UK): 100 cm, Pallet length (UK): 120 cm, Pallet height (UK): 100 cm. Country of origin: Japan



Features

Paper size	A4
Product colour	White
Finish type *	Matt
Media weight *	178 g/m ²
Sheets per pack	50 sheets
Both sides printable	✓

Features

Epson Stylus Color 600, Epson Stylus Color 400, Stylus Photo 700, Stylus Color 740, Epson Stylus Color 740i, Stylus Photo 1200, Stylus Color 1160, Stylus Photo 1270, Stylus Color 760, Epson Stylus Color 670, Stylus Color 860, Stylus Photo 870, Stylus Photo 2000P, Epson Stylus Color 880, Epson Stylus Color 980, Stylus Color 680, Stylus Photo 2100, Epson Stylus Photo 1290, Stylus Photo 1290 Silver, Stylus Photo 890, Stylus Photo 895, Stylus C40UX & C40SX, Stylus C40SX, Stylus Photo 810, Stylus C60, Stylus C80, Stylus C70, Stylus Photo 925, Stylus C41UX, Stylus C41SX, Stylus Photo 830, Stylus C61, Stylus C82, Stylus CX5100, Stylus CX3100, Stylus Photo 915, Stylus Photo 935, Stylus Photo 830U, Epson Stylus C63, Stylus C83, Stylus Photo R310, Stylus Photo RX510, Stylus Photo R210, Stylus CX5300, Stylus Photo R800, Stylus CX1500, Stylus C65, Stylus CX3500, Stylus CX6500, Stylus Photo RX430, Stylus Photo RX700, Stylus Photo RX630, Stylus Photo R1800, Stylus Photo R2400, Stylus Photo R250, Stylus Photo R350, Stylus Photo RX650, Stylus CX4700, Stylus CX3700, Stylus Photo RX530, Stylus C67, Stylus C87, Stylus C87+, Stylus Photo R230, Stylus CX4100, Stylus CX5700F, Stylus CX4900, Stylus CX3900, Stylus Photo 1410, Stylus CX5900, Stylus Photo R390, Stylus Photo RX590, Stylus C79, Stylus C59, Stylus CX6900F, Stylus C90, Stylus Photo RX690, Stylus C110, Stylus CX5500, Stylus CX7300, Stylus CX8300, Stylus Photo R290, Stylus Photo RX610, Stylus CX9300F, Stylus Photo R1900, Stylus Photo R2880, Stylus Photo TX800FW, Stylus Photo TX700W, Stylus Photo T50, Stylus Photo TX650, Stylus Photo TX810FW, Stylus Photo TX710W, Epson Artisan 835, Epson Artisan 725, Stylus Photo R3000, Epson Artisan 730, Epson Artisan 837, Stylus Photo R2000, Epson Artisan 635, Epson Artisan 1430, Expression Photo XP-850, Expression Premium XP-800, Expression Premium XP-700, Expression Premium XP-600, Expression Photo XP-950, Expression Premium XP-710, Expression Premium XP-610, Expression Premium XP-510, Expression Photo XP-860, Expression Premium XP-820, Expression Premium XP-720, Expression Premium XP-620, Expression Premium XP-520, SureColor P600, WorkForce ET-4550, SureColor P405, WorkForce ET-16500, Expression ET-3600, Expression Premium ET-7700, Expression Premium ET-7750, Expression Photo XP-8500, WorkForce ET-4750, Expression ET-3700, Expression Photo HD XP-15000, EcoTank ET-M3170, EcoTank ET-M3170, EcoTank ET-M3180, EcoTank ET-M1180, EcoTank ET-M1180, EcoTank ET-M1100, EcoTank ET-M1100, EcoTank ET-M1120, EcoTank ET-M1120, EcoTank ET-M2170, EcoTank ET-M1170, Expression Photo XP-8600

Compatible products

Packaging data

Quantity per pack

1 pc(s)

Packaging data

Package width	220 mm
Package depth	300 mm
Package height	15 mm
Package weight	700 g

Logistics data

Harmonized System (HS) code	37032000
Pallet width (UK)	100 cm
Pallet length (UK)	120 cm
Pallet height (UK)	100 cm
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	100 cm
Products per pallet	700 pc(s)
Products per pallet (UK)	700 pc(s)
Products per pallet layer	100 pc(s)
Products per pallet layer (UK)	140 pc(s)
Master (outer) case width	320 mm
Master (outer) case length	470 mm
Master (outer) case height	200 mm
Master (outer) case gross weight	14.5 g
Products per master (outer) case	20 pc(s)
Minimum order quantity	20 pc(s)

Other features

Country of origin	Japan
-------------------	-------



0010343839014



010343839014

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date