

Epson WorkForce DS-1660W Flatbed scanner 600 x 600 DPI A4 Black, White

Brand : Epson

Product family: WorkForce

Product code: B11B244401BY

Product name : DS-1660W



A4, Flatbed, 600 x 600DPI, ReadyScan LED, 25ppm, USB 3.0, Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi Direct

Epson WorkForce DS-1660W. Maximum scan size: 210 x 3048 mm, Optical scanning resolution: 600 x 600 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: Flatbed scanner, Product colour: Black, White, Display: LCD. Daily duty cycle (max): 1500 pages, Light source: ReadyScan LED, Scan file formats: PDF, TIFF. Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, ISO A-series sizes (A0...A9): A4, A5, A6, ISO B-series sizes (B0...B9): B5



Scanning		Ports & interfaces	
Maximum scan size *	210 x 3048 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	3.2 Gen 1 (3.1 Gen 1)
Enhanced scan resolution	1200 x 1200 DPI	Optional connectivity	Ethernet
Colour scanning	✓	Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN
Duplex scanning *	✓	Network	
ADF scan speed (b/w, A4)	25 ppm	Wi-Fi	✓
ADF scan speed (colour, A4)	25 ppm	Wi-Fi standards	802.11a, 802.11b, 802.11g
Design		Ethernet LAN	✓
Scanner type *	Flatbed scanner	Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP
Product colour *	Black, White	Power	
Display	LCD	Power supply type *	AC
Built-in display *	✓	Weight & dimensions	
Performance		Width	451 mm
Light source	ReadyScan LED	Depth	315 mm
Scan file formats	PDF, TIFF	Height	120 mm
Daily duty cycle (max) *	1500 pages	Weight	3.9 kg
Scan drivers	TWAIN	Packaging content	
Scanning noise level	55 dB	Cables included	AC, USB
Input capacity		Sustainability	
Auto document feeder (ADF) input capacity	50 sheets	Sustainability certificates	ENERGY STAR
Paper handling		System requirements	
Maximum ISO A-series paper size *	A4	Windows operating systems supported	✓
ISO A-series sizes (A0...A9)	A4, A5, A6	Operational conditions	
ISO B-series sizes (B0...B9)	B5	Operating temperature (T-T)	10 - 35 °C
Letter	✓	Storage temperature (T-T)	-20 - 80 °C
Legal	✓	Operating relative humidity (H-H)	20 - 80%
Maximum scan area (ADF)	210 x 3048 mm	Storage relative humidity (H-H)	20 - 80%
Minimum scan area (ADF)	89 x 127 mm	Logistics data	
		Harmonized System (HS) code	84716070



8715946605654

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date