

ASUS WS C422 SAGE/10G Intel® C422 LGA 2066 (Socket R4) CEB

Brand : ASUS

Product code: 90SW00J0-M0EAY0

Product name : WS C422 SAGE/10G

- Powerful performance with Intel® Xeon® W processor and ECC memory
 - High Speed networking with dual Intel® 10G LAN
 - Ultimate graphics power with up to 4-way NVIDIA® SLI™ and AMD® CrossFireX™
 - ASUS Control Center - A software utility that provides convenient, secure and cost-saving centralized IT management for small and medium businesses
 - Next-gen transfer speeds - Up to 32Gbps dual M.2 and U.2, plus up to 10Gbps USB 3.1 Gen2 Type-A and Type-C connections
 - Ultra-efficient VRM heatsink - Metal fin array connected to large surface area via a heatpipe tames C422 thermals to enable unthrottled performance
- WS C422 SAGE/10G, Intel C422, LGA 2066, 8x DDR4 DIMM, 7x PCIe 3.0 x16, M.2, 10G LAN, USB 3.1, S/PDIF, CEB, 305x267 mm



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Processor socket *	LGA 2066 (Socket R4)	Ethernet LAN (RJ-45) ports *	2
Lithography	14 nm	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR4-SDRAM	Ethernet interface type	10 Gigabit Ethernet
Number of memory slots *	8	LAN controller	Intel® X550-AT2
Memory channels	Quad-channel	Wi-Fi *	✗
Supported memory clock speeds	2133,2400,2666 MHz	Features	
Maximum internal memory *	512 GB	Motherboard chipset *	Intel® C422
Storage controllers		Audio chip	Realtek ALC S1220A
Supported storage drive interfaces *	SATA III	Audio output channels *	7.1 channels
RAID support	✓	Component for *	Workstation
RAID levels	0, 1, 5, 10	Motherboard form factor *	CEB
Graphics		Motherboard chipset family *	Intel
Parallel processing technology support *	4-Way CrossFireX, 4-Way SLI	Expansion slots	
Internal I/O		PCI Express x16 (Gen 3.x) slots	7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	2
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	8	BIOS type *	UEFI
ATX Power connector (24-pin)	✓	Clear CMOS button	✓
Number of EATX power connectors	1	Operational conditions	
CPU fan connector	✓	Storage temperature (T-T)	-40 - 70 °C
Number of chassis fan connectors	2	Operating temperature (T-T)	10 - 35 °C
EPS power connector (8-pin)	✓	Operating relative humidity (H-H)	20 - 90%
Number of COM connectors	1	Logistics data	
TPM connector	✓	Harmonized System (HS) code	84733020
Weight & dimensions		Weight & dimensions	
		Width	305 mm
		Depth	267 mm

Rear panel I/O ports	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1

Weight & dimensions	
Height	300 mm

Packaging content	
Cables included	SATA
User guide	✓

Other features	
Maximum LRDIMM memory	512 GB
Weight	2.24 kg
Number of DIMM slots	8
Number of processors supported	1



4712900962956



0889349962954



889349962954

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.