PHILIPS

Philips LCD monitor with SmoothTouch 222B9T/00

Brand : Philips Product code: 222B9T/00

Product name: LCD monitor with SmoothTouch

222B9T/00

Monitor 222B9T LCD monitor with SmoothTouch

Philips LCD monitor with SmoothTouch 222B9T/00:

A sturdy, water and dust resistant touch screen monitor for flexible use anywhere, with articulating stand to fit angles you need. Offering simple and intuitive use across applications, greatly boosts up productivity.

Philips LCD monitor with SmoothTouch 222B9T/00. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD. Display: TN+Film. Display surface: Gloss, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black











Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Cable lock slot *	1
Display resolution *	1920 x 1080 pixels	Cable lock slot type	Kensington
HD type *	Full HD	Height adjustment *	1
Native aspect ratio *	16:9	Height adjustment	7.6 cm
Display technology *	LCD	Tilt adjustment	✓
Panel type *	TFT	Tilt angle range	-5 - 90°
LED backlight	✓		Simplified Chinese, Traditional
Backlight type	W-LED		Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Touchscreen *	✓	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese
Touchscreen type	Table		Korean, Polish, Portuguese, Russia
Touchscreen technology	Projected capacitive system		Swedish, Turkish, Ukrainian
Touch technology	Multi-touch	Palm rejection area	30 x 30 mm
Number of simultaneous touchpoints	10	Plug and Play LED indicators	✓ Operation, Stand-by
Display brightness (typical)	250 cd/m²	Power	
Display brightness	250 cd/m²		2
Response time *	1 ms	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000	D
Display surface	Gloss	hours *	13 kWh
Screen shape *	Flat	Power consumption (typical) *	11.92 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (standby) *	0.5 W
Supported video modes	1080p	Power consumption (off)	0.3 W
Aspect ratio	16:9	Power consumption (PowerSave)	10.3 W
Contrast ratio (typical) *	1000:1	AC input voltage	100 - 240 V
Contrast ratio (dynamic)	50000000:1	AC input frequency	50 - 60 Hz
Dynamic contrast ratio marketing name	SmartContrast	Power supply type	External
Maximum refresh rate *	60 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	170°	European Product Registry for Energy Labelling (EPREL) code	388101
Viewing angle, vertical	160°	External power adapter	√
Display number of colours *	16.78 million colours	·	*
Pixel pitch	0.248 x 0.248 mm	Operational conditions	
Pixel density	102 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 85 kHz	Storage temperature (T-T)	-20 - 60 °C

Diamlass		Onevetional conditions	
Display		Operational conditions	
Vertical scan range	48 - 75 Hz	Operating relative humidity (H-H)	20 - 80%
Viewable size, horizontal	47.7 cm	Operating altitude	0 - 3658 m
Viewable size, vertical	26.8 cm	Non-operating altitude	0 - 12192 m
Digital horizontal frequency	30 - 85 kHz	Weight & dimensions	
Digital vertical frequency	48 - 75 Hz	Width (with stand)	515 mm
Display diagonal (metric)	54.6 cm	Depth (with stand)	227 mm
DDC/CI	✓	Height (with stand)	394 mm
Surface hardness	7H	Weight (with stand)	7.46 kg
Colour gamut standard	sRGB	Width (without stand)	515 mm
Colour gamut	72%	Depth (without stand)	45 mm
3D	×	Height (without stand)	317 mm
Display glass type	Tempered glass	Weight (without stand)	4.17 kg
Display sRGB	1	Packaging data	
Performance			575 mm
NVIDIA G-SYNC *	×	Package width	161 mm
AMD FreeSync *	×	Package depth	420 mm
Component video sync	Separate sync, Sync-on-green	Package height	
,	(SOG)	Package weight	9.91 kg
Flicker-free technology	√	Packaging content	
Low Blue Light technology	·	Stand included	✓
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Cables included	VGA, HDMI, DisplayPort, USB Type-A to USB Type-B, Audio (3.5mm), AC
Other operating systems supported	Android	Manual	✓
Multimedia		Bundled software	SmartControl
Number of speakers	2	Sustainability	
RMS rated power	2 W	Sustainability certificates	ENERGY STAR, TCO
Built-in speaker(s) *	✓	Doesn't contain	PVC/BFR, Mercury
Built-in microphone	×		
		Other features	
Built-in camera *	×	Other features	ID65
Built-in camera * Design	×	International Protection (IP) code	IP65 ✓
	X Home	International Protection (IP) code AC adapter included	
Design		International Protection (IP) code	√
Design Market positioning *	Home	International Protection (IP) code AC adapter included Display	✓ TN+Film
Design Market positioning * Product colour *	Home Black	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand	✓ TN+Film 515 x 227 x 394 mm
Design Market positioning * Product colour * Front bezel colour	Home Black Black	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective	✓ TN+Film 515 x 227 x 394 mm ✓
Design Market positioning * Product colour * Front bezel colour Feet colour	Home Black Black Black	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV)	✓ TN+Film 515 x 227 x 394 mm ✓ 476.64 x 268.11 mm
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces	Home Black Black	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity	Home Black Black Black	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port	Home Black Black 2 ✓	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity	Home Black Black 2 ✓ 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury)
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70°
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° ▼
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI *	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement	▼ TN+Film 515 x 227 x 394 mm ▼ 476.64 x 268.11 mm ▼ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° ▼ 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO;
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution	TN+Film 515 x 227 x 394 mm √ 476.64 x 268.11 mm √ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° √ 1920 x 1080 @ 60 Hz Smartlmage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals	TN+Film 515 x 227 x 394 mm √ 476.64 x 268.11 mm √ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° √ 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; CETLus
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method	TN+Film 515 x 227 x 394 mm √ 476.64 x 268.11 mm √ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° √ 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI version DisplayPorts quantity DisplayPort version	Home Black Black 2 1 1 1 1 1 1 1 1 1 1 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	Home Black Black 2 1 1 1 1 1 1 1 1 1 1 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old)	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove A
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs	Home Black Black 2 1 1 1 1 1 1 1 1 1 1 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old) Full HD	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove A
Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in	Home Black Black 2 1 1 1 1 1 1 1 1 1 1 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old)	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove A
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in HDCP	Home Black Black 2 1 1 1.4 1.4 1.2 1.2 1.2 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old) Full HD Compliance certificates	TN+Film 515 x 227 x 394 mm √ 476.64 x 268.11 mm √ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° √ 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove ✓ A ✓ RoHS, WEEE
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in HDCP HDCP version Ergonomics	Home Black Black 2 1 1 1.4 1.4 1.2 1.2 1.2 1	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old) Full HD Compliance certificates	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU ROHS; cETLus Stylus, Finger, Glove A ROHS, WEEE 70000 h CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV
Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in HDCP HDCP version	Home Black Black 2 1 1 1.4 1.4 1.2 1.2 1.2 1.	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old) Full HD Compliance certificates Mean time between failures (MTBF) Certification	TN+Film 515 x 227 x 394 mm √ 476.64 x 268.11 mm √ 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° √ 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; cETLus Stylus, Finger, Glove √ A ✓ ROHS, WEEE 70000 h CB, CE Mark, FCC Class B, SEMKO,
Design Market positioning * Product colour * Front bezel colour Feet colour Ports & interfaces USB Type-A downstream ports quantity USB Touch port VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in HDCP HDCP version Ergonomics VESA mounting *	Home Black Black 2	International Protection (IP) code AC adapter included Display Dimensions (W x D x H) with stand Anti-reflective Display viewable area (HxV) Connection to PC Recyclable packaging material Mobile operating systems supported Heavy metals free Folding angle SoftBlue Recommended resolution Picture enhancement Regulatory Approvals Touch method EasyRead mode Energy efficiency class (old) Full HD Compliance certificates Mean time between failures (MTBF)	TN+Film 515 x 227 x 394 mm 476.64 x 268.11 mm 100% Android 7.1, Android 7.0, Android 6.0, Android 5.0, Android 4.4 Hg (mercury) 70° 1920 x 1080 @ 60 Hz SmartImage CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU ROHS; cETLus Stylus, Finger, Glove A ROHS, WEEE 70000 h CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV



8712581756789

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.