

LG HU85LS data projector Ultra short throw projector 2700 ANSI lumens DLP UHD 4K (3840x2160) Grey

Brand: LG Product code: HU85LS

Product name: HU85LS

- Laser 4K UHD
- 8.3 Mega pixel
- Throw Ratio 0.19
- webOS 4.5
- 12-Point Keystone Adjustment
- Harmonised Design

CineBeam Laser 4K HU85LS

LG HU85LS. Projector brightness: 2700 ANSI lumens, Projection technology: DLP, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h. Focus: Manual, Offset: 120%. Supported graphics resolutions: 4096 x 2160. Noise level: 28 dB, Noise level (economic mode): 26 dB, On Screen Display (OSD) languages: Bulgarian, Czech, Danish, Dutch, English, Spanish, French, Hungarian, Italian, Polish, Portuguese,...





		_	
Projector		Features	
Supported aspect ratios	4:3, 16:9	Country of origin	China
Smart projector *	√	HID support	√
Screen size compatibility *	2286 - 3048 mm (90 - 120")	4K Ultra HD upscaling	✓
Projection distance Projector brightness *	0.1 - 0.42 m 2700 ANSI lumens	High Dynamic Range (HDR) supported	1
Projection technology * Projector native resolution *	DLP UHD 4K (3840x2160)	High Dynamic Range (HDR) technology	HDR Effect, High Dynamic Range 10 (HDR10)
Contrast ratio (typical) *	2000000:1	Noise reduction	✓
Native aspect ratio *	16:9	Operating system installed	webOS
Uniformity	85%	Operating system version	4.5
Light source		Multimedia	
Light source type *	Laser	Built-in speaker(s) *	✓
Service life of light source *	20000 h	RMS rated power	10 W
3	2000011	Number of built-in speakers	2
Lens system Focus *	Manual	Audio decoders	DTS-HD, Dolby Atmos, Dolby Surround
Zoom capability	√	Design	
Throw ratio	0.19	Market positioning *	Business
Offset	120%	Product type *	Ultra short throw projector
Video		Product colour *	Grey
Full HD *	1	LED indicators	√
Supported graphics resolutions	4096 x 2160	Cable lock slot	✓
11 3 1	4030 X 2100	Cable lock slot type	Kensington
Ports & interfaces		Power	
USB 2.0 ports quantity *	3 2	Power source *	AC
USB 2.0 Type-A ports quantity USB 2.0 Type-C ports quantity	1	Power consumption (standby) *	0.5 W
S/PDIF out port	1	Power consumption (max)	350 W
HDMI ports quantity *	2	AC input voltage	100 - 240 V
Consumer Electronics Control (CEC)	_	AC input frequency	50 - 60 Hz
support	✓	Auto power off	✓
Audio Return Channel (ARC)	✓	Processor	
Network		Built-in processor	√
Ethernet LAN *	✓	Processor cores	4
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Miracast	✓	Operating temperature (T-T)	0 - 40 °C
Web browser	✓	operating temperature (1-1)	· . · · ·
Bluetooth	✓		

Features		Weight & dimensions	
English, On Screen Display (OSD) languages Hungari Portugu		Width Depth Height Weight *	680 mm 347 mm 128 mm 12.2 kg
	Portuguese, Romanian, Russian,	Packaging content Remote control included *	·
Number of OSD languages Noise level *	SER, Slovak, Turkish 18 28 dB ✓	Cables included Manual	AC ✓
Sleep timer		Technical details	
		Commodity Classification Automated Tracking System (CCATS)	85286100
		Logistics data	
		Harmonized System (HS) code	85286200

