PHILIPS

Philips B Line 272B1G/00 LED display $68.6~\mathrm{cm}$ (27") 1920 x 1080 pixels Full HD Black

Brand : Philips Product family: B Line Product code: 272B1G/00

Product name: 272B1G/00

Business Monitor 272B1G LCD monitor with super energy efficiency

Philips B Line 272B1G/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

The eco-friendly Philips 27" monitor is designed for sustainable productivity. Super-energy-efficient design delivers a new level of power savings. PowerSensor and LightSensor further reduce energy use while delivering crisp visuals.

Philips B Line 272B1G/00. Display diagonal: 68.6 cm (27"), Display resolution: $1920 \times 1080 \text{ pixels}$, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black











Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DC-in jack	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	1
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable lock slot *	✓
Panel type *	IPS	Cable lock slot type	Kensington
Backlight type	W-LED	Height adjustment *	✓
Touchscreen *	×	Height adjustment	15 cm
Display brightness (typical)	250 cd/m²	Pivot	✓
Response time *	4 ms	Pivot angle	-90 - 90°
Display surface	Matt	Swivelling	1
Anti-glare screen	✓	Swivel angle range	-180 - 180°
Screen shape *	Flat	Tilt adjustment	1
Supported graphics resolutions	1280 x 720 (HD 720), 1360 x 768 (WXGA), 1920 x 1080 (HD 1080)	Tilt angle range	-5 - 35°
Supported video modes	720p, 768p, 1080p	On Screen Display (OSD)	✓
Aspect ratio	16:9		Simplified Chinese, Traditional
Contrast ratio (typical) *	1000:1		Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Contrast ratio (dynamic)	50000000:1	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese,
Dynamic contrast ratio marketing name	SmartContrast		Korean, Polish, Portuguese, Russian Swedish, Turkish, Ukrainian
Maximum refresh rate *	75 Hz	Number of OSD languages	21
Viewing angle, horizontal	178°	Plug and Play	✓
Viewing angle, vertical	178°	LED indicators	Operation, Stand-by
Display number of colours *	16.7 million colours	Power	
Pixel pitch	0.3114 x 0.3114 mm	Energy efficiency class (SDR) *	С
Pixel density	82 ppi	Energy consumption (SDR) per 1000	
Horizontal scan range	30 - 85 kHz	hours *	14 kWh
Vertical scan range	48 - 75 Hz	Power consumption (typical) *	13.1 W
Viewable size, horizontal	59.8 cm	Power consumption (standby) *	0.35 W

P! I.		P	
Display		Power	
Viewable size, vertical	33.6 cm	Power consumption (PowerSave)	9.2 W
Digital horizontal frequency	30 - 85 kHz	AC input voltage	100 - 240 V
Digital vertical frequency	48 - 75 Hz	AC input frequency	50 - 60 Hz
Sync-on-green (SOG)	✓	Power supply type	Internal
Display diagonal (metric)	68.6 cm	Energy efficiency scale	A to G
DDC/CI	✓	European Product Registry for	388610
Haze rate	25%	Energy Labelling (EPREL) code	
Surface hardness	3H	Operational conditions	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	76%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	102%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical) Adobe RGB coverage	88% 83%	Storage relative humidity (H-H)	20 - 80%
DCI-P3 coverage	80%	Operating altitude	0 - 3658 m
Display sRGB	√	Non-operating altitude	0 - 12192 m
	•	Weight & dimensions	
Performance		Width (with stand)	613 mm
NVIDIA G-SYNC *	X	Depth (with stand)	205 mm
AMD FreeSync *	X	Height (with stand)	537 mm
VESA Adaptive Sync support	Congrate sums Sums summer	Weight (with stand)	6 kg
Component video sync	Separate sync, Sync-on-green (SOG)	Width (without stand)	613 mm
Flicker-free technology	(Depth (without stand)	51 mm
Low Blue Light technology	1	Height (without stand)	366 mm
Multimedia	•	Weight (without stand)	4.4 kg
Number of speakers	2	Packaging data	
RMS rated power	2 W	Package width	700 mm
Built-in speaker(s) *	✓ vv	Package depth	215 mm
Built-in camera *	×	Package height	456 mm
		Package weight	9.63 kg
Design		Package type	Box
Market positioning *	Business	Packaging content	
Product colour * Frameless design	Black ✓	Stand included	✓
Front bezel colour	Black	Cables included	VGA, HDMI, DisplayPort, Audio
Detachable stand	✓		(3.5mm), AC
Feet colour	Black	Manual Bundled software	✓ SmartControl
Ports & interfaces		Sustainability	Sinarecondo
Built-in USB hub *	1	•	ENERGY CTAR TOO
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates Doesn't contain	ENERGY STAR, TCO
USB upstream port type	USB Type-B		Mercury, PVC/BFR
Number of upstream ports	1	Other features	
USB Type-A downstream ports	4	Exterior finish type	Textured
quantity	4	Picture enhancement	SmartImage
VGA (D-Sub) ports quantity	1	Recyclable packaging material	100%
DVI port	√		CB; FCC Class B; ICES-003; CE Mark;
DVI-D ports quantity	1	Regulatory Approvals	TUV Ergo; TUV/GS; SEMKO; CU-EAC; EAEU RoHS; UKRAINIAN; TUV Eye
HDMI *	√		Comfort certified
HDMI ports quantity	1	Light sensor	✓
HDMI version	1.4	EasyRead mode	✓
DisplayPorts quantity	1	LowBlue mode	1
DisplayPort version	1.2	Compliance certificates	RoHS
Audio input Hoadphone out *	1	Mean time between failures (MTBF)	70000 h
Headphone out *	1		CB, FCC Class B, ICES-003, CE Mark,
Headphone outputs Headphone connectivity		Certification	TUV Ergo, TUV/GS, SEMKO, CU-EAC, EAEU RoHS, UKRAINIAN, TUV Eye
PC Audio in	3.5 mm ✓		Comfort certified
HDCP	J	Recycling data	
HDCP version	1.4	Post-consumer recycled plastic	85%
		Logistics data	
		•	85285210
		Harmonized System (HS) code	85285210



8712581764319

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.