



HP P22 G4 22 FHD Monitor

Brand : HP

Product code: 1A7E4AA


Product name : P22 G4 22 FHD Monitor

- Navigate documents and spreadsheets and work in applications side by side on the 21.5" (54.61 cm) diagonal Full HD IPS screen with 1920 x 1080 resolution.
- Complement your workspace with a contemporary display that has a 3-sided micro-edge bezel for unlimited sightlines and virtually seamless multi-display^[1] setups.
- Quickly connect to your devices and additional displays through the HDMI, DisplayPort™, and VGA connectors.

P22 G4 22 FHD Monitor

HP P22 G4 22 FHD Monitor:

The amazingly affordable business display. Put your content front and center on the HP P22 G4 FHD Monitor. The stylish, sleek design delivers essential presentation features, visual comfort, and advanced connectivity at a remarkable price point. HP P22 G4 22 FHD Monitor. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Height adjustment *	✗
Display resolution *	1920 x 1080 pixels	Pivot	✗
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 23°
Panel type *	IPS	Plug and Play	✓
Touchscreen *	✗	Power	
Display brightness (typical)	250 cd/m ²	Energy efficiency class (SDR) *	E
Response time *	5 ms	Energy consumption (SDR) per 1000 hours *	14 kWh
Screen shape *	Flat	Power consumption (typical) *	19 W
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1366 x 768, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Power consumption (standby) *	0.3 W
		AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	European Product Registry for Energy Labelling (EPREL) code	355716
Contrast ratio (dynamic)	8000000:1	Operational conditions	
Maximum refresh rate *	60 Hz	Operating temperature (T-T)	5 - 35 °C
Viewing angle, horizontal	178°	Operating relative humidity (H-H)	20 - 80%
Viewing angle, vertical	178°	Weight & dimensions	
Pixel pitch	0.247 x 0.247 mm	Width (with stand)	497.3 mm
Horizontal scan range	0 - 86 kHz	Depth (with stand)	211.6 mm
Vertical scan range	0 - 75 Hz	Height (with stand)	454.9 mm
Colour gamut standard	NTSC	Weight (with stand)	4.14 kg
Colour gamut	72%	Width (without stand)	497.3 mm
		Depth (without stand)	45.9 mm
		Height (without stand)	301.1 mm
Performance		Packaging data	
Flicker-free technology	✓	Package width	567 mm
Low Blue Light technology	✓	Package depth	189 mm
Multimedia		Package height	385 mm
Built-in speaker(s) *	✗		

Multimedia		Packaging data	
Built-in camera *	✘	Package weight	5.65 kg
Design		Sustainability	
Market positioning *	Business	Sustainability certificates	ENERGY STAR
Product colour *	Black	Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified
Ports & interfaces		Other features	
Built-in USB hub *	✘	Weight	4.14 kg
VGA (D-Sub) ports quantity	1	Height	301.1 mm
DVI port	✘	Width	497.3 mm
HDMI *	✔	Depth	45.9 mm
HDMI version	1.4	Brand-specific features	
DisplayPorts quantity	1	HP GTIN (EAN/UPC)	195122230814
DisplayPort version	1.2	Logistics data	
Audio input	✘	Harmonized System (HS) code	85285210
Headphone out *	✘		
HDCP	✔		
Ergonomics			
VESA mounting *	✔		
Panel mounting interface	100 x 100 mm		



0195122230883



195122230883




0195122230890



195122230890



0195122230906



195122230906



0195122230715



195122230715



0195122230722



195122230722



0195122230739



195122230739



0195122230746



195122230746



0195122230753



195122230753



0195122230760



195122230760



0195122230876



195122230876



0195122230869



195122230869



0195122230852



195122230852



0195122230845



195122230845




0195122230838



195122230838



0195122230814



195122230814



0195122230807



195122230807



0195122230791



195122230791



0195122230777



195122230777



0195122230821




195122230821



4580511763763



5715063268179



0195122230784



195122230784

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.