PHILIPS

Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black

Brand : Philips Product family: P Line Product code: 326P1H/00

Product name: 326P1H/00

- P Line
- 32 (31.5"/80 cm diag.)

Digital vertical frequency

48 - 75 Hz

- 2560 x 1440 (QHD)

Brilliance 326P1H LCD monitor with USB-C docking

Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black:

The Philips USB-C docking display for a comprehensive solution. View QHD and re-charge a laptop up to 90 W, all at the same time with a single USB-C cable. Pop-up webcam with Windows Hello and daisy-chaining deliver performance and convenience

Philips P Line 326P1H/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black











Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Height adjustment	18 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	X	Swivelling	✓
Display brightness (typical)	350 cd/m ²	Swivel angle range	-180 - 180°
Response time *	4 ms	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 25°
Screen shape *	Flat	On Screen Display (OSD)	✓
Supported graphics resolutions	2560 x 1440		Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese Korean, Polish, Portuguese, Russiar
Aspect ratio	16:9		
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	
Contrast ratio (dynamic)	50000000:1		
Dynamic contrast ratio marketing	SmartContrast		Swedish, Turkish, Ukrainian
name		Number of OSD languages	21
Maximum refresh rate *	75 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	LED indicators	Operation, Stand-by
Viewing angle, vertical	178°	Power	
Display number of colours *	1.07 billion colours	Energy efficiency class (SDR) *	G
Pixel pitch	0.2727 x 0.2727 mm	Energy consumption (SDR) per 1000	
Pixel density	93 ppi	hours *	39 kWh
Horizontal scan range	30 - 114 kHz	Power consumption (typical) *	25.3 W
Vertical scan range	48 - 75 Hz	Power consumption (standby) *	0.3 W
Viewable size, horizontal	69.8 cm	Power consumption (PowerSave)	24 W
Viewable size, vertical	39.3 cm	AC input voltage	100 - 240 V
Digital horizontal frequency	30 - 114 kHz	AC input frequency	50 - 60 Hz
Distract continuit for account	40 75 11		

Diamby		Dower	
Display Display diagonal (matric)	90 cm	Power cupply type	Internal
Display diagonal (metric) DDC/CI	80 cm ✓	Power supply type Energy efficiency scale	Internal A to G
Haze rate	25%	European Product Registry for	
Surface hardness	3H	Energy Labelling (EPREL) code	398293
Colour gamut standard	sRGB	Operational conditions	
Colour gamut	89%	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	118%	Storage temperature (T-T)	-20 - 60 °C
NTSC coverage (typical)	106%	Operating relative humidity (H-H)	20 - 80%
Adobe RGB coverage Display sRGB	87% √	Operating altitude	0 - 3658 m
Performance	4	Non-operating altitude	0 - 12192 m
	Canada auma	Weight & dimensions	
Component video sync Flicker-free technology	Separate sync ✓	Width (with stand)	714 mm
Low Blue Light technology	,	Depth (with stand) Height (with stand)	280 mm 649 mm
Multimedia	•	Weight (with stand)	12.2 kg
Number of speakers	2	Width (without stand)	714 mm
RMS rated power	10 W	Depth (without stand)	62 mm
Built-in speaker(s) *	✓ ·	Height (without stand)	422 mm
Megapixel (approx.)	2 MP	Weight (without stand)	8.21 kg
Built-in microphone	✓	Packaging data	
Built-in camera *	✓	Package width	930 mm
Design		Package depth	186 mm
Market positioning *	Home	Package height	563 mm
Product colour *	Black	Package weight Package type	15.5 kg Box
Front bezel colour	Black		БОХ
Detachable stand Feet colour	√ Black	Packaging content	
	Black	Stand included Cables included	✓ HDML DisplayPort HSP Type C AC
Ports & interfaces		Manual	HDMI, DisplayPort, USB Type-C, AC ✓
Built-in USB hub *	√	Managa	▼
LISB hub version	· ·	Bundled software	SmartControl
USB hub version	3.2 Gen 1 (3.1 Gen 1)		SmartControl
USB hub version USB upstream port type Number of upstream ports	· ·	Sustainability	
USB upstream port type Number of upstream ports Number of USB Type-C upstream	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1		ENERGY STAR, TCO
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-C	Sustainability Sustainability certificates Doesn't contain	
USB upstream port type Number of upstream ports Number of USB Type-C upstream	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1	Sustainability Sustainability certificates Doesn't contain Other features	ENERGY STAR, TCO Mercury, PVC/BFR
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1	Sustainability Sustainability certificates Doesn't contain	ENERGY STAR, TCO
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support	ENERGY STAR, TCO Mercury, PVC/BFR
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision	ENERGY STAR, TCO Mercury, PVC/BFR 3.0
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delive	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU ROHS; CCC; CEL; CECP;
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2
Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead)
Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF)	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF) Ethernet LAN data rates	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h 10,100,1000 Mbit/s
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in DisplayPort output	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF)	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h
Number of upstream ports Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in DisplayPort output Network	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF) Ethernet LAN data rates	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h 10,100,1000 Mbit/s CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CCC, CEL, CECP,
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in DisplayPort output Network Ethernet LAN	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF) Ethernet LAN data rates Wake-on-LAN	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU ROHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h 10,100,1000 Mbit/s 4 CB, TUV/GS, TUV Ergo, SEMKO, CU-
Number of upstream ports Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in DisplayPort output Network	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF) Ethernet LAN data rates Wake-on-LAN	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU ROHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h 10,100,1000 Mbit/s 4 CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU ROHS, CCC, CEL, CECP, CE Mark, FCC Class B, ICES-003,
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input Audio output Headphone out * HDCP HDCP version Charging port type AC (power) in DisplayPort output Network Ethernet LAN	3.2 Gen 1 (3.1 Gen 1) USB Type-C 1 4	Sustainability Sustainability certificates Doesn't contain Other features HBR3 support USB Power Delivery revision Exterior finish type Recyclable packaging material Heavy metals free Light sensor EasyRead mode LowBlue mode Philips SmartUniformity Picture enhancement Regulatory Approvals Delta E Compliance certificates Mean time between failures (MTBF) Ethernet LAN data rates Wake-on-LAN Certification	ENERGY STAR, TCO Mercury, PVC/BFR 3.0 Textured 100% Hg (mercury), Pb (lead) 4 4 93 - 105% SmartImage CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU ROHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified 2 RoHS 70000 h 10,100,1000 Mbit/s 4 CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU ROHS, CCC, CEL, CECP, CE Mark, FCC Class B, ICES-003,

	::	4-4-
LOG	istics	aata

Harmonized System (HS) code

85285210



8712581768096

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.