

## Viewsonic VP Series VP3481A computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LED Black

Brand : Viewsonic Product family: VP Series Product code: VP3481A

**Product name:** VP3481A

- IMMERSIVE CURVED SCREEN DESIGN
- PROFESSIONAL COLOR PROCESSING
- VDISPLAYMANAGER WITH COLOR SENSITIVITY MODE

34", MVA, WQHD, 3440 x 1440, 1000:1, LED, 400 nit, 8bit, 21:9, 5ms, 1800R

Viewsonic VP Series VP3481A. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black







Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type	86.4 cm (34") 3440 x 1440 pixels Wide Quad HD 21:9 LED WVA LED	Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Swivelling Swivel angle range On Screen Display (OSD)	Kensington  13 cm  -60 - 60°
Touchscreen *	X	Power	
Display brightness (typical) Response time * Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Horizontal scan range Vertical scan range High Dynamic Range (HDR) supported High Dynamic Range (HDR)	400 cd/m² 5 ms  ✓ Curved 1800R 1000:1 178° 178° 16.7 million colours 15 - 135 kHz 24 - 100 Hz  ✓ High Dynamic Range 10 (HDR10)	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (PowerSave) AC input voltage AC input frequency Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	F G 32 kWh 49 kWh 74.5 W 0.5 W 53.5 W 100 - 240 V 50 - 60 Hz A to G 597295
technology Surface hardness	3H	Operational conditions	
Multimedia		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 90%
Number of speakers RMS rated power Built-in speaker(s) *	2 5 W ✓	Weight & dimensions Width (with stand) Depth (with stand)	809 mm 299 mm

Design		Weight & dimensions	
Product colour *	Black	Height (with stand)	480 mm
Ports & interfaces  Built-in USB hub *  USB upstream port type  USB Type-A downstream ports quantity	✓ USB Type-B, USB Type-C	Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	12.1 kg 809 mm 105 mm 366 mm 7.4 kg
USB Type-C downstream ports	1	Packaging data	
quantity USB Power Delivery up to HDMI * HDMI ports quantity HDMI version	90 W  ✓ 2 2.0	Package width Package depth Package height Package weight	965 mm 370 mm 590 mm 17.2 kg
DisplayPorts quantity	1	Logistics data	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✓		

100 x 100 mm

Panel mounting interface









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.