Brother TD-4750TNWB label printer Direct thermal / Thermal transfer 300 x 300 DPI 152 mm/sec Wired & Wireless Ethernet LAN Wi-Fi Bluetooth

Brand : Brother

Product code: TD4750TNWBZU1

Product name : TD-4750TNWB

- Ease of use with 2.3" colour LCD display
- Thermal transfer and direct thermal printing technology
- Range of connectivity options including USB, Network, WiFi and Bluetooth
- High capacity with 300m ribbon, minimising downtime
- 300dpi high resolution printing for crisp text and barcodes
- Fast print speeds up to 6 inches per second

TT/ DT, 300 x 300, 2.3" LCD, 128 MB / 128 MB, Wi-Fi, Bluetooth, LAN 10/100 Mbps, USB, 3 kg

Brother TD-4750TNWB. Print technology: Direct thermal / Thermal transfer, Maximum resolution: 300 x 300 DPI, Print speed: 152 mm/sec. Connectivity technology: Wired & Wireless. Product colour: Black

Printing	
Print technology *	Direct thermal / Thermal transfer
Colour *	✗
Maximum resolution *	300 x 300 DPI
Print speed *	152 mm/sec
Maximum printing width *	10.5 cm
Maximum print length	11.43 m

Paper handling	
Maximum label width	11.2 cm
Maximum roll diameter	12.7 cm

Ports & interfaces	
Connectivity technology *	Wired & Wireless
Ethernet LAN *	✓
Wi-Fi *	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	✓
Bluetooth version	4.2
USB port *	✓
USB 2.0 ports quantity	1
RS-232 ports	1

Performance	
Internal memory	128 MB
Flash memory	128 MB

System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Linux operating systems supported	✓

Operational conditions	
Operating relative humidity (H-H)	5 - 40%
Storage relative humidity (H-H)	25 - 85%
Operating temperature (T-T)	-40 - 60 °C
Storage temperature (T-T)	10 - 90 °C

Weight & dimensions	
Width	219 mm
Depth	285 mm
Height	191 mm
Weight	3 kg

Packaging content	
Cables included	AC, USB
Bundled software	Bartender Ultra Lite Edition
Quick start guide	✓
AC adapter included	✓

Performance	
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Code-128 Codabar Library, EAN128, EAN13, EAN8, GS1 DataBar, ITF-14, Interleaved 2/5, MaxiCode, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E

Design	
Product colour *	Black
Built-in display	✓
Display *	LCD
Display diagonal	5.84 cm (2.3")
Colour display	✓

Packaging content	
Software development kit (SDK)	✓

Logistics data	
Harmonized System (HS) code	84433210

Technical details	
Sustainability certificates	ENERGY STAR

Other features	
Languages support	Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Norwegian, Portuguese, Slovenian

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date